JOURNAL OF
Polymer Science

Combined Author Index to Volume 32

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 32, 1994. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abbate, M.
—; Martuscelli, E.; Musto, P.; Ragosta, G.; Scarinzi, G.: Toughening of a Highly Cross-Linked Epoxy Resin By Reactive Blending with Bisphenol A Polycarbonate. I. FTIR Spectroscopy, 395P
Abdennadher, M. See Fargere, T., 1377C
Abe, Y. See Gunji, T., 3133C; Kasgoz, A., 1049C
Adduci, J. M.
—; Facinelli, J. V.; Lenz, R. W.: Synthesis and Characterization of Random Semi-Flexible Thermotropic Liquid Crystalline Poly(ester-imide)s, 2931C
Adebahr, T. See Kricheldorf, H. R., 159C, 1601C
Adhikari, B. See Das, P. S., 39C
Adisson, E.
—; Deffieux, A.; Fontanille, M.; Bujadoux, K.: Polymerization of Ethylene at High Temperature by Vanadium-Based Heterogeneous Ziegler-Natta Catalysts. II. Study of the Activation by Halocarbons, 1033C
Agari, Y.
—; Ueda, A.: Thermal Conductivity of Poly(vinyl chloride)/Polycaprolactone Blends, 59P
Aggour, Y. A.
—; Tomita, I.; Endo, T.: Polymeric Networks by the Cationic Crosslinking Reaction of Poly(allenyl ether)s Having Oligo(oxyethylene) Moieties in the Side Chain, 1991C
Ahn, T. O.
—; Kim, J. H.; Jeong, H. M.; Lee, S. W.; Park, L. S.: Compatibilizing Effect of Polyarylate-Polystyrene Block Copolymer in Polyarylate/Polystyrene Blends, 21P
Akiba, Y. See Kobayashi, E., 1609C
Akiyama, S. See Kawahara, S., 15P
Albalak, R. J.
—; Thomas, E. L.: Roll-Casting of Block Copolymers and of Block Copolymer-Homopolymer Blends, 341P
Albert, C. F.
—; Busfield, W. K.; Harvey, P.: Acetylene-Sensitized Irradiation Crosslinking of Polyethylene: A Model Compound Study by ^{13}C-NMR, 3197C
Albertsson, A.-C.
—; Eklund, M.: Synthesis of Copolymers of 1,3-Dioxan-2-one and Oxepan-2-one Using Coordination Catalysts, 265C
Aldana, M.
—; Laredo, E.; Bello, A.; Suarez, N.: Direct Signal Analysis Applied to the Determination of the Relaxation Parameters From TSDC Spectra of Polymers, 2197P
Alig, I.
—; Nancke, K.; Johari, G. P.: Relaxations in Thermosets. XXVI. Ultrasonic Studies of the Temperature Dependence of Curing Kinetics of Diglycidyl Ether of Bisphenol-A with Catalyst, 1465P
Al-Malaika, S.
—; Ashley, H.; Issenhuth, S.: The Antioxidant Role of α-Tocopherol in Polymers. I. The Nature of Transformation Products of α-tocopherol Formed during Melt Processing of LDPE, 3099C
Altomare, A. See Angiolini, L., 2849C
Alvares, D. See Fierro, R., 661C
Ambrosino, S.
—; Sixou, P.: Rheology of a Mixture of Liquid-Crystal Polymers in Solution, 77P
Ameduri, B.
—; Boutevin, B.; Malek, F.: Synthesis and Characterization of Maleimide Polymers with Pendant Pyrazole Groups. IV. Copolymerization of Pyrazole-Modified Maleimides with Vinyl Ethers, 3161C
—; Boutevin, B.; Malek, F.: Synthesis and Characterization of Styrenic Polymers with Pendant Pyrazole Groups. II, 729C
Amzil, A. See Berlinova, I. V., 1523C
Ando, Y.
—; Hanada, T.; Saitoh, K.: Quantitative Confirmation of the Crystal-Amorphous Interphase in Semicrystalline Poly(Vinylidene Fluoride) and Poly(Vinylidene Fluoride)/Poly(Ethyl Methacrylate) Blends, 179P
Angiolini, L.
—; Caretti, D.; Carlini, C.: Optically Active Polymers Containing Side-Chain Photochromic Moieties: Synthesis and Chiroptical Properties of Copolymers of

trans-4-(Phenylazo)-1-Naphthyl Acrylate and *trans*-4-(1-Naphthylazo)-Phenyl Acrylate with (−)-Menthyl Acrylate, 1159C
—; Caretti, D.; Carlini, C.; Altomare, A.; Solaro, R.: Optically Active Polymers Containing Side-Chain Azobenzene Moieties: Photochromic and Photoresponsive Behavior of Copolymers of *N*-(4-azobenzene)maleimide with (−)-Menthyl Vinyl Ether and (+)(*S*)-2-methylbutyl Vinyl Ether, 2849C
Annis, B. See Fu, Y., 2289P; Wang, Q., 2653P
Ansari, I. See Chuang, K. C., 1341C
Anseth, K. S.
—; Bowman, C. N.; Peppas, N. A.: Polymerization Kinetics and Volume Relaxation Behavior of Photopolymerized Multifunctional Monomers Producing Highly Crosslinked Networks, 139C
Aoki, S. See Matsumoto, A., 917C; Yamada, B., 2745C
Aoki, T.
—; Nakahara, H.; Hayakawa, Y.; Kokai, M.; Oikawa, E.: Trimethylsilyl-Group Containing Polyphenylacetylenes for Oxygen and Ethanol Permselective Membranes, 849C
Aoshima, S.
—; Fujisawa, T.; Kobayashi, E.: Living Cationic Polymerization of Isobutyl Vinyl Ether by $EtAlCl_2$ in the Presence of Ether Additives: Cyclic Ethers, Cyclic Formals, and Acyclic Ethers with Oxyethylene Units, 1719C
—; Onishi, H.; Kamiya, M.; Shachi, K.; Kobayashi, E.: Role of Added Lewis Base and Alkylaluminum Halide on Living Cationic Polymerization of Vinyl Ether, 879C
Aoshima, S. See Kobayashi, E., 1195C, 1609C; Obata, T., 475C
Aoyama, T. See Itaya, T., 171P
Aquino, E. C.
—; Brittain, W. J.; Brunelle, D. J.: Mechanistic Studies of Carbonate Macrocyclization, 741C
Archambeau, S. See Stassen, S., 2443C
Arias, C. See Fernandez-Garcia, M., 1191P
Ariga, T.
—; Takata, T.; Endo, T.: Cationic Copolymerization of Cyclic Carbonate and Epoxide via Intermediate Spiro Orthocarbonate, 1393C
Arivalagan, K. See Balakrishnan, T., 1909C
Arribas, G. See Ismayel, A., 1539C
Arzak, A.
—; Eguiazábal, J. I.; Nazábal, J.: Effects of Methylene Chloride Sorption on the Properties of Poly(ether ether ketone), 325P
Arzamendi, G. See Urretabizkaia, A., 1779C
Asanuma, T.
—; Oikawa, H.; Ookawa, Y.; Yamasita, W.; Matsuo, M.; Yamaguchi, A.: Synthesis of Thermotropic Liquid Crystal Polyimide and Its Properties, 2111C
Ashley, H. See Al-Malaika, S., 3099C
Asua, J. M. See Urretabizkaia, A., 1761C, 1779C
Atobe, I.
—; Takata, T.; Endo, T.: Adsorption-Desorption Behavior of Phenols on Novel Polymers Containing the Pyrrolidinone Moiety, 1371P
Avci, D.
—; Kūsefoğlu, S. H.; Thompson, R. D.; Mathias, L. J.: Ester Derivatives of α-Hydroxymethylacrylates: Itaconate Isomers Giving High Molecular Weight Polymers, 2937C
Ayad, M. M.
Influence of HCl on Polypyrrole Films Prepared Chemically from Ferric Chloride, 9C
Azab, M. M. See El-Hamouly, S. H., 937C
Azarenkov, V. P. See Privalko, V. P., 2625C

Babin, P. See Beyou, E., 1673C
Babu, G. N. See Vizzini, J. C., 2049C
Bacon, D. W. See Sun, L., 2127C, 2135C
Badyal, J. P. S. See Greenwood, O. D., 2479C
Bae, Y. H. See Kwon, I. C., 1085P
Bai, S. J.
Axial X-Ray Scattering on High-Performance Polymeric Fibers, 2575P
Baibak, A. V. See Privalko, V. P., 2625C
Baker, W. E. See Shing, J. B. W., 1691C
Balakrishnan, T.
—; Arivalagan, K.: Phase-Transfer Catalyzed Free-Radical Polymerization of Acrylonitrile, 1909C
Balanzat, E. See Betz, N., 1493P
Balizer, E.
—; Fedderly, J.; Haught, D.; Dickens, B.; Dereggi, A. S.: FTIR and X-ray Study of Polymorphs of Nylon 11 and Relation to Ferroelectricity, 365P
Baltà-Calleja, F. J. See Ezquerra, T. A., 1449P
Baltes, T. See Freitag, R., 3019C
Bandis, A.
—; Wen, W.-Y.; Jones, E. B.; Kaskan, P.; Zhu, Y.; Jones, A. A.; Inglefield, P. T.; Bendler, J. T.: An NMR Study of Segmental Motion in Poly(isobutylene) and the Relationship to Translational Diffusion of Sorbed CO_2, 1707P
Banerjee, S.
—; Palit, S. K.; Maiti, S.: Phosphorus Containing Polymers. III. Polyimidophosphonates, 219C
Barakat, I.
—; Dubois, P.; Jérôme, R.; Teyssié, P.; Goethals, E.: Macromolecular Engineering of Polylactones and Polylactides. XV. Poly(D,L)-lactide Macromonomers as Precursors of Biocompatible Graft Copolymers and Bioerodible Gels, 2099C
Baranovsky, V. Y. See Shenkov, S., 1385C
Barbari, T. A. See Reimers, M. J., 131P
Barley, J. S. See Mirabella, F. M., Jr., 2187P
Barrales-Rienda, J. M. See Fernandez-Garcia, M., 1191P
Barraza, R. G. See Ríos, H. E., 215P
Barton, B. F. See Kalika, D. S., 759P
Baruzzi, G. See Noristi, L., 3047C

Bashir, Z.
Co-crystallization of Solvents with Polymers: The X-Ray Diffraction Behavior of Solvent-Containing and Solvent-Free Polyacrylonitrile, 1115P
Bashir, Z. See Khan, N., 2509P
Bässler, H.
—; Borsenberger, P. M.; Perry, R. J.: Charge Transport in Poly(methylphenylsilane): The Case for Superimposed Disorder and Polaron Effects, 1677P
Basu, S.
—; Bhattacharyya, A.; Mondal, P. C.; Bhattacharyya, S. N.: Spectroscopic Evidences for Grafting of *N*-Vinyl Carbazole on Cellulose-Acetate Film, 2251C
Basu, S. See Chatterjee, N., 1225C
Bauer, B. J. See Liu, X., 811P
Baysal, B. M. See Hamurcu, E. E., 591P
Beaucage, G. See Bhowmik, P. K., 1023P
Beaunez, P.
—; Helary, G.; Sauvet, G.: Role of *N,N*-dimethyl-*para*-toluidine and Saccharin in the Radical Polymerization of Methyl Methacrylate Initiated by a Redox System. I. Cumene Hydroperoxide/Copper Saccharinate, 1459C
—; Helary, G.; Sauvet, G.: Role of *N,N*-dimethyl-*para*-toluidine and Saccharin in the Radical Polymerization of Methyl Methacrylate Initiated by a Redox System. II. Cumene Hydroperoxide/Iron Saccharinate, 1471C
Behnisch, J. See Holländer, A., 699C
Bello, A. See Aldana, M., 2197P
Bellucci, F.
—; Valentino, M.; Monetta, T.; Nicodemo, L.; Kenny, J.; Nicolais, L.; Mijovic, J.: Impedance Spectroscopy of Reactive Polymers. 1, 2519P
Bendler, J. T. See Bandis, A., 1707P
Benmouna, M.
—; Borsali, R.: Hydrodynamic Screening of Ring Copolymer Solutions, 981P
—; Borsali, R.; Rinaudo, M.: Cyclic Polymers Swollen in a Good Solvent Dynamic Scattering Properties, 985P
Benmouna, M. See Benoît, H., 1745P
Bennetau, B. See Beyou, E., 1673C
Bennett, G. S.
—; Farris, R. J.: The Synthesis and Characterization of Amine-Terminated Poly(aryl ether ketone)s as a Function of Side Group and Molecular Weight, 73C
Benoît, H.
—; Benmouna, M.; Borsali, R.; Rinaudo, M.: Dynamic Scattering Properties of Branched Polymers in the High-Wave Vector Region, 1745P
Benrashid, R.
—; Nelson, G. L.: Synthesis of New Siloxane Urethane Block Copolymers and Their Properties, 1847C
Berghmans, H. See Vanhee, S., 2307P
Berlinova, I. V.
—; Amzil, A.; Tsvetkova, S.; Panayotov, I. M.: Amphiphilic Graft Copolymers with Poly(oxyethylene) Side Chains: Synthesis via Activated Ester Intermediates —Properties, 1523C
Bertolini, G.
—; Lanzini, L.; Marchese, L.; Roggero, A.; Lezzi, A.; Costanzi, S.: Ethylene-Hindered Amine Copolymer: A Self-Stabilized Polyolefine, 961C
Betz, N.
—; Le Moël, A.; Balanzat, E.; Ramillon, J. M.; Lamotte, J.; Gallas, J. P.; Jaskierowicz, G.: A FTIR Study of PVDF Irradiated by Means of Swift Heavy Ions, 1493P
Beyou, E.
—; Babin, P.; Bennetau, B.; Dunogues, J.; Teyssie, D.; Boileau, S.: New Fluorinated Polysiloxanes Containing an Ester Function in the Spacer. I. Synthesis and Characterization, 1673C
Bhattacharya, S. K. See Bhowmik, P. K., 1023P
Bhattacharyya, A. See Basu, S., 2251C
Bhattacharyya, S. N. See Basu, S., 2251C
Bhowmik, P. K.
—; Beaucage, G.; Bhattacharya, S. K.; Lenz, R. W.: Crystallinity of Fully Aromatic Thermotropic Polyesters of 3,3′-*bis*(Phenyl)-4,4′-Biphenol and 1,1′-Binaphthyl-4,4′-Diol, 1023P
—; Han, H.; Garay, R. O.: Fully Aromatic Thermotropic Liquid Crystalline Homopolyesters of 3,4′-Benzophenone Dicarboxylic Acid, 333C
—; Lenz, R. W.: Fully Aromatic Liquid Crystalline Homopolyesters and Copolyesters of 1,1′-Binaphthyl-4,4′-Diol, 651C
—; Xu, W.; Han, H.: Thermotropic Liquid Crystalline Main-Chain Viologen Polymers: Homopolymer of 4,4′-Bipyridyl with Ditosylate of *trans*-1,4-Cyclohexanedimethanol and Its Copolymers with Ditosylate of 1,8-Octanediol, 3205C
Bhowmik, P. K. See Han, H., 343C
Bi, D. See Crivello, J. V., 683C
Biswas, A. See Hsiao, B. S., 737P
Blackburn, F. R.
—; Cicerone, M. T.; Ediger, M. D.: Temperature Dependence of Molecular Motions in Bulk Polystyrene, 2595P
Blanton, T. N. See Twomey, C. J., 551P, 1573P, 1687P
Blease, T. G. See Yu, G.-E., 1131C
Blythe, P. J. See Miller, C. M., 2365C
Bobba, R.
—; Cohen, C.: Hydrodynamic Fluctuations and Spinodal Decomposition in Ternary Systems, 671P
Bochmann, M.
—; Lu, J.: Synthesis of Poly(biphenylene Ketone)s via Palladium Catalyzed Cross-Coupling Reactions with Ketone Diacetals, 2493C
Bogdanić, G. See Vuković, R., 1079P
Bogdanov, B. G.
—; Michailov, M.; Uzov, C. V.; Gavrailova, G. G.: Complexation of Poly(ethylene oxide) and Urea, 387P
Bohan, S. P. See Hung, C.-C., 141P
Boileau, S. See Beyou, E., 1673C

Boller, A. See Fu, Y., 2289P
Bonfanti, C.
—; Lanzini, L.; Roggero, A.; Sisto, R.: Chemical Modification of Poly(2,6-dimethyl-1,4-phenylene oxide) by Bromination-Alkynylation, 1361C
Booij, M. See Scherrenberg, R. L., 99P
Boom, J. P. See Hensema, E. R., 513C
Booth, C. See Yu, G.-E., 1131C
Borsali, R. See Benmouna, M., 981P, 985P; Benoît, H., 1745P
Borsenberger, P. M. See Bässler, H., 1677P
Bourbon, D. See Kamiya, Y., 281P
Boutevin, B. See Ameduri, B., 729C, 3161C; Fargere, T., 1377C
Bowman, C. N. See Anseth, K. S., 139C
Boye, J.
—; Demont, P.; Lacabanne, C.: Secondary Retardation Modes in Diglycidyl Ether of Bisphenol A—Diamino Diphenyl Methane Networks, 1359P
Bras, W. See Jenkins, P. J., 1579P
Bratslavsky, S. A. See Crivello, J. V., 2755C, 2895C, 2919C
Bravo, J.
—; Mendicuti, F.; Mattice, W. L.: Intramolecular Formation of Excimers in Model Compounds for Polyesters Obtained from 2,6-Naphthalene Dicarboxylic Acid and Cyclohexanediols, 1511P
Brett, T. See Guan, H. W., 2615P
Briber, R. M. See Liu, X., 811P
Brittain, W. J. See Aquino, E. C., 741C
Bromberg, L.
—; Levin, G.: A Novel Synthetic Route for Nucleophilic Substitution of a Peptide on a Polymer via Salt-Mediated Peptide Solubilization, 2797C
Broomall, C. F. See Radler, M. J., 2567P
Brown, P. G.
—; Fujimori, K.: The Comppen Model: A Combined Complex-Participation/Penultimate Effect Model for Free-Radical Copolymerization, 2971C
Brunelle, D. J. See Aquino, E. C., 741C
Bryant, R. G. See Hergenrother, P. M., 3061C
Bu, H.
—; Chen, E.; Xu, S.; Guo, K.; Wunderlich, B.: Single-Molecule Single Crystals of Isotactic Polystyrene, 1351P
Bubeck, R. A. See Radler, M. J., 2567P
Büchi, F. N. See Gupta, B., 1931C
Budtova, T. V.
—; Suleimenov, I. E.; Frenkel, S. YA.: Interpolymer Complex Formation of Some Nonionogenic Polymers with Linear and Crosslinked Polyacrylic Acid, 281C
Buijs, J. A. H. M.
—; Damman, S. B.: Liquid Crystalline Main Chain Polymers with a Poly(*p*-Phenylene-terephthalate) Backbone: 7. Thermal Expansion of Oriented Films of the Polyester with Dodecyloxy Side Chains, 851P
Bujadoux, K. See Adisson, E., 1033C
Bulhões, L. O. S. See Mattoso, L. H. C., 2147C
Bunning, T. J. See Gresham, K. D., 2039C
Burch, E. L. See Miller, K. E., 2625P
Burchill, P. J.
On the Formation and Properties of a High-Temperature Resin from a Bisphthalonitrile, 1C
Bürger, R. See Kricheldorf, H. R., 355C
Burillo, G. See Canizal, G., 3147C
Busfield, W. K. See Albert, C. F., 3197C
Bussi, P.
—; Ishida, H.: Dynamic Mechanical Properties of Epoxy Resin/Epoxidized Rubber Blends: Effect of Phase Separated Rubber, 647P

Cádiz, V. See Galià, M., 829C; Ronda, J. C., 2841C
Calandrelli, L.
—; Di Pace, E.; Laurienzo, P.; Malinconico, M.; Martuscelli, E.; Volpe, M. G.: A New Class of Aromatic Poly-ether-Aroyl-Oxadiazoles. II. Studies on the Cyclization Reaction, Infrared, Structural, and Morphological Characterization, 1249P
Callaghan, T. A.
—; Paul, D. R.: Estimation of Interaction Energies by the Critical Molecular Weight Method: 1. Blends With Polycarbonates, 1813P
—; Paul, D. R.: Estimation of Interaction Energies by the Critical Molecular Weight Method: 2. Blends With Polysulfones, 1847P
Cameron, R. E. See Jenkins, P. J., 1579P
Canizal, G.
—; Burillo, G.; Muñoz, E.; Gleason, R.; Ogawa, T.: The Interaction of Poly(methacrylate) Radicals with Diphenyldiacetylenes, 3147C
Caporiccio, G. See Favia, P., 121C
Cardoso, J.
—; Montiel, R.; González, L.; Huanosta, A.; Manero, O.: The Influence of Pressure-Induced Structural Changes on the Ionic Conductivity of Zwitterionic Polymers, 359P
Caretti, D. See Angiolini, L., 1159C, 2849C
Carfagna, C. See Jin, X., 3115C
Carlini, C. See Angiolini, L., 1159C, 2849C
Carri, G. See Simha, R., 2645P
Carson, W. G. See Hung, C.-C., 141P
Carter, A. M. See Crivello, J. V., 2895C
Caruthers, J. M. See Kim, D., 1593P
Casey, B. S.
—; Morrison, B. R.; Maxwell, I. A.; Gilbert, R. G.; Napper, D. H.: Free Radical Exit in Emulsion Polymerization. I. Theoretical Model, 605C
Casey, B. S. See Morrison, B. R., 631C
Cavaillé, J. Y. See Garcia-Ramirez, M., 1437P
Celta, D. See Ismayel, A., 1539C
Cerny, L. L. See Chuang, K. C., 1341C
Cestari, M. See Gregorio, R., Jr., 859P
Cesteros, L. C.
—; Isasi, J. R.; Katime, I.: Study of the Miscibility of Poly(vinyl pyridines) with Poly(vinyl

acetate), Poly(vinyl alcohol) and their Copolymers, 223P
Cha, W.-I.
—; Hyon, S.-H.; Ikada, Y.: Gel Spinning of Poly(vinyl Alcohol) from Dimethyl Sulfoxide/Water Mixture, 297P
Chabanne, P. See Matějka, L., 1447C
Chakrabarti, S. See Ghosh, M., 797C
Chalykh, A. Ye. See Mikhailov, Y. M., 1799P
Champagne, M. F.
—; Prud'Homme, R. E.: Miscibility Behavior of Di(ethyl-2 Hexyl) Phthalate in Binary and Ternary Chlorinated Polymer Blends, 615P
Chang, H.-M. See Chang, K.-Y., 2629C
Chang, H.-N. See Choi, E.-J., 2481P
Chang, K.-Y.
—; Chang, H.-M.; Lee, Y.-D.: Molecular Composite. II. Novel Block Copolymer and Semi-Interpenetrating Polymer Network of Rigid Polyamide and Flexible Polyimide, 2629C
Chang, T.-C. See Sun, S.-J., 3039C
Chang, Y.-L.
—; Jou, J.-H.: Temperature Effect on Solvent Diffusion in Rigid and Semirigid Polyimide Films, 2143P
Chatelier, R. C. See Gengenbach, T. R., 1399C
Chatterjee, N.
—; Basu, S.; Palit, S. K.; Maiti, M. M.: A Reexamination of the Degradation of Polyvinylchloride by Thermal Analysis, 1225C
Chatterjee, S. K.
—; Chhabra, M.; Johri, S.: Thermodynamic Studies of Some Complexation Systems Involving Methacrylic Acid-Acrylamide Copolymer, Poly(vinyl Pyrrolidone) and Poly(Ethylene oxide), 1169C
Chaumont, P. See Colombani, D., 2687C
Chayrigues, H. See Milhourat-Hammadi, A., 203C
Chen, E. See Bu, H., 1351P
Chen, G. C.
—; Su, J.; Fina, L. J.: FTIR-ATR Studies of Drawing and Poling in Polymer Bilaminate Films, 2065P
Chen, J.
—; Fone, M.; Reddy, V. N.; Schwartz, K. B.; Fisher, H. P.; Wunderlich, B.: Identification and Quantitative Analysis of the Intermediate Phase in a Linear High-Density Polyethylene, 2683P
—; Goh, S. H.; Lee, S. Y.; Siow, K. S.: Copolymerization of Methacrylonitrile with *p*-Methylstyrene, 1263C
Chen, J. See Guo, X. A., 47C, 2859C
Chen, S. H. See Twomey, C. J., 551P, 1573P, 1687P
Chen, S.-A.
—; Liao, C.-S.: Effect of Side-Chain Length on Charge Mobilities in Neutral Poly(3-alkylthiophene)s: Determination from Dielectric Measurement, 2339P
Chen, S.-J.
—; Chiew, Y. C.; Gardecki, J. A.; Nilsen, S.; Radosz, M.: P-V-T Properties of Alternating Poly(Ethylene-Propylene) Liquids, 1791P
Chen, W.
—; Fu, Y.; Wunderlich, B.; Cheng, J.: The Morphology of Gel-Spun Polyethylene Fibers, Investigated by Solid-State ^{13}C NMR, 2661P
Chen, W. See Cheng, J., 721P
Chen, W.-C.
—; Jenekhe, S. A.; Meth, J. S.; Vanherzeele, H.: Refractive Index and Nonlinear Optical Properties of Polyaniline Derivatives, 195P
Chen, W.-T. See Yang, C.-P., 435C, 1101C
Chen, X. See Shen, Z., 597C
Chen, Y.
—; Wu, J.-D.: Preparation and Photoreaction of Copolymers Derived from *N*-(1-phenylethyl)acrylamide and 7-Acryloyloxy-4-methyl Coumarin, 1867C
Chen, Y.-J.
—; Mays, J. W.; Hadjichristidis, N.: The Influence of Alkylene Spacers on Conformational and Thermal Properties of Poly(aryl Methacrylates), 715P
Chen, Z. J.
—; Xue, Y.; Frisch, H. L.: Electrically Conductive Pseudo IPNs of Linear Poly(carbonate-urethane) and Crosslinked Polychloroprene, 2395C
Chen, Z. J. See Frisch, H. L., 1317C
Cheng, J.
—; Jin, Y.; Chen, W.; Wunderlich, B.; Jonsson, H.; Hult, A.; Gedde, U. W.: The Chain Conformations of a Polyether Based on *Bis*(4-hydroxyphenoxy)-*p*-Xylylene and 1,11-Dibromoundecane (HPX-C11) in Its Mesophase States, Derived from ^{13}C NMR, 721P
Cheng, J. See Chen, W., 2661P
Cheng, L.-P.
—; Dwan, A.-H.; Gryte, C. C.: Isothermal Phase Behavior of Nylon-6, -66, and -610 Polyamides in Formic Acid-Water Systems, 1183P
—; Soh, Y. S.; Dwan, A.-H.; Gryte, C. C.: An Improved Model for Mass Transfer During the Formation of Polymeric Membranes by the Immersion-Precipitation Process, 1413P
Cheng, S. Z. D. See Hsiao, B. S., 2585P, 2705P
Cherry, P. See Zipper, M. D., 1237P
Chhabra, M. See Chatterjee, S. K., 1169C
Chiba, K.
—; Kadokawa, J.-I.; Yamashita, K.; Tagaya, H.; Karasu, M.: Preparation and Block Copolymerization of Oligodihexanoylchitin Having Hydroxy Groups at Both Ends, 2619C
Chien, J. C. W.
—; Song, W.; Rausch, M. D.: Polymerization of Propylene by Zirconocenium Catalysts with Different Counter-ions, 2387C
Chien, J. C. W. See Fierro, R., 661C, 2817C; Li, S., 607P; Tsai, W.-M., 149C; Vizzini, J. C., 2049C
Chiew, Y. C. See Chen, S.-J., 1791P
Chino, S. See Matsuo, S., 1071C
Chiu, Y.-S. See Hsiue, G.-H., 2155C; Liu, Y.-L., 2543C, 3201C
Cho, H.-N. See Park, J.-W., 2789C
Cho, I.
—; Song, K. Y.: Radical

Ring-Opening Polymerization of 10-Methylene-9,10-dihydroanthryl-9-spirocyclopropane, 1789C
Cho, J. C. See Jo, W. H., 1661P
Cho, W.-J.
—; Choi, C.-H.; Ha, C.-S.: Characterization of Chloroprene and Maleic Anhydride Copolymer by ^{13}C-NMR Spectroscopy and Pyrolysis GC/MS, 2301C
Choi, C.-H. See Cho, W.-J., 2301C
Choi, E.-J.
—; Park, J.-K.; Chang, H.-N.: Effect of Polymerization Catalysts on the Microstructure of P(LLA-*co*-εCL), 2481P
Choi, H. K. See Kim, I., 971C
Choi, K.-Y.
—; Yi, M.-H.; Choi, S.-K.; Jung, Y.-G.; Rhee, J.-M.: Synthesis and Characterization of Nadimide End-Capped Polyarylates, 175C
Choi, S.-K. See Choi, K.-Y., 175C; Park, J., 983C; Park, J.-W., 2789C
Choy, C. L.
—; Kwok, K. W.; Leung, W. P.; Lau, F. P.: Thermal Conductivity of Poly(ether Ether Ketone) and Its Short-Fiber Composites, 1389P
Chritz, T. C. See Radler, M. J., 2567P
Chu, B.
—; Wu, G.; Schneider, D. K.: A Scattering Study on Intermicellar Interactions and Structures of Polymeric Micelles, 2605P
Chu, B. See Zhou, Z., 2135P
Chu, C. C. See Pratt, L. M., 949C
Chu, E. Y. See Dai, Y. K., 397C
Chu, V. See Sellinger, A., 3069C
Chuang, K. C.
—; Vannucci, R. D.; Ansari, I.; Cerny, L. L.; Scheiman, D. A.: High Flow Addition Curing Polyimides, 1341C
Chun, B.-W.
—; Ishizu, C.; Itatani, H.; Haraya, K.; Shindo, Y.: Characterization and Gas Permeability of a Three-Component Polyimide Series, 1009P
Chung, L.-Z.
—; Kuo, D.-L.; Tsai, H.-B.: Block Copolyetheramides III. Blends of Nylon-6 and Block Copolyetheramides, 1149P
Chung, S. H.
—; Such, K.; Wieczorek, W.; Stevens, J. R.: An Analysis of Ionic Conductivity in Polymer Electrolytes, 2733P
Cicerone, M. T. See Blackburn, F. R., 2595P
Cimmino, S.
—; Di Pace, E.; Martuscelli, E.; Mendes, L. C.; Silvestre, C.: High Density Polyethylene/Hydrogenated Oligo(cyclopentadiene) Blends: Phase Structure, Thermal and Mechanical Properties, 2025P
Ciora, R. J., Jr.
—; Magill, J. H.: Novel Rolltruded Films. II. Effect of Draw Ratio on the Gas Transport Properties of Rolltruded Isotactic Poly(propylene), 305P
Clark, J. H.
—; Denness, J. E.; Wynd, A. J.; McGrail, T.: The Preparation of a Semicrystalline Trifluoromethylated Poly(aryl ether sulphone), 1185C
Clayden, N. J.
Lamellar Thickness of Crystallizable Ethene Runs in Ethene-Propene Copolymers by Solid State NMR, 2321P
Clouet, G.
—; Kayser, D.: Macrothiuram Disulfide for the Free Radical Synthesis of PDMS-Vinyl Triblock Copolymers. II. Studies of Chain Transfer, 1423C
Clubb, B. See Sosnowski, S., 2499P
Cobianco, S. See Lezzi, A., 1877C
Coburn, J. C.
—; Pottiger, M. T.; Noe, S. C.; Senturia, S. D.: Stress in Polyimide Coatings, 1271P
Coburn, J. C. See Pottiger, M. T., 825P
Cohen, C. See Bobba, R., 671P
Coleman, M. M.
—; Yang, X.; Painter, P. C.; Kim, Y. H.: Hexafluoro-2-hydroxy-2-propyl-Modified Polyisoprene Blends, 1817C
Coleman, M. M. See Painter, P. C., 1189C
Coleman, M. R.
—; Koros, W. J.: The Transport Properties of Polyimide Isomers Containing Hexafluoroisopropylidene in the Diamine Residue, 1915P
Colmenero, J. See Del Val, J. J., 871P
Colombani, D.
—; Chaumont, P.: Chain Transfer by Addition-Substitution-Fragmentation Mechanism. I. End-Functional Polymers by a Single-Step Free Radical Transfer Reaction: Use of a New Allylic Linear Peroxyketal, 2687C
Condo, P. D.
—; Johnston, K. P.: In Situ Measurement of the Glass Transition Temperature of Polymers With Compressed Fluid Diluents, 523P
Congedo, T. V.
—; Schoch, K. F., Jr.: Ion Irradiation of Poly(Methyl Methacrylate) for Precise Control of Electrical and Optical Properties, 2715P
Cooney, T. F.
—; Wang, L.; Sharma, S. K.; Gauldie, R. W.; Montana, A. J.: Raman Spectral Study of Solid and Dissolved Poly(Vinyl Alcohol) and Ethylene-Vinyl Alcohol Copolymer, 1163P
Cooper, A. I. See Howdle, S. M., 541P
Cooper, S. L. See Goddard, R. J., 1557P; Grady, B. P., 2357P; Phillips, R. A., 791P
Corriu, R.
—; Leclercq, D.; Mutin, P. H.; Samson, H.; Vioux, A.: Thermal Isomerization of Alternating Silphenylene-Siloxane Copolymer, 187C
Costanzi, S. See Bertolini, G., 961C
Costello, L. M.
—; Koros, W. J.: Effect of Structure on the Temperature Dependence of Gas Transport and Sorption in a Series of Polycarbonates, 701P
Cotts, P. M.
Comparison of the Molecular Dimensions of Di-alkyl and Aryl-alkyl-Substituted Polysilanes in Solution Using SEC/LS, 771P
Cousin, P.
—; Smith, P.: Dynamic Mechanical Properties of Sulfonated Polystyrene/Alumina Composites, 459P
Crane, R. L. See Gresham, K. D., 2039C
Crighton, J. S. See Tsukada, M., 243P

Crist, B. See Nesarikar, A., 641P; Rhee, J., 159P
Crivello, J. V.
—; Bi, D.: The Synthesis and Cationic Polymerization of Multifunctional Silicon-Containing Epoxy Monomers and Oligomers, 683C
—; Bratslavsky, S. A.: Novel Cationically Polymerizable Propenyl and Vinyl Ethers Derived from Renewable Sources, 2919C
—; Bratslavsky, S. A.: Synthesis and Photoinitiated Cationic Polymerization of 1,2,3-Tris(1-propenoxy)propane, 2755C
—; Carter, A. M.; Bratslavsky, S. A.: Synthesis, Characterization, and Polymerization of Propenyl Ether Analogues, 2895C
—; Kim, W.-G.: Synthesis and Photopolymerization of 1-Propenyl Glycidyl Ether, 1639C
Cuculo, J. A.
—; Smith, C. B.; Sangwatanaroj, U.; Stejskal, E. O.; Sankar, S. S.: A Study on the Mechanism of Dissolution of the Cellulose/NH_3/NH_4SCN System. I, 229C
—; Smith, C. B.; Sangwatanaroj, U.; Stejskal, E. O.; Sankar, S. S.: A Study on the Mechanism of Dissolution of the Cellulose/NH_3/NH_4SCN System. II., 241C
Curran, S. See Tzou, D. L., 1521P
Czerwinski, W. See Erdmann, K., 1961P

D'Agostino, R. See Favia, P., 121C
Dai, K. H.
—; Kramer, E. J.: Molecular Weight Dependence of Diblock Copolymer Segregation at a Polymer/Polymer Interface, 1943P
Dai, Y. K.
—; Chu, E. Y.; Xu, Z. S.; Pearce, E. M.; Okamoto, Y.; Kwei, T. K.: Molecular Composites from Sulfonated Poly(*p*-phenylene terephthalamide), 397C
Damiani, D. E. See Ferreira, M. L., 1137C
Damman, S. B. See Buijs, J. A. H. M., 851P
Dando, N. R. See Masterman, T. C., 2263P
Darkow, R.
—; Yoshikawa, M.; Kitao, T.; Tomaschewski, G.; Schellenberg, J.: Photomodification of a Poly(acrylonitrile-co-butadiene-co-styrene) Containing Diaryltetrazolyl Groups, 1657C
Das, P. S.
—; Adhikari, B.; Maiti, S.: Fluorination of Polymers by Sulfur Hexafluoride Gas under Electric Discharge, 39C
Datta, A. See Kuruvilla, B. A., 2275C
Davé, V.
—; Wang, J. Z.; Glasser, W. G.; Dillard, D. A.: Cellulose-Based Fibers from Liquid Crystalline Solutions. IV. Effects of Lithium Chloride on Acetate/Butyrate Esters, 1105P
David, G. See Simionescu, C. I., 3123C
Davidovich, A. See Nesarikar, A., 641P
Davis, H.
—; Khan, A.: Determining the Chromophore in the Amylopectin-Iodine Complex by Theoretical and Experimental Studies, 2257C
—; Skrzypek, W.; Khan, A.: Iodine Binding by Amylopectin and Stability of the Amylopectin-Iodine Complex, 2267C
De Paoli, M.-A. See Zoppi, R. A., 1001C
Dean, B. D.
EPDM-*g*-Polyethersulfone via Diels-Alder Chemistry, 567C
Dedier, J. See Rusig, I., 1907P
Deffieux, A. See Adisson, E., 1033C
Defranceschi, M. See Léonard-Stibbe, E., 1551C
Del Val, J. J.
—; Colmenero, J.; Martínez, G.; Millán, J. L.: Sub-T_g Molecular Motions in Glassy Poly(vinyl Chloride). Influence of the Nucleophilic Substitution, 871P
Delhalle, J. See Léonard-Stibbe, E., 1551C
Deligöz, H.
—; Tavasli, M.; Yilmaz, M.: Selective Extraction of Fe^{3+} by a Polymeric Calix[4]arene, 2961C
Delmas, M. See Fargere, T., 1377C
DeMeuse, M. T.
Temperature-Dependent Dielectric Studies of Fully Cured Diethylene Glycol Bis(Allyl Carbonate), 1749P
Demont, P. See Boye, J., 1359P
Deng, Y.
—; Martin, G. C.: Analysis of the Cure-Dependent Dielectric Relaxation Behavior of an Epoxy Resin, 2115P
Deniau, G. See Léonard-Stibbe, E., 1551C
Denness, J. E. See Clark, J. H., 1185C
Derbyshire, G. E. See Jenkins, P. J., 1579P
Dereggi, A. S. See Balizer, E., 365P
Devaux, J. See Maes, C., 3171C
Devi, M. S. See Kothandaraman, H., 1283C
Di Liello, V.
—; Martuscelli, E.; Musto, P.; Ragosta, G.; Scarinzi, G.: Toughening of Highly Crosslinked Epoxy Resins By Reactive Blending With Bisphenol A Polycarbonate. II. Yield and Fracture Behavior, 409P
Di Pace, E.
—; Fichera, A. M.; Laurienzo, P.; Malinconico, M.; Martuscelli, E.; Perenze, N.; Volpe, M. G.: Thermal and Structural Analysis and Crystallization Behavior of New Poly(ether-Alkyl)Oxadiazoles, 1643P
Di Pace, E. See Calandrelli, L., 1249P; Cimmino, S., 2025P
Diakoumakos, C. D.
—; Mikroyannidis, J. A.; Krontiras, C. A.; Pisanias, M. N.: Synthesis and Thermal Stability of the Resins Prepared from the Reactions of 1,4-bis(2,2-Dicyanovinyl)benzene with Aromatic Diamines and Electrical Conductivity of the Resulting Materials Following Pyrolysis, 1915C
Díaz Calleja, R.
—; Gargallo, L.; Radić, D.: Dielectric Relaxations in Poly(thiocarbonates), 1617P
—; Saiz, E.; Riande, E.; Gargallo, L.; Radic, D.: Relaxation Behavior, Intramolecular Interactions, and Local Motions on Monosubstituted

Esters of Poly(itaconic Acid), 1069P
Dickens, B. See Balizer, E., 365P
Dickinson, J. T.
—; Jensen, L. C.; Langford, S. C.; Dion, R. P.: Emission of Occluded Volatiles During Deformation of Polycarbonate Due to Strain-Enhanced Diffusion, 993P
—; Jensen, L. C.; Langford, S. C.; Dion, R. P.: Temperature Measurements of the Gaseous Emission During the Fracture of Polystyrene: A Determination of the Fracture Energy and Fracture Surface Temperature, 779P
Dickinson, L. C. See Li, S., 607P
Dijkstra, P. J. See In 'T Veld, P. J. A., 1063C
Dillard, D. A. See Davé, V., 1105P
Dion, R. P. See Dickinson, J. T., 779P, 993P
Dirim, H. See Özkan, H. S., 631P
Dogué, I. L. J.
—; Mermilliod, N.; Genoud, F.: Influence of the Morphology of Polypropylene Films on the Formation and Evolution of Irradiation-Induced Peroxy-Radicals, 2193C
Doi, T.
—; Matsumoto, A.; Otsu, T.: Elucidation of Mechanism for Living Radical Polymerization of Styrene with *N,N*-diethyldithiocarbamate Derivatives as Iniferters by the Use of Spin Trapping Technique, 2241C
—; Matsumoto, A.; Otsu, T.: Radical Polymerization of Methyl Acrylate by Use of Benzyl *N,N*-diethyldithiocarbamate in Combination with Tetraethylthiuram Disulfide as a Two-Component Iniferter, 2911C
Donachy, J. E.
—; Sikes, C. S.: Thermal Polycondensation Synthesis of Biomimetic Serine-Containg Derivatives of Polyaspartate: Potent Inhibitors of Calcium Carbonate and Phosphate Crystallization, 789C
Donald, A. M. See Jenkins, P. J., 1579P
Dong, S. See Fierro, R., 661C
Dotrong, M.
—; Dotrong, M. H.; Wang, C. S.; Song, H.; Moore, G. J.; Evers, R. C.: Synthesis, Characterization, and Properties of Colorless Rigid-Rod Poly(benzobisthiazole) Derived from Bicyclo[2.2.2]octane, 2953C
Dotrong, M. H. See Dotrong, M., 2953C
Drumheller, P. D.
—; Hubbell, J. A.: Phase-Mixed Poly(ethylene glycol)/Poly(trimethylolpropane triacrylate) Semi-Interpenetrating Polymer Networks Obtained by Rapid Network Formation, 2715C
Dubois, P. See Barakat, I., 2099C
Dubois, Ph. See Stassen, S., 2443C
Duff, D. W. See Lau, A. N. K., 1507C
Duić, LJ.
—; Mandić, Z.; Kovačiček, F.: The Effect of Supporting Electrolyte on the Electrochemical Synthesis, Morphology, and Conductivity of Polyaniline, 105C
Dunogues, J. See Beyou, E., 1673C
Dupeyre, D. See Garcia-Ramirez, M., 1437P
Dwan, A.-H. See Cheng, L.-P., 1183P, 1413P

Ediger, M. D. See Blackburn, F. R., 2595P
Ediger, M. D. See Zhu, W., 2251P
Edman, J. R. See Pottiger, M. T., 825P
Eggert, M.
—; Freitag, R.: Poly-*N,N*-diethylacrylamide Prepared by Group Transfer Polymerization: Synthesis, Characterization, and Solution Properties, 803C
Eggert, M. See Freitag, R., 3019C
Eguiazábal, J. I. See Arzak, A., 325P
Eklund, M. See Albertsson, A.-C., 265C
El-Aasser, M. S. See Miller, C. M., 2365C; Shen, S., 1087C
Elce, E. See Strukelj, M., 193C
El-Hamouly, S. H.
—; Azab, M. M.: Azeotropy in Terpolymerization of *N*-antipyryl Acrylamide with Different Alkyl Acrylates or Styrene and Acrylonitrile, 937C
Enari, T. See Kurita, K., 393C
Encinas, M. V.
—; Lissi, E. A.; Rufs, A. M.; Previtali, C. M.: Polymerization Photoinitiated by Carbonyl Compounds. X. Methyl Methacrylate Polymerization Photoinitiated by Fluorenone in the Presence of Triethylamine, 1649C
Endo, T. See Aggour, Y. A., 1991C; Ariga, T., 1393C; Atobe, I., 1371P; Kanazawa, A., 1997C; Koizumi, T., 3193C; Park, J., 199C, 983C; Sanda, F., 323C, 2517C
Erdem, B. See Hazer, B., 1739C, 2603C
Erdmann, K.
—; Czerwinski, W.; Gerstein, B. C.; Pruski, M.: Structural Studies of Poly(Paraphenylene), Poly(2,5-Thienylene) and Their Derivatives by Solid-State NMR of ^{1}H and ^{13}C, 1961P
Erhan, S. See Reddy, T. A., 557C, 1977C
Escaig, B. See Melot, D., 249P, 1805P
Eustache, R. P. See Melot, D., 249P, 1805P
Evers, R. C. See Dotrong, M., 2953C
Ewen, B. See Stölken, S., 881P
Ezquerra, T. A.
—; Kremer, F.; Baltà-Calleja, F. J.; Lopez Cabarcos, E.: Double Ferroelectric-to-Parelectric Transition in 70/30 Vinylidene Fluoride-Trifluoro Ethylene Copolymer as Revealed by Dielectric Spectroscopy, 1449P

Facinelli, J. V. See Adduci, J. M., 2931C
Fagerburg, D. R. See Sass, C. S., 579P
Fakhreddine, Y. A.
—; Zoller, P.: Thermophysical Properties of Azomethine Ether Main-Chain Liquid Crystalline Polymers at Pressures to 200 MPa, 2445P
Fanconi, B. M. See Wu, W.-L., 2475P
Fargere, T.
—; Abdennadher, M.; Delmas, M.; Boutevin, B.: Synthesis of Graft Polymers from an Ozonized Ethylene Vinyl Acetate Copolymer (EVA). I.

Study of the Radical Polymerization of Styrene Initiated by an Ozonized EVA, 1377C
Faria, R. M. See Mattoso, L. H. C., 2147C
Farinha, J. P. S.
—; Martinho, J. M. G.; Xu, H.; Winnik, M. A.; Quirk, R. P.: Influence of Intrachain Hydrogen Bonding on the Cyclization of a Polystyrene Chain, 1635P
Farris, R. J. See Bennett, G. S., 73C; Jennings, R. M., 1457P
Favia, P.
—; Caporiccio, G.; D'Agostino, R.: Plasma Deposition of Thin Films from a Fluorine-Containing Cyclosiloxane, 121C
Fawcett, A. H.
—; Hania, M.; Lo, K.-W.; Patty, A.: Oligomers of a Polyester Network, 815C
Fedderly, J. See Balizer, E., 365P
Feijen, J. See In 'T Veld, P. J. A., 1063C
Feiring, A. E.
—; Wonchoba, E. R.: Facile Synthesis of a Semicrystalline Aromatic Fluoroaliphatic Poly(ether sulfone), 389C
Felisberti, M. I. See Zoppi, R. A., 1001C
Feng, H. B. See Yao, K. D., 1213C
Feng, J. See Sosnowski, S., 1497C
Feng, Y. See Yoon, H., 1485P
Fenwick, D. See Motamedi, F., 453P
Fernandez-Garcia, M.
—; Lopez-Gonzalez, M. M. C.; Barrales-Rienda, J. M.; Madruga, E. L.; Arias, C.: Effect of Copolymer Composition and Conversion on the Glass Transition of Methyl Acrylate-Methyl Methacrylate Copolymers, 1191P
Ferreira, M. L.
—; Damiani, D. E.: Comparative Characterization of $MgCl_2$/Ethyl Benzoate/$TiCl_4$ and $MgCl_2$/2,2,6,6 Tetramethylpiperidine/$TiCl_4$ Ziegler-Natta Precatalysts, 1137C
Feve, M. See Wang, F. C., 1305P, 1315P
Fichera, A. M. See Di Pace, E., 1643P
Fields, E. K. See Moy, T. M., 2377C
Fields, J. See Ghebremeskel, Y., 383P
Fierro, R.
—; Chien, J. C. W.; Rausch, M. D.: Asymmetric Zirconocene Precursors for Catalysis of Propylene Polymerization, 2817C
—; Yu, Z.; Rausch, M. D.; Dong, S.; Alvares, D.; Chien, J. C. W.: Syndioselective Propylene Polymerization Catalyzed by *rac*-2,2-Dimethylpropylidene-(1-η^5-cyclopentadienyl)(1-η^5-fluorenyl)-dichlorozirconium, 661C
Filliatre, C. See Rusig, I., 1907P
Fina, L. J. See Chen, G. C., 2065P
Fisher, H. P. See Chen, J., 2683P
Fleming, P. D., III See Wiff, D. R., 2555P
Florjanczyk, Z. See Such, K., 2221P
Fone, M. See Chen, J., 2683P
Fone, M. M. See Lau, A. N. K., 1507C
Fontanella, J. J.
—; McLin, M. G.; Wintersgill, M. C.: Electrical Relaxation In In Situ Dried Acid-Form Nafion, 501P
Fontanille, M. See Adisson, E., 1033C; Heroguez, V., 1755C
Foo, C.
—; Kwei, T. K.; Okamoto, Y.; McBreen, J.; Lee, H. S.: Alkali Metal Ion Conductors Based on Sulfonated Poly(*p*-phenylene terephthalamide), 3009C
Ford, W. T. See Sunkara, H. B., 1431C
Forsyth, M.
—; Smith, M. E.; Meakin, P.; MacFarlane, D. R.: ^{23}Na NMR in Urethane Cross-Linked Polyether Solid Polymer Electrolytes, 2077P
Fransson, Å. See Skoglund, P., 1999P
Fréchet, J. M. J. See Galia, M., 2169C; Wang, Q. C., 2577C
Freddi, G. See Tsukada, M., 243P, 961P, 1175P, 1407P
Freeman, M. J.
—; Harding, D. R.: Plasma-Enhanced Deposition of Diamond-Like Carbon Films on High Temperature Tolerant Polymers, 1377P
Freitag, R.
—; Baltes, T.; Eggert, M.: A Comparison of Thermoreactive Water-Soluble Poly-*N,N*-diethylacrylamide Prepared by Anionic and by Group Transfer Polymerization, 3019C
Freitag, R. See Eggert, M., 803C
Frenkel, S. YA. See Budtova, T. V., 281C
Frisch, H. L.
—; Chen, Z. J.: Electrical Conductivity of Iodine-Doped Pseudo Interpenetrating Polymer Networks of Poly-(carbonate-urethane) and Natural Rubber, 1317C
Frisch, H. L. See Chen, Z. J., 2395C; Privalko, V. P., 2625C; Xu, Q., 2803C; Xue, Y., 257C
Frisch, K. C. See Szczepaniak, B., 2559C
Fu, Y.
—; Annis, B.; Boller, A.; Jin, Y.; Wunderlich, B.: Analysis of Structure and Properties of Poly(ethylene Terephthalate) Fibers, 2289P
Fu, Y. See Chen, W., 2661P
Fujimori, K. See Brown, P. G., 2971C
Fujisawa, T. See Aoshima, S., 1719C
Fujita, K. See Nomura, M., 2491P
Fujiwara, Y. See Iio, K., 3189C
Fukuda, W. See Gotoh, Y., 1543C
Fukui, H.
—; Sawamoto, M.; Higashimura, T.: Multifunctional Coupling Agents for Living Cationic Polymerization. IV. Synthesis of End-Functionalized Multiarmed Poly(vinyl ethers) with Multifunctional Silyl Enol Ethers, 2699C
Fukumori, K. See Shiga, T., 85P
Fukushima, H. See Morgan, H., 1331C
Fuller, G. G. See Lai, J., 2461P
Furlani, A. See Yang, M., 2709C
Furukawa, J. See Kobayashi, E., 1195C; Obata, T., 475C
Fusselman, S. See Krentsel, E., 1839C
Fyfe, C. A.
—; Niu, J.; Rettig, S. J.; Wang, D. W.; Poliks, M. D.: NMR Investigations of the Possible Cross Reactions between Cyanate and Epoxy Resins, 2203C

Galià, M.
—; Mantecón, A.; Cádiz, V.; Serra, A.: Modification of Poly(epichlorohydrin) with

Nadimide Derivatives and Their Curing Reaction, 829C
—; Svec, F.; Frechet, J. M. J.: Monodisperse Polymer Beads as Packing Material for High-Performance Liquid Chromatography: Effect of Divinylbenzene Content on the Porous and Chromatographic Properties of Poly(styrene-*co*-divinylbenzene) Beads Prepared in Presence of Linear Polystyrene as a Porogen, 2169C
Gallas, J. P. See Betz, N., 1493P
Gamboa, I. C. See Ríos, H. E., 215P
Gangal, S. A. See Kuruvilla, B. A., 2275C
Ganina, L. V. See Mikhailov, Y. M., 1799P
Garay, R. O. See Bhowmik, P. K., 333C
Garcia-Ramirez, M.
—; Cavaillé, J. Y.; Dupeyre, D.; Péguy, A.: Cellulose-Polyamide 66 Blends. I. Processing and Characterization, 1437P
Gardecki, J. A. See Chen, S.-J., 1791P
Gardner, H. See Hsiao, B. S., 2585P
Gargallo, L. See Díaz-Calleja, R., 1069P, 1617P
Garton, A. See Ghebremeskel, Y., 383P
Gaudemer, A. See Milhourat-Hammadi, A., 203C, 1593C
Gaudemer, F. See Milhourat-Hammadi, A., 1593C
Gauldie, R. W. See Cooney, T. F., 1163P
Gavara, R.
—; Hernandez, R. J.: The Effect of Water on the Transport of Oxygen Through Nylon-6 Films, 2375P
Gavara, R. See Hernandez, R. J., 2367P
Gavrailova, G. G. See Bogdanov, B. G., 387P
Gedde, U. W. See Cheng, J., 721P
Gengenbach, T. R.
—; Vasic, Z. R.; Chatelier, R. C.; Griesser, H. J.: A Multi-Technique Study of the Spontaneous Oxidation of *n*-Hexane Plasma Polymers, 1399C
Genoud, F. See Dogué, I. L. J., 2193C
Gent, A. N.
—; Lai, S.-M.: Interfacial Bonding, Energy Dissipation, and Adhesion, 1543P
—; Liu, G. L.; Mazurek, M.: Experimental Study of Molecular Entanglement in Polymer Networks, 271P
German, A. L. See Noël, L. F. J., 1009C, 2161C, 2223C; Schoonbrood, H. A. S., 2311C
Gerstein, B. C. See Erdmann, K., 1961P
Ghebremeskel, Y.
—; Fields, J.; Garton, A.: The Use of Near Infrared (NIR) Spectroscopy to Study Specific Interactions in Polymer Blends, 383P
Ghosh, M.
—; Chakrabarti, S.; Sarkar, M.; Misra, T. N.: Spectroscopic Study of Solid State Photoreaction of Di *n*-Propyl Ester of Dicyano *p*-Phenylenediacrylic Acid, 797C
Gilbert, R. G. See Casey, B. S., 605C; Morrison, B. R., 631C
Gisser, D. J. See Zhu, W., 2251P
Glass, T. E. See Rogers, M. E., 2663C
Glasser, W. G. See Davé, V., 1105P
Glatzhofer, D. T.
—; Guerrero, D. J.: Ring-Opening Polymerization of [2.2]Cyclophanes Promoted by Iodine, 979C
Glatzhofer, D. T. See Guerrero, D. J., 457C
Gleason, K. K. See Roy, A. K., 2235P
Gleason, R. See Canizal, G., 3147C
Goddard, R. J.
—; Cooper, S. L.: Polyurethane Cationomers with Pendant Trialkylammonium Groups: Effects of Ion Content, Alkyl Group, and Neutralizing Anion, 1557P
Godinho, M. H. See Rusig, I., 1907P
Goethals, E. See Barakat, I., 2099C
Goh, S. H. See Chen, J., 1263C
Gomez, F. See Viswanathan, T., 2469C
Gómez Ribelles, J. L. See Kyritsis, A., 1001P
Gondard, C. See Scherrenberg, R. L., 99P, 111P; Steeman, P. A. M., 119P
Gonzalez, E. R. See Sakamoto, W. K., 333P
González, L. See Cardoso, J., 359P
Goosen, M. F. A. See Peng, T., 591C; Zhang, X., 2965C
Gordon, D. A.
—; Mikhailov, A. I.: The Growth and Interaction of Conjugated Polymer Chains, the Unpaired Electron Localization, 2405P
Gorwadkar, S. See Kuruvilla, B. A., 2275C
Gosavi, S. See Kuruvilla, B. A., 2275C
Goto, H. See Ogura, K., 33C
Gotoh, Y.
—; Kohno, Y.; Fukuda, W.; Tomoi, M.: Phase-Transfer Catalytic Activity of Soluble Polystyrenes Containing Crown Ether Moieties and Hydroxyl Groups Adjacent to the Macrorings, 1543C
Gotoh, Y. See Tsukada, M., 961P, 1407P
Graczyk, T.
—; Harrod, J. F.: A Novel Catalyst System for the Production of Polyacetylene and of Blends of Polyacetylene with Some Silicon-Containing Polymers, 3183C
Grady, B. P.
—; O'Connell, E. M.; Yang, C. Z.; Cooper, S. L.: Blends of Metal Acetates and Polyurethanes Containing Pyridine Groups II. SAXS and EXAFS Studies, 2357P
Gray, D. G. See Guo, J.-X., 889C, 2529P
Greenwood, O. D.
—; Tasker, S.; Badyal, J. P. S.: A Comparative Study of the Silent Discharge Treatment of Saturated and Unsaturated Hydrocarbon Polymers, 2479C
Gregorio, R., Jr.
—; Cestari, M.: Effect of Crystallization Temperature on the Crystalline Phase Content and Morphology of Poly(vinylidene Fluoride), 859P
Gresham, K. D.
—; McHugh, C. M.; Bunning, T. J.; Crane, R. L.; Klei, H. E.; Samulski, E. T.: Phase Behavior of Cyclic Siloxane-Based Liquid Crystalline Compounds, 2039C

Griesser, H. J. See Gengenbach, T. R., 1399C
Grimminger, L. C. See Kaku, M., 2187C
Grobler, J. H. A.
—; McGill, W. J.: Effect of Network Heterogeneity on Tensile and Tear Strengths of Radiation, Peroxide, Efficient and Conventional Cured Polyisoprene, 287P
Gryte, C. C. See Cheng, L.-P., 1183P, 1413P
Guan, H. W.
—; Pauley, M. A.; Brett, T.; Wang, C. H.: Investigation of Dipolar Reorientation Dynamics of Pure Bulk Polymers Using Second Harmonic Generation, 2615P
Guerrero, D. J.
—; Glatzhofer, D. T.: Synthesis and Electronic Properties of Poly((*E,E*)-[6.2]-(2,5)thiophenophane-1,5-diene), 457C
Guerrero, D. J. See Glatzhofer, D. T., 979C
Guistina, R. A. See Long, T. E., 2425C
Güney, H. Y. See Özkan, H. S., 631P
Gunji, T.
—; Sopyan, I.; Abe, Y.: Synthesis of Polytitanosiloxanes and Their Transformation to SiO_2-TiO_2 Ceramic Fibers, 3133C
Guo, J.-X.
—; Gray, D. G.: Effect of Degree of Acetylation and Solvent on the Chiroptical Properties of Lyotropic (Acetyl)(Ethyl)Cellulose Solutions, 2529P
—; Gray, D. G.: Preparation, Characterization, and Mesophase Formation of Esters of Ethylcellulose and Methylcellulose, 889C
Guo, K. See Bu, H., 1351P
Guo, X. A.
—; Hunter, A. D.; Chen, J.: Preparation and Characterization of Acrylates and Polyacrylates Having Variable Fluorine Contents and Distributions, 47C
—; Hunter, A. D.; Chen, J.: Synthesis and Characterization of Novel Organonickel-Organosilicon Alternating Copolymers, 2859C
Gupta, B.
—; Büchi, F. N.; Scherer, G. G.: Cation Exchange Membranes by Pre-Irradiation Grafting of Styrene into FEP Films. I. Influence of Synthesis Conditions, 1931C
Gupta, S. See Takakuwa, K., 1719P
Guzmán, J. See Iglesias, M. T., 2565C

Ha, C.-S. See Cho, W.-J., 2301C
Hadjichristidis, N. See Chen, Y.-J., 715P
Hägg, M.-B.
—; Koros, W. J.; Schmidhauser, J. C.: Gas Sorption and Transport Properties of Bisphenol-I-Polycarbonate, 1625P
Hamielec, A. E. See Li, W.-H., 2023C, 2029C; Zhu, S., 929P
Hamier, J. See Strukelj, M., 193C
Hamilton, J. G.
—; Rooney, J. J.; Snowden, D. G.: Separation of *syn* and *anti*-7-Alkylnorbornene Isomers by Regioselective Ring-Opening Metathesis Polymerization, 993C
Hamurcu, E. E.
—; Baysal, B. M.: Solubility Parameter of a Poly(dimethylsiloxane) Network, 591P
Han, C. C. See Yoon, H., 1485P
Han, C. D. See Kim, S. S., 371P
Han, H.
—; Bhowmik, P. K.; Lenz, R. W.: Fully Aromatic Thermotropic Liquid Crystalline Polyesters of 3,4′-Dihydroxybenzophenone, 343C
Han, H. See Bhowmik, P. K., 333C, 3205C
Hanada, T. See Ando, Y., 179P
Handa, S. See Tsubokawa, N., 2327C
Handa, Y. P.
—; Lampron, S.; O'Neill, M. L.: On the Plasticization of Poly(2,6-dimethyl phenylene oxide) by CO_2, 2549P
Haneda, Y.
—; Terada, H.; Yoshida, M.; Ueda, A.; Nagai, S.: Macro-azo-initiators Composed of Various Polyesters: Their Syntheses, Thermal Properties, and Application to Block Copolymerization, 2641C
Haneda, Y. See Ueda, M., 675C
Hania, M. See Fawcett, A. H., 815C
Haraya, K. See Chun, B.-W., 1009P
Harding, D. R. See Freeman, M. J., 1377P
Hariharan, D.
—; Peppas, N. A.: Modelling of Water Transport in Ionic Hydrophilic Polymers, 1093P
Harmon, J. P. See Wang, P.-P., 1217P
Harris, F. W. See Liu, J., 2705P; Yu, W.-C., 481P
Harrod, J. F. See Graczyk, T., 3183C
Harvey, P. See Albert, C. F., 3197C
Hasan, M. F. See Rao, B. S., 1787P
Hasegawa, M.
—; Shindo, Y.; Sugimura, T.; Yokota, R.; Kochi, M.; Mita, I.: Spontaneous Molecular Orientation of Polyimides Induced by Thermal Imidization. I. Uniaxial Stretching of Polyamic Acid Film, 1299P
Hasegawa, Y. See Koizumi, T., 3193C
Hashim, A. S.
—; Kohjiya, S.: Curing of Epoxidized Natural Rubber with *p*-Phenylenediamine, 1149C
Hashimoto, K.
—; Sugata, T.; Imanishi, S.-I.; Okada, M.: Synthesis of Saccharide-Conjugated Polyamides by Quasi-Living Anionic Polymerization of a Bicyclic Lactam, 1619C
Hashimoto, T. See Wang, W., 2171P
Haught, D. See Balizer, E., 365P
Havens, S. J. See Hergenrother, P. M., 3061C
Hay, A. S. See Kim, W.-G., 97C; Strukelj, M., 193C
Hayakawa, Y. See Aoki, T., 849C
Hayashi, K. See Kuramoto, N., 2501C
Haynie, S. L. See Kaku, M., 2187C
Hazer, B.
—; Erdem, B.; Lenz, R. W.: Styrene Polymerization with Some New Macro or Macromonomeric Azoinitiators Having Peg Units, 1739C
—; Erdem, B.; Lenz, R. W.: Styrene Polymerization with

Some New Macro or Macromonomeric Azoinitiators Having Peg Units: Erratum, 2603C
He, J.
—; Zoller, P.: Crystallization of Polypropylene, Nylon-66 and Poly(ethylene Terephthalate) at Pressures to 200 MPa: Kinetics and Characterization of Products, 1049P
He, Y. Y. See Yao, K. D., 1213C
Heatley, F. See Yu, G.-E., 1131C
Helary, G. See Beaunez, P., 1459C, 1471C
Hensema, E. R.
—; Boom, J. P.; Mulder, M. H. V.; Smolders, C. A.: Two Reaction Routes for the Preparation of Aromatic Polyoxadiazoles and Polytriazoles: Syntheses and Properties, 513C
—; Sena, M. E. R.; Mulder, M. H. V.; Smolders, C. A.: Syntheses and Properties of Related Polyoxadiazoles and Polytriazoles, 527C
Hergenrother, P. M.
—; Bryant, R. G.; Jensen, B. J.; Havens, S. J.: Phenylethynyl-Terminated Imide Oligomers and Polymers Therefrom, 3061C
Hernandez, R. J.
—; Gavara, R.: Sorption and Transport of Water in Nylon-6 Films, 2367P
Hernandez, R. J. See Gavara, R., 2375P
Heroguez, V.
—; Fontanille, M.: Polymerizability of Norbornene in Ring-Opening Metathesis Polymerization Initiated by Mo-Based Complexes, 1755C
Higashi, F.
—; Nakajima, K.; Zhang, W. X.: Thermotropic Copolyamides from Triethyleneglycol Bis(4-carboxyphenyl)ether, Aromatic Diamines, and *p*-Aminobenzoic Acid, 747C
—; Zhang, W. X.; Nakajima, K.: Thermotropic Copolyamides from Triethyleneglycol Bis(4-carboxyphenyl)ether and Two Kinds of Aromatic Diamines, 89C
Higashi, F. See Zhang, W. X., 1923C
Higashimura, T. See Fukui, H., 2699C; Kouzai, H., 2523C; Miyashita, K., 2531C
Higuchi, A.
—; Nakagawa, T.: Infrared Spectroscopic Studies of CO_2 Sorbed in Glassy and Rubbery Polymeric Membranes, 149P
Hijikata, C. See Iizawa, T., 3091C
Hill, A. J. See Zipper, M. D., 1237P
Hinrichsen, G. See Lux, F., 1957P
Hinze, K. J. See Thomas, O., 2155P
Hirai, A.
—; Odani, H.: Sorption and Transport of Water Vapor in Alginic Acid, Sodium Alginate, and Alginate-Cobalt Complex Films, 2329P
Hirose, Y. See Shiga, T., 85P
Hoffmann, K. W. See Roth, W., 1893C
Hogen-Esch, T. E. See Yin, R., 363C
Holländer, A.
—; Behnisch, J.; Zimmermann, H.: Chemical Derivatization as a Mean to Improve Contact Angle Goniometry of Chemically Heterogenous Surfaces, 699C
Holoubek, J.
Small-Angle Light Scattering from an Anisotropic Sphere: Anisotropy and Size Effects, 351P
Hong, S. G.
—; Shu, H. X.: ATR Analysis of the Oil-Absorption Ability of a Two-Part Epoxy Adhesive on Oil-Contaminated Metal Substrates, 2421P
Hopfinger, A. J. See Ravi, M., 1033P
Horas, J. A.
—; Nieto, F.: A Generalization of Dual Mode Transport Theory for Glassy Polymers, 1889P
Horie, K. See Jin, Q., 503C
Hoshino, C. See Tezuka, Y., 897C
Howdle, S. M.
—; Ramsay, J. M.; Cooper, A. I.: Spectroscopic Analysis and In Situ Monitoring of Impregnation and Extraction of Polymer Films and Powders Using Supercritical Fluids, 541P
Hrkach, J. S.
—; Matyjaszewski, K.: Synthesis of Poly(γ-methoxypropylmethylsilylene) and Poly(γ-methoxypropylmethylsilylene-co-di-*n*-hexylsilylene), 1949C
Hsiao, B. S.
—; Kenncorwin; Gardner, H.; Cheng, S. Z. D.: Crystallization of Poly(aryl Ether Ketone Ketone) Copolymers Containing Terephthalate/Isophthalate Moieties, 2585P
—; Sauer, B. B.; Biswas, A.: Crystallization Study of a Thermoplastic Polyimide (New-TPI), 737P
Hsiao, S.-H.
—; Yang, C.-P.; Wu, F.-Y.: Synthesis and Properties of Poly(amide-Imide)s Derived from Trimellitic Anhydride, ω-Amino Acids, and Aromatic Diamines, 1481C
Hsieh, C.-J.
—; Wu, S.-H.; Hsiue, G.-H.; Hsu, C.-S.: Synthesis and Thermal Behavior of Side-Chain Liquid Crystalline Polymethacrylates Containing Tolane-Based Mesogenic Side Groups, 1077C
Hsieh, K. H. See Liao, D. C., 1665C
Hsiue, G.-H.
—; Liu, Y.-L.; Chiu, Y.-S.: Triblock Copolymers Based on Cyclic Ethers: Preparation and Properties of Tetrahydrofuran and 3,3-Bis(azidomethyl) Oxetane Triblock Copolymers, 2155C
Hsiue, G.-H. See Hsieh, C.-J., 1077C; Liu, Y.-L., 2543C, 3201C
Hsu, C. C. See Sun, L., 2127C, 2135C
Hsu, C.-S. See Hsieh, C.-J., 1077C
Hsu, S. L. See Lee, H. S., 2085P
Hu, W.
—; Koberstein, J. T.: The Effect of Thermal Annealing on the Thermal Properties and Molecular Weight of a Segmented Polyurethane Copolymer, 437P
Huang, B. See Tang, T., 1991P
Huang, M. T. See Ishida, H., 2271P
Huang, W. X.
—; Wunder, S. L.: FTIR Investigation of Cross-Linking and Isomerization Reactions of Acetylene-Terminated Polyimide and Polyisoimide Oligomers, 2005P
Huang, X.-Y. See Yu, W.-C., 481P

Huanosta, A. See Cardoso, J., 359P
Hubbell, J. A. See Drumheller, P. D., 2715C
Hult, A. See Cheng, J., 721P
Hung, C.-C.
—; Carson, W. G.; Bohan, S. P.: Phase Morphology of Blends of Polycarbonate with Poly(methyl methacrylate-*co*-cyclonexyl methacrylate), and of Polycarbonate with Poly(methyl methacrylate) by Solid State Nuclear Magnetic Resonance, Differential Scanning Calorimetry, and Transmission Electron Microscopy, 141P
Hunter, A. D. See Guo, X. A., 47C, 2859C
Hutovic, J. See Schoonbrood, H. A. S., 2311C
Hyon, S.-H. See Cha, W.-I., 297P

Ichikawa, T.
—; Oyama, K.-I.; Kondoh, T.; Yoshida, H.: Efficiency of Radiation-Induced Main-Chain Scission of Poly(methyl Methacrylate) Depends on the Irradiation Temperature Because of Coexisting Monomer, 2487C
Ichino, T. See Matsumoto, M., 2551C; Rutt, J. S., 767C, 779C, 2505C
Iglesias, M. T.
—; Guzmán, J.; Riande, E.: Synthesis and Kinetics of Polymerization of Unsaturated Monomers with OH Groups in Their Structure: I.3-Hydroxyneopentyl Acrylate, 2565C
Ihara, M. See Nemoto, N., 2457C
Ihn, K. J. See Motamedi, F., 453P
Iida, T. See Iwatsuki, S., 1389C
Iio, K.
—; Minoura, N.; Fujiwara, Y.: Synthesis of Polyallylamine Derivatives with *N*-Carbamoylguanidine Groups, 3189C
Iizawa, T.
—; Sueyoshi, T.; Hijikata, C.; Nishikubo, T.: Synthesis of Rigid Polymer Containing Pendant Norbornadiene Moieties and Its Photochemical Valence Isomerization, 3091C
—; Yamada, Y.; Ogura, Y.; Sato, Y.: Novel Synthesis of Polymeric Phase Transfer Catalyst Containing Polar Unit, 2057C
Ikada, Y. See Cha, W.-I., 297P; Mori, M., 1683C
Ikeda, K. See Nemoto, N., 2457C
Ikeda, T. See Kanazawa, A., 1997C
Im, S. S. See Park, S. S., 2873C
Imai, Y. See Itoya, K., 2947C; Jeong, H.-J., 1057C; Keitoku, F., 317C; Liou, G.-S., 587C; Watanabe, S., 909C, 987C
Imamura, A. See Itaya, T., 171P
Imanishi, S.-I. See Hashimoto, K., 1619C
Imre, A.
—; Van Hook, W. A.: Polymer-Solvent Demixing Under Tension. Isotope and Pressure Effects on Liquid–Liquid Transitions, VII. Propionitrile–Polystyrene Solutions at Negative Pressure, 2283P
In 'T Veld, P. J. A.
—; Shen, Z.-R.; Takens, G. A. J.; Dijkstra, P. J.; Feijen, J.: Glycine/Glycolic Acid Based Copolymers, 1063C
Inganäs, O. See Mohammadi, A., 495C
Inglefield, P. T. See Bandis, A., 1707P
Inoue, Y. See Ohtani, N., 2589C
Ioanid, A. See Simionescu, C. I., 3123C
Isasi, J. R. See Cesteros, L. C., 223P
Ishibashi, S. See Maruno, T., 3211C
Ishida, H.
—; Huang, M. T.: Molecular Level Study of the Crystallization of a Thermoplastic Polyimide by Infrared Spectroscopy, 2271P
Ishida, H. See Bussi, P., 647P; Ning, X., 921P, 1121C
Ishida, S. See Tsutsumi, N., 1899P
Ishihara, K.
—; Tsuji, T.; Sakai, Y.; Nakabayashi, N.: Synthesis of Graft Copolymers Having Phospholipid Polar Group by Macromonomer Method and Their Properties in Water, 859C
Ishii. H. See Nemoto, N., 2457C
Ishii, S.
—; Watabe, S.-I.; Nishimura, S.-I.; Kurita, K.: A Novel Synthetic Approach to a Polybiuret from Benzyloxyamine and 4,4′-Diphenylmethane Diisocyanate, 575C
Ishii, S. See Kurita, K., 393C, 1027C
Ishitani, K. See Nomura, M., 2491P
Ishizu, C. See Chun, B.-W., 1009P
Ismayel, A.
—; Arribas, G.; Celta, D.; Sanchez, G.: Use of V and V-Cr Catalysts Interchanged in "Y" Zeolites for the Polymerization of Ethylene, 1539C
Iso, M. See Omi, S., 571C
Israeli, Y.
—; Lacoste, J.; Lemaire, J.; Singh, R. P.; Sivaram, S.: Photo- and Thermoinitiated Oxidation of High-Impact Polystyrene. I. Characterization by FT-IR Spectroscopy, 485C
Issenhuth, S. See Al-Malaika, S., 3099C
Itatani, H. See Chun, B.-W., 1009P
Itaya, T.
—; Ochiai, H.; Aoyama, T.; Ueda, K.; Imamura, A.: Association of Hydrophobic Counterions in Aqueous Solution of Poly(allylammonium) chloride Comparison Between *p-n*-Propylbenzenesulfonate and *p*-iso-Propylbenzenesulfonate Ions, 171P
Ito, K.-I.
—; Nishimura, M.; Sashio, M.; Tsunooka, M.: Photo-Initiated Base-Formation in a Polymer Matrix, 2177C
—; Nishimura, M.; Sashio, M.; Tsunooka, M.: Thermal Crosslinking of Poly(glycidyl methacrylate) Films and Epoxy Resin Films Using Amines Formed by Photolysis of *O*-acyloximes, 1793C
Ito, Y.
—; Ohtani, H.; Ueda, S.; Nakashima, Y.; Tsuge, S.: Quantification of End Groups in Polystyrenes by Pyrolysis–Gas Chromatography, 383C
Itoh, K. See Ohtani, N., 2589C
Itoh, M.
—; Mita, I.: Rigid-Rod Polymers with Polysiloxane Side Chains. I. Synthesis and Characterization of Rigid-Rod Polyimides with Polysiloxane Side Chains and Their

Compatibility with Linear Polysiloxanes, 1581C
Itoh, T. See Iwatsuki, S., 1389C
Itoya, K.
—; Sawada, H.; Kakimoto, M.-A.; Imai, Y.: A Facile Synthesis of Aliphatic Polybenzoxazoles from a Bis(*o*-aminophenol) or Its Hydrochloride and Aliphatic Dinitriles, 2947C
Iwasaki, T. See Saegusa, Y., 249C
Iwatsubo, T.
—; Masuoka, T.; Mizoguchi, K.: An Analysis of the Swelling Equilibrium of an Ionic Polymer Network in a Binary Liquid Mixture, 7P
—; Masuoka, T.; Mizoguchi, K.: Effects of Ionic Dissociation of Membrane Polymer on Pervaporation Performance, 1P
Iwatsuki, S.
—; Itoh, T.; Iida, T.: Absolute Rate Constants for Radical Homopolymerization of Methyl α-(Trifluoromethyl)acrylate, 1389C

Jamieson, A. M. See Yu, Z., 2637P
Jantas, R.
—; Szumilewicz, J.; Strobin, G.; Połowiński, S.: Template Polymerization of Multiacrylate, 295C
Jao, T.-C. See Lee, K.-C., 2333C
Jaskierowicz, G. See Betz, N., 1493P
Jasse, B. See Oultache, A. K., 2539P
Jenekhe, S. A. See Chen, W.-C., 195P
Jeng, R.-J. See Liu, Y.-L., 3201C
Jenkins, P. J.
—; Cameron, R. E.; Donald, A. M.; Bras, W.; Derbyshire, G. E.; Mant, G. R.; Ryan, A. J.: In Situ Simultaneous Small and Wide Angle X-Ray Scattering: A New Technique to Study Starch Gelatinization, 1579P
Jennings, R. M.
—; Farris, R. J.: Formation of a Highly Ordered Poly(N,N′-Bis-Phenoxyphenylpyromellitimide) Powder Using a High Pressure Curing Technique, 1457P
Jensen, B. J. See Hergenrother, P. M., 3061C
Jensen, L. C. See Dickinson, J. T., 779P, 993P
Jeong, H. M. See Ahn, T. O., 21P
Jeong, H.-J.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of Novel Polyarylates from 2,5-Bis(4-hydroxyphenyl)-3,4-diphenylpyrrole and Various Aromatic Dicarboxylic Acids, 1057C
Jeong, Y. T. See Kim, J. H., 2979C
Jericó, S.
—; Schuchardt, U.; Kaminsky, W.; Joekes, I.: Reduced Titanium Dioxide as Support for Ziegler-Natta Catalysts, 929C
Jérôme, R. See Barakat, I., 2099C; Stassen, S., 2443C
Jethmalani, J. M. See Sunkara, H. B., 1431C
Jia, D.
—; Pang, Y.; Liang, X.: Mechanism of Adhesion of Polyurethane/Polymethacrylate Simultaneous Interpenetrating Networks Adhesives to Polymer Substrates, 817P
Jiang, Z.
—; Sanganeria, S.; Sen, A.: Polymers Incorporating Backbone Thiophene, Furan, and Alcohol Functionalities Formed Through Chemical Modifications of Alternating Olefin–Carbon Monoxide Copolymers, 841C
Jin, Q.
—; Yamashita, T.; Horie, K.: Polyimides with Alicyclic Diamines. II. Hydrogen Abstraction and Photocrosslinking Reactions of Benzophenone-Type Polyimides, 503C
Jin, X.
—; Carfagna, C.; Nicolais, L.; Lanzetta, R.: Synthesis and Characterization of Potentially Biodegradable Thermotropic Polyesters Based on *p*-Hydroxybenzoic Acid and Glycolic Acid, 3115C
Jin, Y. See Cheng, J., 721P; Fu, Y., 2289P
Jo, B. C. See Jo, W. H., 1661P
Jo, W. H.
—; Jo, B. C.; Cho, J. C.: Effect of Styrene-4-Vinyl Pyridine Diblock Copolymer on Morphological, Thermal, and Mechanical Properties of Poly(2,6-dimethyl-1,4-phenylene ether)/Polyethylene Ionomer Blends, 1661P
—; Kim, J. Y.; Lee, M. S.: Ternary Blends of Phenoxy/SAN/Poly(ε-Caprolactone), 1321P
Jo, W. H. See Ko, M. B., 945P
Joekes, I. See Jericó, S., 929C
Johari, G. P. See Alig, I., 1465P; Sartor, G., 683P
Johnston, K. P. See Condo, P. D., 523P
Johri, S. See Chatterjee, S. K., 1169C
Jones, A. A. See Bandis, A., 1707P
Jones, E. B. See Bandis, A., 1707P
Jones, R. A.
A Synopsis of Empirical Gel Fraction Analytical Methods: Application of the Wanxi Equation to Polyethylenes Irradiated In Vacuo and in the Presence of Acetylene, 2049P
Jones, R. A.
—; Salmon, G. A.; Ward, I. M.: An Infrared Spectroscopic Study of Changes in Unsaturation Resulting From Irradiation of Isotropic and Uniaxially Oriented Polyethylene Films in the Presence of Acetylene, 469P
Jonsson, H. See Cheng, J., 721P
Jou, J.-H. See Chang, Y.-L., 2143P
Jue, P. K. See Patterson, G. D., 1137P
Jung, Y.-G. See Choi, K.-Y., 175C

Kaczmarczyk, J. See Kolarz, B. N., 1977P
Kadokawa, J.-I. See Chiba, K., 2619C
Kahvand, H. See Venerus, D. C., 1531P
Kaita, S. See Kobayashi, E., 1195C
Kaito, A.
—; Nakayama, K.: Molecular Orientation and Microstructure of Roller-Drawn Sheets of Poly(ether ether ketone), 691P
Kaji, K. See Kojima, Y., 625P
Kajiyama, T. See Takahara, A., 839P
Kakimoto, M.-A. See Itoya, K., 2947C; Jeong, H.-J., 1057C; Keitoku, F., 317C; Liou, G.-S., 587C; Watanabe, S., 909C, 987C
Kaku, M.
—; Grimminger, L. C.; Sogah,

D. Y.; Haynie, S. L.: New Fluorinated Oxazoline Block Copolymer Lowers the Adhesion of Platelets on Polyurethane Surfaces, 2187C
Kalika, D. S.
—; Nickell, J. C.; Krishnaswamy, R. K.; Barton, B. F.: Dynamic Relaxation Behavior of Solvent-Crystallized Poly(ether ether ketone), 759P
Kamachi, M. See Morishima, Y., 3141C; Nomura, S., 1703C
Kameyama, A. See Nishikubo, T., 301C; 2765C
Kamigaito, M. See Miyashita, K., 2531C
Kamigaito, O. See Kojima, Y., 625P
Kaminsky, W. See Jericó, S., 929C
Kamiya, M. See Aoshima, S., 879C
Kamiya, Y.
—; Naito, Y.; Bourbon, D.: Sorption and Partial Molar Volumes of Gases in Poly(ethylene-co-vinyl Acetate), 281P
Kanazawa, A.
—; Ikeda, T.; Endo, T.: Polymeric Phosphonium Salts as a Novel Class of Cationic Biocides. IX. Effect of Side-Chain Length between Main Chain and Active Group on Antibacterial Activity, 1997C
Kaneko, K. See Omi, S., 571C
Kantor, S. W. See McCarthy, T. F., 2883C
Karasu, M. See Chiba, K., 2619C
Karasz, F. E. See Sarker, A., 65C; Vuković, R., 1079P
Kasai, N. See Tsukada, M., 961P, 1175P, 1407P
Kasgoz, A.
—; Misono, T.; Abe, Y.: Preparation and Properties of Polyborosiloxanes as Precursors for Borosilicate Formation of SiO_2-B_2O_3 Gel Fibers and Oxides by the Sol-Gel Method Using Tetraacetoxysilane and Boron Tri-*n*-butoxide, 1049C
Kaskan, P. See Bandis, A., 1707P
Katime, I. See Cesteros, L. C., 223P; Quintana, J. R., 201P
Kato, T. See Kosaka, Y., 711C
Katsikopoulos, P. V.
—; Papaspyrides, C. D.: Solid-State Polyamidation of Hexamethylenediammonium Adipate. II. The Influence of Acid Catalysts, 451C
Kausch, H.-H. See Zysman, V., 1257P
Kawaguchi, A.
—; Ohara, M.; Tsuji, M.: Environment-induced Morphological Changes of Polyethylene Lamellae During Crystallization in Solution, 421P
Kawahara, S.
—; Sato, K.; Akiyama, S.: Negative Excess Volume of Mixing in Polybutadiene/Polyisoprene Blends, 15P
Kawai, A. See Saegusa, Y., 57C
Kawasumi, M. See Kojima, Y., 625P
Kayser, D. See Clouet, G., 1423C
Keitoku, F.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Properties of Aromatic Poly(ether sulfone)s and Poly(ether ketone)s Based on Methyl-Substituted Biphenyl-4,4′-Diols, 317C
Keller, A. See Narh, K. A., 1697P
Kelley, F. N. See Pacanovsky, J., 1339P
Kelley, M. J. See Pangelinan, A. B., 2383P
Kenncorwin See Hsiao, B. S., 2585P
Kennedy, J. P. See Keszler, B., 3153C; Si, J., 2011C; Tsunogae, Y., 403C
Kenny, J. See Bellucci, F., 2519P
Kent, M. S.
—; Tirrell, M.; Lodge, T. P.: Properties of Polystyrene-Poly(methylmethacrylate) Random and Diblock Copolymers in Dilute and Semidilute Solutions, 1927P
Keskkula, H. See Majumdar, B., 2127P
Keszler, B.
—; Kennedy, J. P.: Amphiphilic Networks. VII. Synthesis and Characterization of pH-Sensitive Poly(sulfoethyl methacrylate)-1-polyisobutylene Networks, 3153C
Khan, A. See Davis, H., 2257C, 2267C
Khan, N.
—; Price, D. M.; Bashir, Z.: Synthesis and Mesophase Characterization of Liquid Crystalline Polyesters With Bulky, Rigid, Lateral Substituents, 2509P
Kihara, N. See Park, J., 199C, 983C
Kikuchi, M. See Kurita, K., 393C
Kim, B. K.
—; Ok, Y. S.: Morphologies and Electro-optic Properties of Polystyrene/Liquid Crystal Composite Films, 561P
Kim, B. K. See Lee, J. C., 1983C
Kim, D.
—; Caruthers, J. M.; Peppas, N. A.: PVT Properties of Dodecane/Polystyrene Systems, 1593P
Kim, D. See Liu, J., 2705P
Kim, D. K. See Park, S. S., 2873C
Kim, G. B. See Kim, K. J., 2435P
Kim, H. W. See Lee, J. H., 1569C
Kim, I.
—; Choi, H. K.; Kim, J. H.; Woo, S. I.: Kinetics of Propylene Polymerization in the Initial Acceleration Stage, 971C
Kim, J.
—; Nichols, M. E.; Robertson, R. E.: The Annealing and Thermal Analysis of Poly(butylene Terephthalate), 887P
Kim, J. H.
—; Jeong, Y. T.; Woo, S. I.: Copolymerization of Ethylene and 1-Butene with Highly Active $TiCl_4$/THF/$MgCl_2$, $TiCl_4$/THF/$MgCl_2$/SiO_2, and $TiCl_3^1/3AlCl_3$ Catalysts, 2979C
Kim, J. H. See Ahn, T. O., 21P; Kim, I., 971C
Kim, J. Y. See Jo, W. H., 1321P
Kim, K. J.
—; Kim, G. B.; Vanlencia, C. L.; Rabolt, J. F.: Curie Transition, Ferroelectric Crystal Structure, and Ferroelectricity of a VDF/TrFE(75/25) Copolymer 1. The Effect of the Consecutive Annealing in the Ferroelectric State on Curie Transition and Ferroelectric Crystal Structure, 2435P
Kim, S. S.
—; Han, C. D.: Effect of Shear History on the Steady Shear Flow Behavior of a Thermotropic Liquid-Crystalline Polymer, 371P
—; Westmoreland, D. G.: Emulsion Polymerization of Butyl Acrylate: Spin Trapping and EPR Study, 3031C
Kim, S. W. See Kwon, I. C., 1085P
Kim, W.-G.
—; Hay, A. S.: Synthesis and

Characterization of Polyesters from Hindered Biphenols and Hydroquinones, 97C
Kim, W.-G. See Crivello, J. V., 1639C
Kim, Y. H.
Block Copolymers by Polymer Modification: Conversion of Polyisoprene Segment to Hydroxylated Polyisoprene, 869C
Kim, Y. H. See Coleman, M. M., 1817C
Kimura, K.
Synthesis and Characterization of Novel Poly(benzobisthiazole-imide)s, 181C
Kimura, M. See Sumi, K., 1243C
Kisaka, K. See Ogura, K., 33C
Kishi, K. See Nishikubo, T., 2765C
Kitao, T. See Darkow, R., 1657C
Kiyotsukuri, T. See Tsutsumi, N., 1899P
Klei, H. E. See Gresham, K. D., 2039C
Klein, P. G. See Rasburn, J., 1329P
Klemm, E.
—; Kottner, N.: Reply to the Paper by Bailey and Zheng on the Investigations on the Bis-exo-methylene-spiroorthoester, 2793C
Klemm, E. See Letsch, J., 2867C
Ko, J.-M. See Park, J.-W., 2789C
Ko, M. B.
—; Kwon, I. H.; Jo, W. H.; Son, T. W.: Sol-Gel Transition of Polyacrylonitrile/Propylene Carbonate Solution, 945P
Kobayashi, A. See Watanabe, S., 909C
Kobayashi, E.
—; Akiba, Y.; Aoshima, S.: Synthesis of Novel Polymer Containing Selenium by Radical Addition Polymerization of 1,4-Benzenediselenol to 1,4-Divinylbenzene, 1609C
—; Kaita, S.; Aoshima, S.; Furukawa, J.: Polymerizations of Butadiene and Styrene with Gadolinium Tricarboxylate Catalyst: Effect of Ligand on the Catalytic Activity for Homo- and Copolymerizations, 1195C
Kobayashi, E. See Aoshima, S., 879C, 1719C; Obata, T., 475C
Kobayashi, M. See Park, J., 199C; Stölken, S., 881P
Koberstein, J. T. See Hu, W., 437P
Koblitz, F.
Review of Polyurethane Sealants
—; Technology and Applications, 1199C
Kochi, M. See Hasegawa, M., 1299P
Kohjiya, S. See Hashim, A. S., 1149C
Kohn, J. See Vyavahare, N., 1271C
Kohno, Y. See Gotoh, Y., 1543C
Koizumi, T.
—; Hasegawa, Y.; Takata, T.; Endo, T.: Synthesis and Photodegradation of Polyacrylonitrile Having Ketone Group Obtained from Radical Copolymerization of 2,2-Diphenyl-4-methylene-1,3-dioxolane with Acrylonitrile, 3193C
Kojima, Y.
—; Tsuji, M.; Matsuoka, T.; Takahashi, H.: Reaction of Diphenyldiacetylene by Annealing under Elevated Pressure, 1371C
—; Usuki, A.; Kawasumi, M.; Okada, A.; Kurauchi, T.; Kamigaito, O.; Kaji, K.: Fine Structure of Nylon-6-Clay Hybrid, 625P
Kokai, M. See Aoki, T., 849C
Kolarz, B. N.
—; Wojaczyńska, M.; Kaczmarczyk, J.; Siemieniewska, T.; Tomków, K.: Influence of Heat Treatment Conditions on the Porosity Changes of Sulfonated Styrene/Divinylbenzene Copolymers, 1977P
Konas, M. See Moy, T. M., 2377C
Kondo, T.
Hydrogen Bonds in Regioselectively Substituted Cellulose Derivatives, 1229P
Kondoh, T. See Ichikawa, T., 2487C
Koningsveld, R. See Vanhee, S., 2307P
Kopeček, J. See Yeh, P.-Y., 1627C
Kopečková, P. See Yeh, P.-Y., 1627C
Koremoto, T. See Nomura, S., 1703C
Koros, W. J. See Coleman, M. R., 1915P; Costello, L. M., 701P; Hägg, M.-B., 1625P
Korskanov, V. V. See Privalko, V. P., 2625C
Kosaka, Y.
—; Kato, T.; Uryu, T.: Synthesis and Thermal Properties of Liquid-Crystalline Polyacrylates Containing a Carbazolyl Group in the Mesogen, 711C
Kostov, G. K.
—; Petrov, P. Chr.: Emulsion Copolymerization of Tetrafluoroethylene and Propylene with Redox System Containing *tert*-Butylperbenzoate. I. Polymerization Conditions and Components, 2229C
Kostov, G. K. See Petrov, P. C., 2235C
Kothandaraman, H.
—; Devi, M. S.: Kinetics of Polymerization of 1-Octene with $MgCl_2$-Supported $TiCl_4$ Catalysts, 1283C
Kottner, N. See Klemm, E., 2793C
Kouzai, H.
—; Masuda, T.; Higashimura, T.: Synthesis and Properties of Poly(diphenylacetylenes) Having Aliphatic *para*-Substituents, 2523C
Kovačiček, F. See Duić, LJ., 105C
Kozlov, V. G.
—; Sigaeva, N. N.; Nefedjev, K. V.; Savel'Eva, I. G.; Marina, N. G.; Monakov, Y. B.: The Effect of the Nature of Organoaluminium Compound and the Catalytic System Preparation Procedure on Molecular Characteristics of 1,4-Cis-Polybutadiene, 1237C
Kramer, E. J. See Dai, K. H., 1943P; Smith, J. W., 1731P
Kremer, F. See Ezquerra, T. A., 1449P
Krentsel, E.
—; Fusselman, S.; Yasuda, H.; Yasuda, T.; Miyama, M.: Penetration of Plasma Surface Modification. II. CF_4 and C_2F_4 Low-Temperature Cascade Arc Torch, 1839C
Kricheldorf, H. R.
—; Adebahr, T.: Whiskers. VII. Homo- and Copolyesters of 6-Hydroxythioxanthone-2-carboxylic Acid, 159C
—; Adebahr, T.; Wahlen, L.: Whiskers. VIII. A Convenient Synthesis of Poly(4-hydroxybenzoate) Whiskers and Their Application in Composites of Nylon-6, 1601C
—; Bürger, R.: New Polymer Syntheses. LXXV. 2,5-Biaryloxyterephthalic

Acids and Rigid-Rod Polyaramides Derived from Them, 355C
Krishnaswamy, R. K. See Kalika, D. S., 759P
Kritskaya, D. A. See Savostyanov, V. S., 1201C
Kříž, J.
—; Puffr, R.: NMR Study of the Propagation Center in the Cationic Polymerization of *N*-Benzoyl-8-octanelactam. II. Investigation of the Propagation Center, 1129P
Krontiras, C. A. See Diakoumakos, C. D., 1915C
Kuchanov, S. I.
Quantitative Theory of Iniferter Polymerization. I. Kinetics, 1557C
Kulkarni, S. K. See Kuruvilla, B. A., 2275C
Kuo, D.-L. See Chung, L.-Z., 1149P
Kuramoto, N.
—; Hayashi, K.; Nagai, K.: Thermoreversible Reaction of Diels-Alder Polymer Composed of Difurufuryladipate with Bis-maleimidodiphenylmethane, 2501C
Kurauchi, T. See Kojima, Y., 625P; Shiga, T., 85P
Kurešević, V. See Vuković, R., 1079P
Kuriki, M. See Saegusa, Y., 57C
Kurita, K.
—; Ishii, S.; Tomita, K.; Nishimura, S.-I.; Shimoda, K.: Reactivity Characteristics of Squid β-Chitin as Compared with Those of Shrimp Chitin: High Potentials of Squid Chitin as a Starting Material for Facile Chemical Modifications, 1027C
—; Suzuki, Y.; Enari, T.; Kikuchi, M.; Nishimura, S.-I.; Ishii, S.: Isoimides and Polyisoimides: Facile Preparation and Quantitative Isomerization, 393C
Kurita, K. See Ishii, S., 575C
Kuruvilla, B. A.
—; Zambre, M.; Gosavi, S.; Gorwadkar, S.; Datta, A.; Gangal, S. A.; Kulkarni, S. K.: Analysis of PPMMA Films from Oxygen Plasma Using X-Ray Photoelectron Spectroscopy, 2275C
Kurz, W. See Roth, W., 1893C
Küsefoğlu, S. H. See Avci, D., 2937C
Kwei, T. K. See Dai, Y. K., 397C; Foo, C., 3009C; Liu, S., 2597C; Lu, S., 2607C
Kwok, K. W. See Choy, C. L., 1389P
Kwon, I. C.
—; Bae, Y. H.; Kim, S. W.: Characteristics of Charged Networks Under an Electric Stimulus, 1085P
Kwon, I. H. See Ko, M. B., 945P
Kyritsis, A.
—; Pissis, P.; Gómez Ribelles, J. L.; Monleón Pradas, M.: Depolarization Thermocurrent Studies in Poly(hydroxyethyl Acrylate)/Water Hydrogels, 1001P

Lacabanne, C. See Boye, J., 1359P
Lacik, I. See Morrison, B. R., 631C
Lacoste, J. See Israeli, Y., 485C
Lahti, P. M. See Sarker, A., 65C
Lai, J.
—; Fuller, G. G.: Structure and Dynamics of Concentration Fluctuations in a Polymer Blend Solution under Shear Flow, 2461P
Lai, S.-M. See Gent, A. N., 1543P
Laine, R. M. See Sellinger, A., 3069C
Lam, T. M. See Wang, F. C., 1305P, 1315P
Lamotte, J. See Betz, N., 1493P
Lampron, S. See Handa, Y. P., 2549P
Landes, B. G. See Radler, M. J., 2567P
Landry, C. J. T.
—; Teegarden, D. M.: Miscibility Predictions for Poly(phenylene Sulfide): Heats of Mixing of Model Compounds, 1285P
Langford, S. C. See Dickinson, J. T., 779P, 993P
Lanzetta, R. See Jin, X., 3115C
Lanzini, L. See Bertolini, G., 961C; Bonfanti, C., 1361C
Laredo, E. See Aldana, M., 2197P
Latham, D. D. See Thomas, O., 2155P
Lau, A. N. K.
—; Vo, L. P.; Fone, M. M.; Duff, D. W.; Merlino, G.: Self-Crosslinkable Poly(arylene ether)s Containing Pendent Phenylenetriazene Groups, 1507C
Lau, F. P. See Choy, C. L., 1389P
Lau, W. W. Y. See Pan, J., 997C
Lauprêtre, F. See Melot, D., 249P, 1805P
Laurienzo, P. See Calandrelli, L., 1249P; Di Pace, E., 1643P
Lawrence, A. D. See Scott, P. J., 539C
Le Moël, A. See Betz, N., 1493P
Lécayon, G. See Léonard-Stibbe, E., 1551C
Leclercq, D. See Corriu, R., 187C
Lee, C. S. See Pan, J., 997C
Lee, H. B. See Lee, J. H., 1569C
Lee, H. J.
—; Shim, S. C.: A Highly Conductive and Crystalline Graphite-Like Polymer from 2,4-Hexadiyn-1,6-diol, 2437C
Lee, H. S.
—; Hsu, S. L.: Structural Changes and Chain Orientational Behavior During Tensile Deformation of Segmented Polyurethanes, 2085P
Lee, H. S. See Foo, C., 3009C
Lee, J. See Warner, S. B., 1759P
Lee, J. C.
—; Kim, B. K.: Basic Structure–Property Behavior of Polyurethane Cationomers, 1983C
Lee, J. H.
—; Kim, H. W.; Pak, P. K.; Lee, H. B.: Preparation and Characterization of Functional Group Gradient Surfaces, 1569C
Lee, J. W. See Zhenyi, M., 2721P
Lee, J.-H. See Park, J.-W., 2789C
Lee, K.-C.
—; Winnik, M. A.; Jao, T.-C.: Hydrocarbon Dispersions of Acrylic Microspheres with Polar Surface Functionality, 2333C
Lee, M. S. See Jo, W. H., 1321P
Lee, S. See Wang, P.-P., 1217P; Wu, T., 2055P
Lee, S. W. See Ahn, T. O., 21P
Lee, S. Y. See Chen, J., 1263C
Lee, Y.-D. See Chang, K.-Y., 2629C
Lee, Y.-S.
—; O'Brien, D. F.: Two-Dimensional Polymerization of Supramolecular Assemblies: Synthesis and Bilayer Polymerization of Lipids Containing α-Methylene-Substituted Acyl Chains, 1437C
Lefebvre, J. M. See Melot, D., 249P, 1805P
Legeay, G. See Léonard-Stibbe, E., 1551C

Legras, R. See Maes, C., 3171C
Lemaire, J. See Israeli, Y., 485C
Lenke, G. M. See Wiff, D. R., 2555P
Lenz, R. W.
Review of Cellulose, Structure, Accessibility and Reactivity, 2401C
Lenz, R. W. See Adduci, J. M., 2931C; Bhowmik, P. K., 651C, 1023P; Han, H., 343C; Hazer, B., 1739C, 2603C; Majnusz, J., 2775C; McCarthy, T. F., 2883C
Léonard-Stibbe, E.
—; Lécayon, G.; Deniau, G.; Viel, P.; Defranceschi, M.; Legeay, G.; Delhalle, J.: The Cationic Polymerization of *N*-Vinyl-2-pyrrolidone Initiated Electrochemically by Anodic Polarization on a Pt Surface, 1551C
Leslie, G. L. See Morrison, B. R., 631C
Letsch, J.
—; Klemm, E.: New Results of the Free Radical Ring-Opening Polymerization, 2867C
Leung, W. P. See Choy, C. L., 1389P
Levin, G. See Bromberg, L., 2797C
Lewis, F. D. See Miller, K. E., 2625P
Lezzi, A.
—; Cobianco, S.; Roggero, A.: Synthesis of Thiol Chelating Resins and Their Adsorption Properties toward Heavy Metal Ions, 1877C
Lezzi, A. See Bertolini, G., 961C
Li, C.-G. See Li, F.-X., 1939C
Li, F.-X.
—; Wang, H.-J.; Li, C.-G.; Ma, K.-Q.: Study on Chain Transfer to Acetic Anhydride of THF Polymerization, 1939C
Li, L. See Sosnowski, S., 2499P
Li, S.
—; Dickinson, L. C.; Chien, J. C. W.: Local Compositional Fluctuations in PPO/HIPS and PPO/SBS Blends, 607P
Li, S. See Liu, F., 1043C
Li, W.-H.
—; Stöver, H. D. H.; Hamielec, A. E.: High-Yield Synthesis and Characterization of 1,2-Bis(*p*-vinylphenyl)ethane, 2023C
—; Stöver, H. D. H.; Hamielec, A. E.: Novel Polystyryl Resins for Size Exclusion Chromatography, 2029C
Liang, X. See Jia, D., 817P
Liang, Y. See Zhang, Q., 2207P
Liao, C.-S. See Chen, S.-A., 2339P
Liao, D. C.
—; Hsieh, K. H.: Synthesis and Characterization of Bismaleimides Derived from Polyurethanes, 1665C
Lieser, G. See Wang, W., 2171P
Lim, J.-C.
—; Park, J.-K.; Song, H.-Y.: FTIR Investigation of Ion-Dipole Interaction in Sytrene Ionomer/Poly(ethylene Oxide) Blends, 29P
Lin, J.-H. See Yang, C.-P., 369C, 423C, 2653C
Lindenberg, M. S. See Matyjaszewski, K., 465C
Liou, G.-S.
—; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Polyarylates from 2,2′-Dihydroxy-1,1′-binaphthyl and Aromatic Dicarboxylic Acid Chlorides, 587C
Lissi, E. A. See Encinas, M. V., 1649C
Litt, M. H. See Zhang, T., 1323C, 1351C, 1531C, 1671P, 2291C, 2809C
Little, M. D. See Rigney, J., 1017P
Liu, F.
—; Yu, X.; Li, S.: Preparation of Polyalkylviologen-Polyanion Complexes and Their Applications to the Debromination of Diphenyl Bromomethane under Heterophase Condition, 1043C
Liu, G. L. See Gent, A. N., 271P
Liu, J.
—; Kim, D.; Harris, F. W.; Cheng, S. Z. D.: Crystal Structure, Morphology, and Phase Transitions in Aromatic Polyimide Oligomers. 3. Poly(1,4-phenyleneoxy-1,3-Phenylene Pyromellitimide), 2705P
Liu, S.
—; Pearce, E. M.; Kwei, T. K.: Synthesis and Characterization of Novel 4-Vinylphenylmethylphenyl-silanol Polymer and Its Styrene Copolymers, 2597C
Liu, X.
—; Briber, R. M.; Bauer, B. J.: Electron Beam Crosslinking of Poly(vinylmethyl ether), 811P
Liu, X. See Nomura, M., 2491P
Liu, Y.
—; Truss, R. W.: A Study of Tensile Yielding of Isotactic Polypropylene, 2037P
Liu, Y.-L.
—; Hsiue, G.-H.; Chiu, Y.-S.: Cationic Ring-Opening Polymerization of Oxetane Derivatives Initiated by Superacids: Studies on Their Propagating Mechanism and Species by Means of ^{19}F-NMR, 2543C
—; Hsiue, G.-H.; Chiu, Y.-S.; Jeng, R.-J.: New Addition Reaction of Polymers Carrying Pendent Oxetane Rings: Synthesis of a Nonlinear Optical Polymer, 3201C
Liu, Y.-L. See Hsiue, G.-H., 2155C
Lo, K.-W. See Fawcett, A. H., 815C
Lobo, R. P. S. M. See Moreira, R. L., 953P
Lodge, T. P. See Kent, M. S., 1927P
Long, T. E.
—; Guistina, R. A.; Schell, B. A.; McGrath, J. E.: Hindered Lithium Dialkylamide Initiators for the Living Anionic Polymerization of Methacrylic Esters, 2425C
Long, T. E. See Smith, S. D., 1747C
Lopez Cabarcos, E. See Ezquerra, T. A., 1449P
Lopez-Gonzalez, M. M. C. See Fernandez-Garcia, M., 1191P
Lu, C.
—; Odian, G.: Cationic Ring-Opening Polymerization of Bicyclic Amide Acetals, 2283C
Lu, J. See Bochmann, M., 2493C
Lu, S.
—; Pearce, E. M.; Kwei, T. K.: Miscibility Study in the Blends of Novel Poly(styrene-co-4-vinylphenyldimethylsilanol) and Poly(*n*-butyl methacrylate), 2607C
Lundström, I. See Mohammadi, A., 495C
Lux, F.
—; Hinrichsen, G.; Pohl, M. M.: TEM Evidence for the Existence of Conducting Islands in Highly Conductive Polyaniline, 1957P
Lyu, S.
—; Zhu, X.; Qi, Z.: Correlation Between the Fractal Dimension of Fracture

Surfaces and Fracture Toughness for Ductile Polymer Materials, 2151P

Ma, K.-Q. See Li, F.-X., 1939C
Maas, W. E. J. R.
—; Papavoine, C. H. M.; Veeman, W. S.; Werumeus Buning, G. H.; Vankan, J. M. J.: Interdiffusion of PMMA and PVF_2, Studied by Solid-State NMR, 785P
Macaione, D. See Reddy, T. A., 1977C
MacDiarmid, A. G. See Mattoso, L. H. C., 2147C
MacDonald, D. A. See Zhang, X., 2965C
MacFarlane, D. R. See Forsyth, M., 2077P
MacKnight, W. J. See Vuković, R., 1079P
Macosko, C. See Scott, C., 205P
Madruga, E. L. See Fernandez-Garcia, M., 1191P
Maeda, H.
Interaction of Water with Poly(vinyl methyl ether) in Aqueous Solution, 91P
Maeda, S.
—; Tsurusaki, Y.; Tachiyama, Y.; Naka, K.; Ohki, A.; Ohgushi, T.; Takeshita, T.: Synthesis and Properties of Superconductors Prepared from Ethylenediaminetetraacetic Acid (EDTA)-Ethylenediamine (ED) Polyamide YBC Chelate, 1729C
Maes, C.
—; Devaux, J.; Legras, R.; Parsons, I. W.; McGrail, P. T.: Characterization of Novel Modified Amorphous Poly(Ether Sulphone)s, 3171C
Magill, J. H. See Ciora, R. J., Jr., 305P
Magome, T. See Takahara, A., 839P
Maiti, M. M. See Chatterjee, N., 1225C
Maiti, S. See Banerjee, S., 219C; Das, P. S., 39C
Majnusz, J.
—; Lenz, R. W.: The Effects of Substituent Size and Molecular Weight on the Liquid Crystalline Properties of Poly(2-alkyl-1,4-phenylene terephthalate)s, 2775C
Majumdar, B.
—; Keskkula, H.; Paul, D. R.: Deformation Mechanisms in Nylon 6/ABS Blends, 2127P
Makino, K. See Sugiyama, K., 2119C
Malek, F. See Ameduri, B., 729C, 3161C
Malinconico, M. See Calandrelli, L., 1249P; Di Pace, E., 1643P
Mandić, Z. See Duić, LJ., 105C
Manero, O. See Cardoso, J., 359P
Manoharan, P. T. See Venkatachalam, S., 37P
Mant, G. R. See Jenkins, P. J., 1579P
Mantecón, A. See Galià, M., 829C; Ronda, J. C., 2841C
Marchese, L. See Bertolini, G., 961C
Marchessault, R. H. See Parris, J. M., 749P
Marchetti, E. See Noristi, L., 3047C
Marina, N. G. See Kozlov, V. G., 1237C
Marks, M. J.
—; Sekinger, J. K.: Effects of Chain End Group Composition and Concentration on the Properties of Bisphenol A-Tetrabromobisphenol A Copolycarbonates, 1885C
Marshall, K. L. See Twomey, C. J., 551P, 1573P, 1687P
Martin, D. C. See Rigney, J., 1017P
Martin, G. C. See Deng, Y., 2115P
Martínez, G. See Del Val, J. J., 871P
Martinho, J. M. G. See Farinha, J. P. S., 1635P
Martins, A. F. See Rusig, I., 1907P
Martuscelli, E. See Abbate, M., 395P; Calandrelli, L., 1249P; Cimmino, S., 2025P; Di Liello, V., 409P; Di Pace, E., 1643P
Maruno, T.
—; Ishibashi, S.; Nakamura, K.: Synthesis and Properties of Fluorine-containing Epoxy(meth)acrylate Resins, 3211C
Maruyama, K. See Yonetake, K., 1415C
Masterman, T. C.
—; Dando, N. R.; Weaver, D. G.; Seyferth, D.: Investigation of the Microstructure of Poly-(diallyldimethylammonium Chloride) by Nitrogen-14(15) NMR Spectroscopy, 2263P
Masuda, T. See Kouzai, H., 2523C
Masuko, T. See Yonetake, K., 1415C
Masuoka, T. See Iwatsubo, T., 1P, 7P
Matějka, L.
—; Chabanne, P.; Tighzert, L.; Pascault, J. P.: Cationic Polymerization of Diglycidyl Ether of Bisphenol A, 1447C
Mathias, L. J. See Avci, D., 2937C; Sundar, R. A., 2825C
Matsuda, M. See Okamoto, Y., 309C
Matsumoto, A.
—; Shimizu, K.; Mizuta, K.; Otsu, T.: Radical Polymerization of Alkyl Crotonates as 1,2-Disubstituted Ethylenes Leading to Thermally Stable Substituted Polymethylene, 1957C
—; Yamagishi, K.; Aoki, S.: A Novel Acrylate Carrying a Hindered Phenol Moiety as Monomer and Terminator in Radical Polymerization, 917C
Matsumoto, A. See Doi, T., 2241C, 2911C; Watanabe, H., 2073C, 2085C
Matsumoto, M.
—; Ichino, T.; Rutt, J. S.; Nishi, S.: Dual-Phase Structure of Polymer Electrolytes Comprised of NBR/SBR Latex Films Swollen with Lithium Salt Solution, 2551C
Matsumoto, M. See Rutt, J. S., 767C, 779C, 2505C
Matsuo, M. See Asanuma, T., 2111C
Matsuo, S.
Synthesis and Properties of Poly(Arylene Ether Phenyl-s-triazine)s, 2093C
Matsuo, S.
—; Mitsuhashi, K.-I.: Synthesis and Properties of Poly(Arylene Ether Benzoxazoles), 2199C
—; Mitsuhashi, K.-I.: Synthesis and Properties of Poly(arylene ether imide ketone)s, 1969C
—; Yakoh, N.; Chino, S.; Mitani, M.; Tagami, S.: Synthesis and Characterization of New Fluorescent Poly(arylene ether)s, 1071C
Matsuoka, T. See Kojima, Y., 1371C
Mattice, W. L. See Bravo, J., 1511P
Mattoso, L. H. C.
—; Faria, R. M.; Bulhões, L. O. S.; MacDiarmid, A. G.: Synthesis, Doping, and Processing of High Molecular Weight

Poly(*o*-methoxyaniline), 2147C
Matyjaszewski, K.
—; Lindenberg, M. S.; Moore, M. K.; White, M. L.: Synthesis of Polyphosphazenes Bearing Alkoxyethoxy and Trifluoroethoxy Groups, 465C
Matyjaszewski, K. See Hrkach, J. S., 1949C
Maxwell, I. A. See Casey, B. S., 605C; Noël, L. F. J., 1009C, 2161C
Mayer, E. See Sartor, G., 683P
Mays, J. W. See Chen, Y.-J., 715P
Mazurek, M. See Gent, A. N., 271P
McAdon, M. See Roitman, D. B., 1157P
McAlister, J. See Roitman, D. B., 1157P
Mcauley, K. B. See Zhang, X., 2965C
McBreen, J. See Foo, C., 3009C
McCarthy, T. F.
—; Lenz, R. W.; Kantor, S. W.: Polyamides Based on Diamines and *N,N'*-Dimethyldiamines Derived from Biphenol, 2883C
McCullough, R. L. See Pangelinan, A. B., 2383P
McGee, W. W. See Thompson, C. M., 113C
McGervey, J. D. See Yu, Z., 2637P
McGill, W. J. See Grobler, J. H. A., 287P
McGrail, P. T. See Maes, C., 3171C
McGrail, T. See Clark, J. H., 1185C
McGrath, J. E. See Long, T. E., 2425C; Moy, T. M., 1903C, 2377C; Rogers, M. E., 2663C; Smith, S. D., 1747C
McHugh, C. M. See Gresham, K. D., 2039C
McKenna, J. M. See Phillips, R. A., 791P
McLin, M. G. See Fontanella, J. J., 501P
Meakin, P. See Forsyth, M., 2077P
Mecham, S. J. See Rogers, M. E., 2663C
Medeiros-Ribeiro, G. See Moreira, R. L., 953P
Melot, D.
—; Escaig, B.; Lefebvre, J. M.; Eustache, R. P.; Lauprêtre, F.: Mechanical Properties of Unsaturated Polyester Resins in Relation to Their Chemical Structure. I. Secondary Relaxations and Local Motions, 249P
—; Escaig, B.; Lefebvre, J. M.; Eustache, R. P.; Lauprêtre, F.: Mechanical Properties of Unsaturated Polyester Resins in Relation to Their Chemical Structure: 2. Plastic Deformation Behavior, 1805P
Mendelsohn, A. S.
—; Torkelson, J. M.; Olvera de la Cruz, M.: Fluorescence Nonradiative Energy Transfer in Bulk Polymer and Miscible and Phase-Separated Polymer Blends: A Quantitative Analysis Including Correlation Effects, 2667P
Mendes, L. C. See Cimmino, S., 2025P
Mendicuti, F. See Bravo, J., 1511P
Merienne, C. See Milhourat-Hammadi, A., 203C, 1593C
Merlino, G. See Lau, A. N. K., 1507C
Mermilliod, N. See Dogué, I. L. J., 2193C
Meth, J. S. See Chen, W.-C., 195P
Michailov, M. See Bogdanov, B. G., 387P
Mijovic, J. See Bellucci, F., 2519P
Mikhailov, A. I. See Gordon, D. A., 2405P
Mikhailov, Y. M.
—; Ganina, L. V.; Chalykh, A. Ye.: Phase Equilibrium and Mutual Diffusion in the Poly(Sulfone)-Dimethylsulfoxide System, 1799P
Mikroyannidis, J. A.
Heat-Resistant Thermosetting Polyamide and Polyimides with Styrylpyridine Segments Derived from 2,2'-(1,4-Phenylenedivinylene)bisaminoquinoline, 2403C
Mikroyannidis, J. A.
Synthesis and Polymerization of Cyano-Substituted Monomers Derived from 4-Amino-α-methyl-β,β'-dicyanostyrene, 1799C
Mikroyannidis, J. A. See Diakoumakos, C. D., 1915C
Milhourat-Hammadi, A.
—; Chayrigues, H.; Merienne, C.; Gaudemer, A.: NMR Study of PMR-15 Prepolymerization Steps, 203C
—; Gaudemer, F.; Merienne, C.; Gaudemer, A.: Reactivity of Fragments Present in the Polyimide Prepolymer PMR-15: Thermal Isomerization and Oxidation of Imide Derivatives of Norbornene (NE) and Methane Dianiline (MDA), 1593C
Millán, J. L. See Del Val, J. J., 871P
Miller, C. M.
—; Blythe, P. J.; Sudol, E. D.; Silebi, C. A.; El-Aasser, M. S.: Effect of the Presence of Polymer in Miniemulsion Droplets on the Kinetics of Polymerization, 2365C
Miller, K. E.
—; Burch, E. L.; Lewis, F. D.; Torkelson, J. M.: In Situ Monitoring of Free-Radical Polymerization by Fluorescence Quenching of Fluorene and Reactive Derivatives, 2625P
Mills, M. E. See Radler, M. J., 2567P
Mills, P. J. See Smith, J. W., 1731P
Milner, S. T.
Strongly Stretched Polymer Brushes, 2743P
Minoura, N. See Iio, K., 3189C; Tsukada, M., 961P
Mirabella, F. M., Jr.
Phase Separation and the Kinetics of Phase Coarsening in Commercial Impact Polypropylene Copolymers, 1205P
Mirabella, F. M., Jr.
—; Barley, J. S.: Ostwald Ripening in an Immiscible Hydrogenated Polybutadiene and High-Density Polyethylene Blend, 2187P
Misono, T. See Kasgoz, A., 1049C
Misra, T. N. See Ghosh, M., 797C
Mita, I. See Hasegawa, M., 1299P; Itoh, M., 1581C
Mitani, M. See Matsuo, S., 1071C
Mitsuhashi, K.-I. See Matsuo, S., 1969C, 2199C
Miyama, M. See Krentsel, E., 1839C; Yasuda, T., 1829C
Miyashita, K.
—; Kamigaito, M.; Sawamoto, M.; Higashimura, T.: Synthesis of End-Functionalized Polystyrenes with Organosilicon End-Capping Reagents via Living Cationic Polymerization, 2531C
Mizoguchi, K. See Iwatsubo, T., 1P, 7P

Mizuoka, H. See Ohtani, N., 2589C
Mizuta, K. See Matsumoto, A., 1957C
Mochizuki, Y. See Nishikubo, T., 2765C
Mohammadi, A.
—; Paul, D. W.; Inganäs, O.; Nilsson, J. O.; Lundström, I.: Electrically Conductive Composite Prepared by Template Polymerization of Pyrrole into a Complexed Polymer, 495C
Monakov, Y. B. See Kozlov, V. G., 1237C
Mondal, P. C. See Basu, S., 2251C
Monetta, T. See Bellucci, F., 2519P
Moneva, I. T.
Phase Considerations in Digital Image Analysis of Polarized-Light Images, 2139P
Monleón Pradas, M. See Kyritsis, A., 1001P
Monnerie, L. See Oultache, A. K., 2539P
Montana, A. J. See Cooney, T. F., 1163P
Montaudo, G.
—; Puglisi, C.; Samperi, F.: Exchange Reactions Occurring through Active Chain Ends: Melt Mixing of Nylon 6 and Polycarbonate, 15C
—; Puglisi, C.; Samperi, F.: Primary Thermal Degradation Processes Occurring in Poly(phenylenesulfide) Investigated by Direct Pyrolysis-Mass Spectrometry, 1807C
Montiel, R. See Cardoso, J., 359P
Montserrat, S.
Physical Aging Studies in Epoxy Resins. I. Kinetics of the Enthalpy Relaxation Process in a Fully Cured Epoxy Resin, 509P
Moon, H.-S.
—; Ryoo, B.-K.; Park, J.-K.: Concurrent Crystallization in Polypropylene/Nylon-6 Blends Using Maleic Anhydride Grafted Polypropylene as a Compatibilizing Agent, 1427P
Moore, G. J. See Dotrong, M., 2953C
Moore, M. K. See Matyjaszewski, K., 465C
Moreira, R. L.
—; Lobo, R. P. S. M.; Medeiros-Ribeiro, G.; Rodrigues, W. N.: The Diffuse Behavior of the Ferroelectric Transition in Poly(vinylidene fluoride-trifluoroethylene) Copolymers, 953P
Morgan, H.
—; Fukushima, H.; Taylor, D. M.: Polymerization of Avidin and Streptavidin with Aromatic Bisbiotin Ligands, 1331C
Mori, M.
—; Uyama, Y.; Ikada, Y.: Surface Modification of Polyethylene Fiber by Graft Polymerization, 1683C
Morishima, Y.
—; Nomura, S.; Kamachi, M.: Initiation of Cationic Polymerization of *n*-Butyl Vinyl Ether by Stable Cation Radicals of Substituted Phenothiazines, 3141C
Morishima, Y. See Nomura, S., 1703C
Morita, M.
Effects of Solvent and Electrolyte on the Electrochromic Behavior and Degradation of Chemically Prepared Polyaniline-poly(vinyl alcohol) Composite Films, 231P
Morita, M. See Sugiyama, K., 2119C
Morrison, B. R.
—; Casey, B. S.; Lacik, I.; Leslie, G. L.; Sangster, D. F.; Gilbert, R. G.; Napper, D. H.: Free Radical Exit in Emulsion Polymerization. II. Model Discrimination via Experiment, 631C
Morrison, B. R. See Casey, B. S., 605C
Moseman, J. A. See Schneider, N. S., 491P
Motamedi, F.
—; Ihn, K. J.; Fenwick, D.; Wittmann, J.-C.; Smith, P.: Polymer Friction-Transfer Layers as Orienting Substrates, 453P
Moy, T. M.
—; Konas, M.; McGrath, J. E.; Fields, E. K.: Synthesis of Soluble, Thermosetting Polyimides Derived from 1,4-Phenylenebis-(phenylmaleic anhydride) and Aromatic Diamines, 2377C
—; McGrath, J. E.: Synthesis of Hydroxyl-Containing Polyimides Derived from 4,6-Diamino-resorcinol Dihydrochloride and Aromatic Tetracarboxylic Dianhydrides, 1903C
Mühlebach, A.
Pyrazoles—A Novel Class of Blocking Agents for Isocyanates, 753C
Mukhopadhyay, P.
—; Schreiber, H. P.: Aspects of Polymer Surface Characterization By Inverse Gas Chromatography, 1653P
Mulder, M. H. V. See Hensema, E. R., 513C, 527C
Mullis, J. C. See Parris, J. M., 749P
Muñoz, E. See Canizal, G., 3147C
Murthy, N. S.
—; Orts, W. J.: Hydration in Semicrystalline Polymers: Small-Angle Neutron Scattering Studies of the Effect of Drawing in Nylon-6 Fibers, 2695P
Musfeldt, J. L.
—; Reynolds, J. R.; Tanner, D. B.; Ruiz, J. P.; Wang, J.; Pomerantz, M.: Luminescent Polymers with Discrete Emitter Units, 2395P
Musto, P. See Abbate, M., 395P; Di Liello, V., 409P
Mutin, P. H. See Corriu, R., 187C

Nadkarni, V. M. See Uphade, B. S., 2003C
Nagai, K.
—; Ohishi, Y.: Polymerization of Surface-Active Monomers. VIII. Tacticity of Polymers Prepared by Radical Polymerization of Quaternary Salts of Dimethylaminoethyl Methacrylate in Micellar and Isotropic Media, 445C
Nagai, K. See Kuramoto, N., 2501C
Nagai, S. See Haneda, Y., 2641C
Nagura, M. See Tsukada, M., 961P
Naito, Y. See Kamiya, Y., 281P
Naka, K. See Maeda, S., 1729C
Nakabayashi, N. See Ishihara, K., 859C
Nakagawa, T. See Higuchi, A., 149P
Nakahara, H. See Aoki, T., 849C
Nakajima, K. See Higashi, F., 89C, 747C
Nakamura, I. See Sumi, K., 1243C

Nakamura, K. See Maruno, T., 3211C
Nakamura, S. See Saegusa, Y., 57C, 249C; Wang, C., 413C, 1255C
Nakamura, T. See Ueda, M., 2989C
Nakano, T. See Okamoto, Y., 309C
Nakaoki, T. See Stölken, S., 881P
Nakashima, Y. See Ito, Y., 383C
Nakaya, M. See Ohtani, N., 2677C
Nakayama, K. See Kaito, A., 691P
Nancke, K. See Alig, I., 1465P
Nango, M. See Yamashita, K., 1711C
Napper, D. H. See Casey, B. S., 605C; Morrison, B. R., 631C
Narayana, B. H. See Palaniappan, S., 2431C
Narh, K. A.
—; Keller, A.: The Effect of Counterions on the Chain Conformation of Polyelectrolytes, as Assessed by Extensibility in Elongational Flow: The Influence of Multiple Valency, 1697P
Nazábal, J. See Arzak, A., 325P
Nefedjev, K. V. See Kozlov, V. G., 1237C
Nelson, G. L. See Benrashid, R., 1847C
Nemoto, N.
—; Ishii, H.; Ihara, M.; Ikeda, K.; Takamiya, N.: Hydroquinone Oxidation Catalyzed by Pyridine-Cu(II) Complexes Attached to Polyorganosiloxane. II. Elucidation of Factors Related to Catalytic Activity, 2457C
Nesarikar, A.
—; Crist, B.; Davidovich, A.: Liquid-Liquid Phase Separation in Linear Low-Density Polyethylene, 641P
Newman, B. A. See Zhenyi, M., 2721P
Newmark, R. A. See Vizzini, J. C., 2049C
Nguyen, T. Q. See Zysman, V., 1257P
Nichols, M. E.
—; Robertson, R. E.: Crystallization and Thermoreversible Gelation of Poly(Butylene Terephthalate)-Epoxy Mixtures, 1607P
—; Robertson, R. E.: Preparation of Small Poly(butylene Terephthalate) Spheres By Crystallization from Solution, 573P
Nichols, M. E. See Kim, J., 887P
Nickell, J. C. See Kalika, D. S., 759P
Nicodemo, L. See Bellucci, F., 2519P
Nicolais, L. See Bellucci, F., 2519P; Jin, X., 3115C
Nieto, F. See Horas, J. A., 1889P
Nilsen, S. See Chen, S.-J., 1791P
Nilsson, J. O. See Mohammadi, A., 495C
Ning, X.
—; Ishida, H.: Phenolic Materials via Ring-Opening Polymerization of Benzoxazines: Effect of Molecular Structure on Mechanical and Dynamic Mechanical Properties, 921P
—; Ishida, H.: Phenolic Materials via Ring-Opening Polymerization: Synthesis and Characterization of Bisphenol-A Based Benzoxazines and Their Polymers, 1121C
Nishi, S. See Matsumoto, M., 2551C; Rutt, J. S., 767C, 779C, 2505C
Nishikubo, T.
—; Kameyama, A.; Kishi, K.; Mochizuki, Y.: Synthesis and Photochemical Properties of Solar Energy Storage-Exchange Polymers Containing Pendant Norbornadiene Moieties, 2765C
—; Kameyama, A.; Sasano, M.: Synthesis of Functional Polymers Bearing Cyclic Carbonate Groups from (2-Oxo-1,3-dioxolan-4-yl)methyl Vinyl Ether, 301C
Nishikubo, T. See Iizawa, T., 3091C
Nishimura, M. See Ito, K.-I., 1793C, 2177C
Nishimura, S.-I. See Ishii, S., 575C; Kurita, K., 393C, 1027C
Niu, J. See Fyfe, C. A., 2203C
Noe, S. C. See Coburn, J. C., 1271P
Noël, L. F. J.
—; Maxwell, I. A.; Van Well, W. J. M.; German, A. L.: Model Prediction of Batch Emulsion Copolymerization as a Function of Conversion: A Sensitivity Analysis, 2161C
—; Van Altveer, J. L.; Timmermans, M. D. F.; German, A. L.: Determination of the Reactivity Ratios of Methyl Acrylate with the Vinyl Esters Vinyl Acetate, Vinyl 2,2-Dimethyl-Propanoate, and Vinyl 2-Ethylhexanoate, 2223C
—; Van Zon, J. M. A. M.; Maxwell, I. A.; German, A. L.: Prediction of Polymer Composition in Batch Emulsion Copolymerization, 1009C
Nolan, S. J. See Radler, M. J., 2567P
Nomura, M.
—; Liu, X.; Ishitani, K.; Fujita, K.: An Experimental Study on Saturation Swelling of Styrene-Acryronitrile Copolymer Particles with Styrene and Acrylonitrile Monomers, 2491P
Nomura, S.
—; Morishima, Y.; Koremoto, T.; Kamachi, M.: Cationic Polymerization of Vinyl Monomers Initiated by 10-Methylphenothiazine Cation Radicals, 1703C
Nomura, S. See Morishima, Y., 3141C
Nordmeier, E.
—; Rad, D.: Light Scattering Studies of Copolymers. 1. Soluble Hemoglobin-Dextran Complexes, 63P
Noristi, L.
—; Marchetti, E.; Baruzzi, G.; Sgarzi, P.: Investigation on the Particle Growth Mechanism in Propylene Polymerization with $MgCl_2$-Supported Ziegler–Natta Catalysts, 3047C
Nye, S. A.
—; Swint, S. A.: Synthesis and Characterization of Polyarylates Derived from 4,4″-Dihydroxy-*meta*-Terphenyl and Aromatic Diacid Chlorides, 721C
—; Swint, S. A.: Synthesis and Properties of Polyoxyarylenesiloxanes, 131C

Obata, T.
—; Kobayashi, E.; Aoshima, S.; Furukawa, J.: Synthesis of New Linear Polymers

Containing Phosphorus Atom in the Main Chain by the Radical Polyaddition: Addition Polymers of Phenylphosphine with 1,4-Divinylbenzene or 1,4-Diisopropenylbenzene and Their Properties, 475C
O'Brien, D. F. See Lee, Y.-S., 1437C
Ochiai, H. See Itaya, T., 171P
O'Connell, E. M. See Grady, B. P., 2357P
Odani, H. See Hirai, A., 2329P
Odian, G. See Lu, C., 2283C
Ogawa, T. See Canizal, G., 3147C
Ogura, K.
—; Yano, J.; Kisaka, K.; Goto, H.: Novel Preparation of Electrically Conducting Poly(vinyl chloride) by Photo-dehydrochlorination from Poly(vinyl chloride)/Polypyrrole Composite Film, 33C
Ogura, S. See Takeichi, T., 579C
Ogura, Y. See Iizawa, T., 2057C
Ohara, M. See Kawaguchi, A., 421P
Ohgushi, T. See Maeda, S., 1729C
Ohishi, Y. See Nagai, K., 445C
Ohki, A. See Maeda, S., 1729C
Ohta, Y.
—; Sugiyama, H.; Yasuda, H.: Short Branch Effects on the Creep Properties of the Ultra-High Strength Polyethylene Fibers, 261P
—; Yasuda, H.: The Influence of Short Branches on the α, β and γ-Relaxation Processes of Ultra-High Strength Polyethylene Fibers, 2241P
Ohtani, H. See Ito, Y., 383C
Ohtani, N.
—; Inoue, Y.; Mizuoka, H.; Itoh, K.: Solution Viscosity Behavior of Polystyrene-Based Cationic Ionomers. Effects of Ion Content and Solvent, 2589C
—; Nakaya, M.; Shirahata, K.; Yamashita, T.: Reactivity and Catalytic Activity of Cationic Ionomers for the Nucleophilic Substitution Reactions, 2677C
Oikawa, E. See Aoki, T., 849C
Oikawa, H. See Asanuma, T., 2111C
Ok, Y. S. See Kim, B. K., 561P
Okada, A. See Kojima, Y., 625P; Shiga, T., 85P
Okada, M. See Hashimoto, K., 1619C
Okamoto, Y.
—; Matsuda, M.; Nakano, T.; Yashima, E.: Asymmetric Polymerization of Aromatic Isocyanates with Optically Active Anionic Initiators, 309C
Okamoto, Y. See Dai, Y. K., 397C; Foo, C., 3009C
Okoniewski, A.
—; Perlman, M. M.: Hopping Conduction in "Pure" Polypropylene, 2413P
Okuno, T. See Yasuda, T., 1829C
Olvera de la Cruz, M. See Mendelsohn, A. S., 2667P
Omi, S.
—; Iso, M.; Tajima, R.; Kaneko, K.; Takesue, M.: Why Are Random Copolymers of Styrene and Acrylic Acid Effective as Stabilizers for Nonaqueous Dispersion Polymerization of Styrene? 571C
O'Neill, M. L. See Handa, Y. P., 2549P
Onishi, H. See Aoshima, S., 879C
Ookawa, Y. See Asanuma, T., 2111C
Orts, W. J. See Murthy, N. S., 2695P; Wu, W.-L., 2475P
Osaki, T. See Yamashita, K., 1711C
Osawa, S.
—; Porter, R. S.: Equibiaxial Deformation of Poly(4-methyl-1-Pentene) by a Forging Process, 535P
Oshima, N. See Yamashita, K., 1711C
Oskay, T. See Özkan, H. S., 631P
Otsu, T. See Doi, T., 2241C, 2911C
Otsu, T. See Matsumoto, A., 1957C; Watanabe, H., 2073C, 2085C
Oultache, A. K.
—; Jasse, B.; Monnerie, L.: Orientation and Relaxation in Uniaxially Stretched Styrene-co-Methyl Methacrylate Random Copolymers, 2539P
Oyama, K.-I. See Ichikawa, T., 2487C
Özkan, H. S.
—; Oskay, T.; Güney, H. Y.; Dirim, H.: The Mechanical Anisotropy of Stratified Polyvinyl Chloride, 631P

Pacanovsky, J.
—; Kelley, F. N.; Von Meerwall, E.: Syneresis and Crystallinity in Plasticized Rubbery Networks and Composites, 1339P
Painter, P. C.
—; Veytsman, B.; Coleman, M. M.: A Comparison of Models for Hydrogen Bonding in Polymer Blends, 1189C
Painter, P. C. See Coleman, M. M., 1817C
Pak, P. K. See Lee, J. H., 1569C
Pak, Y. S. See Tian, S. B., 2019P
Palaniappan, S.
—; Narayana, B. H.: Temperature Effect on Conducting Polyaniline Salts: Thermal and Spectral Studies, 2431C
Palit, S. K. See Banerjee, S., 219C; Chatterjee, N., 1225C
Pan, J.
—; Lau, W. W. Y.; Lee, C. S.: Preparation of HALS by Hydrosilylation of Vinyl Monomers Containing Hindered Amine, 997C
Panayotov, I. M. See Berlinova, I. V., 1523C
Pandit, S. B. See Uphade, B. S., 2003C
Pang, Y. See Jia, D., 817P
Pangelinan, A. B.
—; McCullough, R. L.; Kelley, M. J.: Analytic Model for Surface-Induced Molecular Weight Segregation in Thermoplastic Composites, 2383P
Papadokostaki, K. G.
—; Petropoulos, J. H.: A Detailed Study of Sorption Equilibria and Kinetics of a Model Disperse Dye in Cellulose Acetate, 2347P
Papaspyrides, C. D. See Katsikopoulos, P. V., 451C
Papavoine, C. H. M. See Maas, W. E. J. R., 785P
Paraschiv, V. See Simionescu, C. I., 3123C
Park, J.
—; Choi, W.; Kihara, N.; Endo, T.: Regioselective Cationic Ring-Opening Polymerization of 4-Methylene-2-styryl-1,3-dioxolane, 983C
—; Kihara, N.; Kobayashi, M.; Endo, T.: Cationic Polymerization of 2-Isopropenyl-4-methylene-1,3-dioxolane in the Presence of Nucleophilic Compounds, 199C
Park, J.-K. See Choi, E.-J., 2481P; Lim, J.-C., 29P; Moon, H.-S., 1427P

Park, J.-W.
—; Lee, J.-H.; Ko, J.-M.; Cho, H.-N.; Choi, S. K.: Synthesis and Electrochemical Properties of Poly(1,6-heptadiyne) Derivatives Containing a Carbazole Moiety, 2789C
Park, L. S. See Ahn, T. O., 21P
Park, S. S.
—; Im, S. S.; Kim, D. K.: Kinetics for the Catalyzed Formation of Poly(ethylene 2,6-naphthalate) (PEN) by Various Metal Compounds, 2873C
Parris, J. M.
—; Marchessault, R. H.; Vandenberg, E. J.; Mullis, J. C.: Isomorphism in the Poly(3,3-bis-hydroxymethyloxetane) Family and Copolymers: Poly(3,3-bis-hydroxymethyloxetane-*co*-3-methyl-3-Hydroxymethyloxetane), 749P
Parsons, D. M. See Winther, G., 659P
Parsons, I. W. See Maes, C., 3171C
Pascault, J.-P. See Matějka, L., 1447C; Wang, F. C., 1305P, 1315P
Patil, P. S. See Uphade, B. S., 2003C
Patterson, G. D.
—; Jue, P. K.; Ramsay, D. J.; Stevens, J. R.: Photon Correlation Spectroscopy of Syndiotactic Poly(*n*-butyl Methacrylate) Near the Glass Transition, 1137P
Patty, A. See Fawcett, A. H., 815C
Paul, D. R. See Callaghan, T. A., 1813P, 1847P; Majumdar, B., 2127P; Takakuwa, K., 1719P
Paul, D. W. See Mohammadi, A., 495C
Pauley, M. A. See Guan, H. W., 2615P
Pazur, R. J.
—; Prud'Homme, R. E.: An X-Ray Pole Figure Analysis on Biaxially Deformed Polyethylene Film, 1475P
Pearce, E. M.
Review of *Polymer Solutions, Blends, and Interfaces*, 1797C
Pearce, E. M.
Review of *The Science of Polymer Molecules*, 2997C
Pearce, E. M. See Dai, Y. K., 397C; Liu, S., 2597C; Lu, S., 2607C
Péguy, A. See Garcia-Ramirez, M., 1437P
Peiffer, D. G. See Zhou, Z., 2135P
Penczek, P. See Szczepaniak, B., 2559C
Peng, T.
—; Yao, K. D.; Yuan, C.; Goosen, M. F. A.: Structural Changes of pH-Sensitive Chitosan/Polyether Hydrogels in Different pH Solution, 591C
Peng, T. See Yao, K. D., 1213C
Penlidis, A. See Scott, P. J., 539C
Peppas, N. A. See Anseth, K. S., 139C; Hariharan, D., 1093P; Kim, D., 1593P
Pereira, M. R.
—; Yarwood, J.: Depth-Profiling of Polymer Laminates Using Fourier Transform Infrared (ATR) Spectroscopy: The Barrier Film Technique, 1881P
Perenze, N. See Di Pace [illegible], 1643P
Perlman, M. M. See Okoniewski, A., 2413P
Perry, R. J. See Bässler, H., 1677P
Petropoulos, J. H. See Papadokostaki, K. G., 2347P
Petrov, P. C.
—; Kostov, G. K.: Emulsion Copolymerization of Tetrafluoroethylene and Propylene with Redox System Containing *tert*-Butylperbenzoate. II. Polymerization Mechanism, 2235C
Petrov, P. Chr. See Kostov, G. K., 2229C
Phillips, R. A.
—; McKenna, J. M.; Cooper, S. L.: Glass Transition and Melting Behavior of Poly(ether-ester) Multiblock Copolymers with Poly(tetramethylene isophthalate) Hard Segments, 791P
Pisanias, M. N. See Diakoumakos, C. D., 1915C
Pissis, P. See Kyritsis, A., 1001P
Płocharski, J.
—; Pukacki, W.; Roth, S.: Conductivity Study of Stretch-Oriented New Polyacetylene, 447P
Pohl, M. M. See Lux, F., 1957P
Poliks, M. D. See Fyfe, C. A., 2203C
Połowiński, S. See Jantas, R., 295C
Pomerantz, M. See Musfeldt, J. L., 2395P
Pomogailo, A. D. See Savostyanov, V. S., 1201C
Ponomarev, A. N. See Savostyanov, V. S., 1201C
Ponrathnam, S. See Sonpatki, M. M., 2999C
Porter, R. S. See Osawa, S., 535P
Pottiger, M. T.
—; Coburn, J. C.; Edman, J. R.: The Effect of Orientation on Thermal Expansion Behavior in Polyimide Films, 825P
Pottiger, M. T. See Coburn, J. C., 1271P
Pratt, J. R. See Zoia, G., 53P
Pratt, L. M.
—; Chu, C. C.: Dimethyltitanocene-Induced Surface Chemical Degradation of Synthetic Biodegradable Polyesters, 949C
Previtali, C. M. See Encinas, M. V., 1649C
Price, D. M. See Khan, N., 2509P
Priester, R. D., Jr. See Thomas, O., 2155P
Privalko, V. P.
—; Azarenkov, V. P.; Baibak, A. V.; Korskanov, V. V.; Frisch, H. L.; Zhou, P.: Thermodynamic Characterization of Interpenetrating Polymer Networks of Poly(carbonate-urethane) and Poly(methyl methacrylate), 2625C
Prud'Homme, R. E. See Champagne, M. F., 615P; Pazur, R. J., 1475P
Pruski, M. See Erdmann, K., 1961P
Pucciariello, R.
Thermal Characterization of Tetrafluoroethylene-Perfluoroalkylvinylether Copolymers: Melting Behavior and Low-Temperature Transitions, 1771P
Puckett, A. D. See Storey, R. F., 2345C
Puffr, R. See Kříž, J., 1129P
Puglisi, C. See Montaudo, G., 15C, 1807C
Pukacki, W. See Płocharski, J., 447P

Qi, Z. See Lyu, S., 2151P
Qiu, Y. See Yoon, H., 1485P
Quintana, J. R.
—; Salazar, R.; Katime, I.: Crystallization and Thermal Behavior of Poly(vinylidene Fluoride)/Poly[styrene-*b*-(Ethylene-*co*-butylene)-*b*-Styrene] Blends Functionalized with Succinic Groups, 201P
Quirk, R. P. See Farinha, J. P. S., 1635P

Rabolt, J. F. See Kim, K. J., 2435P
Rad, D. See Nordmeier, E., 63P
Radić, D. See Díaz Calleja, R., 1069P, 1617P
Radler, M. J.
—; Landes, B. G.; Nolan, S. J.; Broomall, C. F.; Chritz, T. C.; Rudolf, P. R.; Mills, M. E.; Bubeck, R. A.: In Situ X-ray Scattering Studies of Lyotropic Liquid Crystalline PBO and PBZT Monofilament Drawing, 2567P
Radosz, M. See Chen, S.-J., 1791P
Ragosta, G. See Abbate, M., 395P; Di Liello, V., 409P
Rajan, C. R. See Uphade, B. S., 2003C
Ramillon, J. M. See Betz, N., 1493P
Ramsay, D. J. See Patterson, G. D., 1137P
Ramsay, J. M. See Howdle, S. M., 541P
Rao, B. S.
—; Hasan, M. F.; Reddy, N. S.; Reddy, Y. S.: Electron Spin Resonance Study of γ-Irradiated Poly(methacrylic Acid), 1787P
Rao, K. V. C. See Venkatachalam, S., 37P
Rasburn, J.
—; Klein, P. G.; Ward, I. M.: The Influence of Short-Chain Branching on the Creep Behavior of Oriented Polyethylene, and Its Effect on the Efficiency of Crosslinking by Electron Irradiation, 1329P
Raudino, A.
Some Theoretical Considerations on Diffusion-Controlled One-Chain Polymerization in Two-Dimensional Systems, 2311P
Rausch, M. D. See Chien, J. C. W., 2387C; Fierro, R., 661C, 2817C
Ravi, M.
—; Hopfinger, A. J.: Molecular Modeling of Polymers. 10. Characterization of Conformational Transitions of Poly(Acrylic Acid) and Poly(Methacrylic Acid) Using Dyad Structures, 1033P
Ravindranath, K. See Sonpatki, M. M., 2999C
Reddy, N. S. See Rao, B. S., 1787P
Reddy, T. A.
—; Erhan, S.: Quinone-Amine Polymers. XII. Synthesis and Characterization of Novel Polymers from 2-Phenylbenzoquinone and Aliphatic Diamines, 557C
—; Macaione, D.; Erhan, S.: Quinone-amine Polymers. XV. Syntheses and Characterization of High-Temperature Resistant Poly(arylamino-quinone)s, 1977C
Reddy, V. N. See Chen, J., 2683P
Reddy, Y. S. See Rao, B. S., 1787P
Register, R. A. See Taylor-Smith, R. E., 2105P
Reimers, M. J.
—; Barbari, T. A.: Gas Sorption and Diffusion in Hydrogen-Bonded Polymers. II. Polyethersulfone/Polyhydroxyether Blends, 131P
Rempel, G. L. See Scott, P. J., 539C
Rettig, S. J. See Fyfe, C. A., 2203C
Reynaers, H. See Scherrenberg, R. L., 99P, 111P
Reynolds, J. R. See Musfeldt, J. L., 2395P
Rhee, J.
—; Crist, B.: Phase Behavior, Morphology, and Mechanical Properties of Polyethylene-Copolymer Blends, 159P
Rhee, J.-M. See Choi, K.-Y., 175C
Riande, E. See Díaz-Calleja, R., 1069P; Iglesias, M. T., 2565C
Riess, G. See Simionescu, C. I., 3123C
Rigney, J.
—; Little, M. D.; Martin, D. C.: Swelling Studies of Crosslinked Poly(*p*-phenylene Terephthalamide) Copolymers in Sulfuric Acid, 1017P
Rinaudo, M. See Benmouna, M., 985P; Benoît, H., 1745P
Ríos, H. E.
—; Ternero, G. A.; Barraza, R. G.; Gamboa, I. C.: Ion-Exchange Equilibria in Cationic Polyelectrolytes, 215P
Robertson, R. E. See Kim, J., 887P; Nichols, M. E., 573P, 1607P
Rodrigues, D. See Rogers, M. E., 2663C
Rodrigues, W. N. See Moreira, R. L., 953P
Rogers, C. E. See Zhang, T., 1323C, 1351C, 1531C, 1671P, 2291C, 2809C
Rogers, M. E.
—; Glass, T. E.; Mecham, S. J.; Rodrigues, D.; Wilkes, G. L.; McGrath, J. E.: Perfectly Alternating Segmented Polyimide-Polydimethyl Siloxane Copolymers via Transimidization, 2663C
Roggero, A. See Bertolini, G., 961C; Bonfanti, C., 1361C; Lezzi, A., 1877C
Roitman, D. B.
—; McAlister, J.; McAdon, M.; Wessling, R. A.: Protonation of *CIS*-PBO in Metanesulfonic Acid Solutions, 1157P
Ronda, J. C.
—; Serra, A.; Mantecón, A.; Cádiz, V.: Synthesis of Tridimensional Polymers by the Copolymerization of Phenylglycidylether with Aromatic Diglycidylethers, 2841C
Rooney, J. J. See Hamilton, J. G., 993C
Roovers, J. See Wang, F., 2413C
Roth, S. See Płocharski, J., 447P
Roth, W.
—; Hoffmann, K. W.; Kurz, W.: Laser-Induced Generation of Thin Silicone Layers with High Chemical and Spectral Purity, 1893C
Roy, A. K.
—; Gleason, K. K.: Application of Proton Multiple-Quantum NMR to the Study of Dynamics in Bulk Chloral Polycarbonate, 2235P
Rudnik, E. See Szczepaniak, B., 2559C
Rudolf, P. R. See Radler, M. J., 2567P

Rufs, A. M. See Encinas, M. V., 1649C
Ruiz, J. P. See Musfeldt, J. L., 2395P
Rusig, I.
—; Godinho, M. H.; Varichon, L.; Sixou, P.; Dedier, J.; Filliatre, C.; Martins, A. F.: Optical Properties of Cholesteric (2-Hydroxypropyl) Cellulose (HPC) Esters, 1907P
Russell, K. E. See Shing, J. B. W., 1691C
Russo, M. V. See Yang, M., 2709C
Rutt, J. S.
—; Ichino, T.; Matsumoto, M.; Nishi, S.: Ion-Free Latex Films as Dual-Phase Electrolytes: Styrene-Butadiene Rubber and Nitrile-Butadiene Rubber Synthesized by Emulsion Polymerization with Poly-(vinyl pyrrolidone) Stabilizer, 2505C
—; Ichino, T.; Matsumoto, M.; Nishi, S.: Synthesis of Ion-Free Latex Particles Composed of Polybutadiene and Poly(Vinyl Pyrrolidone) as Polymer Electrolyte Materials, 767C
—; Matsumoto, M.; Ichino, T.; Nishi, S.: Ion-Free Latex Films Composed of Fused Polybutadiene and Poly(Vinyl Pyrrolidone) Particles as Polymer Electrolyte Materials, 779C
Rutt, J. S. See Matsumoto, M., 2551C
Rúvolo-Filho, A. See Sakamoto, W. K., 333P
Ryan, A. J. See Jenkins, P. J., 1579P
Rye, R. R.
Surface Stress-Dependent Adhesion to Fluorinated Polymers, 1777P
Ryoo, B.-K. See Moon, H.-S., 1427P

Saegusa, Y.
—; Iwasaki, T.; Nakamura, S.: Synthesis and Characterization of 1,3,4-Thiadiazole-Containing Polyethers from 2,5-Bis(4-Fluorophenyl)-1,3,4-Thiadiazole and Various Aromatic Diols, 249C
—; Kuriki, M.; Kawai, A.; Nakamura, S.: Preparation and Characterization of Fluorine-Containing Aromatic Condensation Polymers. II. Preparation and Characterization of Fluorine-Containing Aromatic Polyformal and Copolyformals by Solution Polycondensation of 2,2-Bis(4-Hydroxyphenyl)-1,1,1,3,3,3-Hexafluoropropane and/or 2,2-Bis-(4-Hydroxyphenyl)propane with Dichloromethane, 57C
Saitoh, K. See Ando, Y., 179P
Saiz, E. See Díaz-Calleja, R., 1069P
Sajkiewicz, P.
Effects of an Electrostatic Field on Crystallization of Poly(vinylidene Fluoride), 313P
Sakai, Y. See Ishihara, K., 859C
Sakamoto, W. K.
—; Gonzalez, E. R.; Zimmerman, R. L.; Rúvolo-Filho, A.: Deformation Effects on Ionic Transport in Polymeric Films, 333P
Salazar, R. See Quintana, J. R., 201P
Salmon, G. A. See Jones, R. A., 469P
Samperi, F. See Montaudo, G., 15C, 1807C
Samson, H. See Corriu, R., 187C
Samulski, E. T. See Gresham, K. D., 2039C
Sanchez, G. See Ismayel, A., 1539C
Sanda, F.
—; Takata, T.; Endo, T.: Synthesis and Radical Crosslinking Reaction of Poly(vinylcyclopropanone acetal)s, 2517C
—; Takata, T.; Endo, T.: Synthesis and Radical Polymerization of Spiro Orthocarbonates Bearing Exomethylene Groups, 323C
Sandakov, G. I.
—; Smirnov, L. P.; Sosikov, A. I.; Summanen, K. T.; Volkova, N. N.: NMR Analysis of Distribution of Chain Lengths Between Crosslinks of Polymer Networks, 1585P
Sanganeria, S. See Jiang, Z., 841C
Sangster, D. F. See Morrison, B. R., 631C
Sangwatanaroj, U. See Cuculo, J. A., 229C, 241C
Sankar, S. S. See Cuculo, J. A., 229C, 241C
Sarkar, M. See Ghosh, M., 797C
Sarker, A.
—; Lahti, P. M.; Karasz, F. E.: Syntheses of New Poly(arylene vinylene) Analogues: Poly(4,7-benzofuran vinylene) and Poly(4,7-benzothiophene vinylene), 65C
Sartor, G.
—; Mayer, E.; Johari, G. P.: Thermal History and Enthalpy Relaxation of an Interpenetrating Network Polymer with Exceptionally Broad Relaxation Time Distribution, 683P
Sasaki, K. See Yamashita, K., 1711C
Sasano, M. See Nishikubo, T., 301C
Sashio, M. See Ito, K.-I., 1793C, 2177C
Sass, C. S.
—; Fagerburg, D. R.: Optical and SAXS Characterization of Poly(phenylene Sulfide) (PPS) Oligomers, 579P
Sato, K. See Kawahara, S., 15P
Sato, Y. See Iizawa, T., 2057C
Sauer, B. B. See Hsiao, B. S., 737P
Sauvet, G. See Beaunez, P., 1459C, 1471C
Savel'Eva, I. G. See Kozlov, V. G., 1237C
Savostyanov, V. S.
—; Kritskaya, D. A.; Ponomarev, A. N.; Pomogailo, A. D.: Thermally Initiated Frontal Polymerization of Transition Metal Nitrate Acrylamide Complexes, 1201C
Sawada, H. See Itoya, K., 2947C
Sawamoto, M. See Fukui, H., 2699C; Miyashita, K., 2531C
Scarinzi, G. See Abbate, M., 395P; Di Liello, V., 409P
Scheiman, D. A. See Chuang, K. C., 1341C
Scheinbeim, J. I. See Zhenyi, M., 2721P
Schell, B. A. See Long, T. E., 2425C
Schellenberg, J.
—; Vogel, J.: On the Glass Transition Temperature of Styrene-*n*-Butyl Methacrylate Copolymers in Dependence on Chemical Composition, Molecular Weight, and Mixtures, 1969P
Schellenberg, J. See Darkow, R., 1657C

Scherer, G. G. See Gupta, B., 1931C
Scherrenberg, R. L.
—; Reynaers, H.; Gondard, C.; Booij, M.: Structural Aspects of Suspension Poly(Vinyl Chloride): Influence of Temperature on the Macro- and Microstructure, 99P
—; Reynaers, H.; Gondard, C.; Steeman, P. A. M.: Structural Aspects of Suspension Poly(Vinyl Chloride): The Thermal Aspects of Rigid Suspension PVC, 111P
Scherrenberg, R. L. See Steeman, P. A. M., 119P
Schmid, A. See Twomey, C. J., 551P, 1573P, 1687P
Schmidhauser, J. C. See Hägg, M.-B., 1625P
Schneider, D. K. See Chu, B., 2605P
Schneider, N. S.
—; Moseman, J. A.; Sung, N.-H.: Toluene Diffusion in Butyl Rubber, 491P
Schoch, K. F., Jr. See Congedo, T. V., 2715P
Schoonbrood, H. A. S.
—; Van Den Boom, M. A. T.; German, A. L.; Hutovic, J.: Multimonomer Partitioning in Latex Systems with Moderately Water-Soluble Monomers, 2311C
Schrag, J. L. See Winther, G., 659P
Schreiber, H. P. See Mukhopadhyay, P., 1653P
Schuchardt, U. See Jericó, S., 929C
Schwartz, K. B. See Chen, J., 2683P
Scott, C.
—; Macosko, C.: Model Experiments for the Interfacial Reaction Between Polymers During Reactive Polymer Blending, 205P
Scott, P. J.
—; Penlidis, A.; Rempel, G. L.; Lawrence, A. D.: Ethylene-Vinyl Acetate Semi-Batch Emulsion Copolymerization: Use of Factorial Experiments for Process Optimization, 539C
Seino, Y. See Ueda, M., 675C
Sekinger, J. K. See Marks, M. J., 1885C
Sellinger, A.
—; Laine, R. M.; Chu, V.; Viney, C.: Palladium- and Platinum-Catalyzed Coupling Reactions of Allyloxy Aromatics with Hydridosilanes and Hydridosiloxanes: Novel Liquid Crystalline/Organosilane Materials, 3069C
Sen, A. See Jiang, Z., 841C
Sena, M. E. R. See Hensema, E. R., 527C
Senn, D. R.
Synthesis and Characterization of *ran*-Copoly(*p*-Phenylene Sulfide Sulfone/Ketone)s, 1175C
Senturia, S. D. See Coburn, J. C., 1271P
Serra, A. See Galià, M., 829C; Ronda, J. C., 2841C
Seyferth, D. See Masterman, T. C., 2263P
Sgarzi, P. See Noristi, L., 3047C
Shachi, K. See Aoshima, S., 879C
Sharma, S. K. See Cooney, T. F., 1163P
Shaw, M. T. See Yu, W.-C., 481P
Shen, J. See Zhang, Y., 1657P
Shen, S.
—; Sudol, E. D.; El-Aasser, M. S.: Dispersion Polymerization of Methyl Methacylate: Mechanism of Particle Formation, 1087C
Shen, Y. See Shen, Z., 597C
Shen, Z.
—; Chen, X.; Shen, Y.; Zhang, Y.: Ring-Opening Polymerization of ϵ-Caprolactone by Rare Earth Coordination Catalysts. I. Characteristics, Kinetics, and Mechanism of ϵ-Caprolactone Polymerization with $Nd(acac)_3.3H_2O$-$AlEt_3$ System, 597C
Shen, Z.-R. See In 'T Veld, P. J. A., 1063C
Shenkov, S.
—; Baranovsky, V. Y.: Complex Formation between Poly(methacrylic Acid) and Poly(propylene Glycol) in Aqueous Solutions, 1385C
Shiga, T.
—; Fukumori, K.; Hirose, Y.; Okada, A.; Kurauchi, T.: Pulsed NMR Study of the Structure of Poly(vinyl alcohol)-Poly(sodium acrylate) Composite Hydrogel, 85P
Shim, S. C. See Lee, H. J., 2437C
Shimizu, K. See Matsumoto, A., 1957C
Shimoda, K. See Kurita, K., 1027C
Shimoda, M. See Zhang, X., 1399P
Shindo, Y. See Chun, B.-W., 1009P; Hasegawa, M., 1299P
Shing, J. B. W.
—; Baker, W. E.; Russell, K. E.; Whitney, R. A.: Effect of Reaction Conditions on the Grafting of 2-(Dimethylamino)ethyl Methacrylate onto Hydrocarbon Substrates, 1691C
Shirahata, K. See Ohtani, N., 2677C
Shirai, Y. See Tsubokawa, N., 2327C
Shivers, R. See Sosnowski, S., 2499P
Shu, H. X. See Hong, S. G., 2421P
Si, J.
—; Kennedy, J. P.: Analysis of ^{1}H-NMR Spectra of Various End-Functionalized Polyisobutylenes, 2011C
Siekierski, M. See Such, K., 2221P
Siemieniewska, T. See Kolarz, B. N., 1977P
Sigaeva, N. N. See Kozlov, V. G., 1237C
Sikes, C. S. See Donachy, J. E., 789C
Silebi, C. A. See Miller, C. M., 2365C
Silvestre, C. See Cimmino, S., 2025P
Simha, R.
—; Carri, G.: Free Volume, Hole Theory and Thermal Properties, 2645P
Simha, R. See Yu, Z., 2637P
Simionescu, B. C. See Simionescu, C. I., 3123C
Simionescu, C. I.
—; David, G.; Ioanid, A.; Paraschiv, V.; Riess, G.; Simionescu, B. C.: Solution Polymerization of Vinyl Monomers in the Presence of Poly(*N*-acetyliminoethylene) Macroazoinitiators, 3123C
Simon, G. P. See Zipper, M. D., 1237P
Singh, R. P. See Israeli, Y., 485C
Siow, K. S. See Chen, J., 1263C
Sisto, R. See Bonfanti, C., 1361C
Sivaram, S. See Israeli, Y., 485C
Sixou, P. See Ambrosino, S., 77P; Rusig, I., 1907P
Skoglund, P.
—; Fransson, Å.: Specific Heat Capacity and Melting/

Crystallization Characteristics of Polytridecanolactone, 1999P
Skrzypek, W. See Davis, H., 2267C
Smirnov, L. P. See Sandakov, G. I., 1585P
Smith, C. B. See Cuculo, J. A., 229C, 241C
Smith, J. W.
—; Kramer, E. J.; Mills, P. J.: Tailored Adhesion at Polymer/Nonpolymer Interfaces, 1731P
Smith, M. E. See Forsyth, M., 2077P
Smith, P. See Cousin, P., 459P; Motamedi, F., 453P
Smith, S. D.
—; Long, T. E.; McGrath, J. E.: Thermogravimetric Analysis of Poly(alkyl Methacrylates) and Poly(methylmethacrylate-*g*-dimethyl Siloxane) Graft Copolymers, 1747C
Smolders, C. A. See Hensema, E. R., 513C, 527C
Snowden, D. G. See Hamilton, J. G., 993C
So, Y.-H.
Poly(terephthalic acid anhydride) as a Latent Monomer in Polybenzoxazole Synthesis, 1899C
Sogah, D. Y. See Kaku, M., 2187C
Soh, Y. S. See Cheng, L.-P., 1413P
Solaro, R. See Angiolini, L., 2849C
Sólc, K. See Vanhee, S., 2307P
Son, T. W. See Ko, M. B., 945P
Song, H. See Dotrong, M., 2953C
Song, H.-Y. See Lim, J.-C., 29P
Song, K. Y. See Cho, I., 1789C
Song, W. See Chien, J. C. W., 2387C
Sonpatki, M. M.
—; Ravindranath, K.; Ponrathnam, S.: Random Thermotropic Elastomers. I. Effects of Substitution and Hard/Soft Segment Lengths on Properties, 2999C
Sopyan, I. See Gunji, T., 3133C
Sosikov, A. I. See Sandakov, G. I., 1585P
Sosnowski, S.
—; Feng, J.; Winnik, M. A.: Dye Distribution in Fluorescent-Labeled Latex Prepared by Emulsion Polymerization, 1497C
—; Li, L.; Winnik, M. A.; Clubb, B.; Shivers, R.: Morphology of Melt-Pressed Latex Films Examined by Scanning and Freeze-Fracture Electron Microscopy, 2499P
Spiess, H. W. See Tzou, D. L., 1521P
St. Clair, A. K. See Zoia, G., 53P
Stassen, S.
—; Archambeau, S.; Dubois, Ph.; Jerome, R.; Teyssie, Ph.: Macromolecular Engineering of Polylactones and Polylactides. XVI. On the Way to the Synthesis of ω-Aliphatic Primary Amine Poly(ε-caprolactone) and Polylactides, 2443C
Steeman, P. A. M.
—; Gondard, C.; Scherrenberg, R. L.: A Broad-Band Dielectric Study of Poly(vinyl Chloride): Effect of Molar Mass and Processing Conditions on Space-Charge Mechanisms, 119P
Steeman, P. A. M. See Scherrenberg, R. L., 111P
Stein, R. S.
Polymer Science and Engineering: The Shifting Research Frontiers, 3215C
Stejskal, E. O. See Cuculo, J. A., 229C, 241C
Stern, S. A. See Zoia, G., 53P
Stevens, J. R. See Chung, S. H., 2733P; Patterson, G. D., 1137P; Such, K., 2221P
Stölken, S.
—; Ewen, B.; Kobayashi, M.; Nakaoki, T.: Molecular Dimensions and Chain Conformation in Glassy Syndiotactic Polystyrene, 881P
Storey, R. F.
—; Wiggins, J. S.; Puckett, A. D.: Hydrolyzable Poly(ester-urethane) Networks from L-Lysine Diisocyanate and D,L-Lactide/ε-Caprolactone Homo- and Copolyester Triols, 2345C
Stöver, H. D. H. See Li, W.-H., 2023C, 2029C
Strobin, G. See Jantas, R., 295C
Strukelj, M.
—; Hamier, J.; Elce, E.; Hay, A. S.: New Poly(phenylquinoxaline)s by Reaction of Biphenols with 2,3-Bis(4-fluorophenyl)quinoxaline, 193C
Stupp, S. I. See Wu, J. L., 285C
Su, J. See Chen, G. C., 2065P
Suarez, N. See Aldana, M., 2197P
Such, K.
—; Stevens, J. R.; Wieczorek, W.; Siekierski, M.; Florjanczyk, Z.: Polymer Solid Electrolytes from the PEG-PMMA-$LiCF_3SO_3$ System, 2221P
Such, K. See Chung, S. H., 2733P
Sudol, E. D. See Miller, C. M., 2365C; Shen, S., 1087C
Sueyoshi, T. See Iizawa, T., 3091C
Sugata, T. See Hashimoto, K., 1619C
Sugimura, T. See Hasegawa, M., 1299P
Sugiyama, H. See Ohta, Y., 261P
Sugiyama, J.-I. See Ueda, M., 675C; Yonetake, K., 1415C
Sugiyama, K.
—; Makino, K.; Morita, M.; Yoshimitsu, Y.: Preparation of Poly(phosphate ester)s Having Bisphenol Moieties as Mesogenic Units in the Main Chain, 2119C
Suleimenov, I. E. See Budtova, T. V., 281C
Sumi, K.
—; Kimura, M.; Nakamura, I.: Syntheses of Homopolymer and Water-Soluble Polymers Containing Tetraphenylporphinatomanganese (III) Complex, and Ligand Substitution Reaction for Anionic Ligand, 1243C
Summanen, K. T. See Sandakov, G. I., 1585P
Sun, H. See Zhang, Y., 1657P
Sun, L.
—; Hsu, C. C.; Bacon, D. W.: Polymer-Supported Ziegler-Natta Catalysts. I. A Preliminary Study of Catalyst Synthesis, 2127C
—; Hsu, C. C.; Bacon, D. W.: Polymer-Supported Ziegler-Natta Catalysts. II. Ethylene Homo- and Copolymerization with $TiCl_4$/MgR_2/Poly(ethylene-*co*-acrylic acid) Catalyst, 2135C
Sun, S.-J.
—; Chang, T.-C.: Study on the Thermotropic Liquid Crystalline Polycarbonates. IV. Synthesis and Properties of Liquid Crystalline Poly(imide-carbonate)s, 3039C
Sun, Y.-M. See Wang, C.-S., 1295C, 1305C

Sundar, R. A.
—; Mathias, L. J.: Novel Thermooxidatively Stable Poly(ether-imide-benzoxazole) and Poly(ester-imide-benzoxazole), 2825C
Sung, N.-H. See Schneider, N. S., 491P
Sunkara, H. B.
—; Jethmalani, J. M.; Ford, W. T.: Synthesis of Crosslinked Poly(styrene-*co*-sodium styrenesulfonate) Latexes, 1431C
Suzuki, Y. See Kurita, K., 393C
Švec, F. See Galia, M., 2169C; Wang, Q. C., 2577C
Swint, S. A. See Nye, S. A., 131C, 721C
Szczepaniak, B.
—; Frisch, K. C.; Penczek, P.; Rudnik, E.: Annealing Effects on the Thermal Properties of Liquid Crystalline Polyurethanes, 2559C
Szumilewicz, J. See Jantas, R., 295C

Tabata, M.
—; Yang, W.; Yokota, K.: ^{1}H-NMR and UV Studies of Rh Complexes as a Stereoregular Polymerization Catalysts for Phenylacetylenes: Effects of Ligands and Solvents on Its Catalyst Activity, 1113C
Tachiyama, Y. See Maeda, S., 1729C
Tagami, S. See Matsuo, S., 1071C
Tagashira, S. See Yamada, B., 2745C
Tagaya, H. See Chiba, K., 2619C
Tajima, R. See Omi, S., 571C
Takahara, A.
—; Magome, T.; Kajiyama, T.: Effect of Glass Fiber-Matrix Polymer Interaction on Fatigue Characteristics of Short Glass Fiber-Reinforced Poly(butylene Terephthalate) Based on Dynamic Viscoelastic Measurement During the Fatigue Process, 839P
Takahashi, H. See Kojima, Y., 1371C
Takahashi, N. See Takeichi, T., 167C
Takakuwa, K.
—; Gupta, S.; Paul, D. R.: Miscibility of Tetramethyl-Hexafluoro Copolycarbonates With Styrene-Methyl Methacrylate Copolymers, 1719P
Takamiya, N. See Nemoto, N., 2457C
Takata, T. See Ariga, T., 1393C; Atobe, I., 1371P; Koizumi, T., 3193C; Sanda, F., 323C, 2517C
Takayama, Y. See Takeichi, T., 579C
Takeichi, T.
—; Ogura, S.; Takayama, Y.: Soluble Polyimides that Contain Curable Internal Acetylene Groups in the Backbone, 579C
—; Takahashi, N.; Yokota, R.: High Modulus Polyimide/Polyimide Molecular Composite Films that Utilize Acetylene Unit as a Crosslink Site, 167C
Takens, G. A. J. See In 'T Veld, P. J. A., 1063C
Takeshita, T. See Maeda, S., 1729C
Takesue, M. See Omi, S., 571C
Tanabe, M. See Watanabe, S., 987C
Tang, T.
—; Huang, B.: Compatibilization of Polypropylene/Poly(Ethylene Oxide) Blends and Crystallization Behavior of the Blends, 1991P
Tanner, D. B. See Musfeldt, J. L., 2395P
Tasker, S. See Greenwood, O. D., 2479C
Tavasli, M. See Deligöz, H., 2961C
Taylor, D. M. See Morgan, H., 1331C
Taylor, S. G. See Thompson, C. M., 113C
Taylor-Smith, R. E.
—; Register, R. A.: Characterizing Domain Mixing Effects in Hydrogen Bond-Compatibilized Polymer Blends, 2105P
Teegarden, D. M. See Landry, C. J. T., 1285P
Terada, H. See Haneda, Y., 2641C
Termonia, Y.
Structure-Property Relationships in Short-Fiber-Reinforced Composites, 969P
Ternero, G. A. See Ríos, H. E., 215P
Teyssie, D. See Beyou, E., 1673C
Teyssié, P. See Barakat, I., 2099C
Teyssie, Ph. See Stassen, S., 2443C
Tezuka, Y.
—; Hoshino, C.: Carbenoid Polycondensation with Telechelic Polyethers Having Dichloroacetic Acid Ester Groups, 897C
Thakur, M. See Yu, G.-Q., 2099P
Thomas, E. L. See Albalak, R. J., 341P
Thomas, O.
—; Priester, R. D., Jr.; Hinze, K. J.; Latham, D. D.: Effect of Cross-Link Density on the Morphology, Thermal and Mechanical Properties of Flexible Molded Polyurea/Urethane Foams and Films, 2155P
Thomas, R. N.
Acid Catalyzed Fullerenation of Carbazole Polymer, 2727C
Thomas, R. N.
Fullerenated Carbazole Polymers via Bromination, 2739C
Thompson, C. M.
—; Taylor, S. G.; McGee, W. W.: Gel Permeation Chromatographic Analysis of Polyurethane Prepolymer Synthesis Kinetics II. The Effects of Stoichiometry and Type of Diisocyanate, 113C
Thompson, R. D. See Avci, D., 2937C
Tian, S. B.
—; Pak, Y. S.; Xu, G.: Polyimide-Polysiloxane-Segmented Copolymers as High-Temperature Polymer Electrolytes, 2019P
Tighzert, L. See Matějka, L., 1447C
Timmermans, M. D. F. See Noël, L. F. J., 2223C
Tirrell, M. See Kent, M. S., 1927P
Tobita, H.
A Simulation Model for Long-Chain Branching in Vinyl Acetate Polymerization: 1. Batch Polymerization, 901P
A Simulation Model for Long-Chain Branching in Vinyl Acetate Polymerization: 2. Continuous Polymerization in a Stirred Tank Reactor, 911P
Tomaschewski, G. See Darkow, R., 1657C
Tomašković, M. See Vuković, R., 1079P
Tomita, I. See Aggour, Y. A., 1991C
Tomita, K. See Kurita, K., 1027C
Tomków, K. See Kolarz, B. N., 1977P
Tomoi, M. See Gotoh, Y., 1543C

Torkelson, J. M. See Mendelsohn, A. S., 2667P; Miller, K. E., 2625P
Toyoda, A. See Zhang, X., 1399P
Trochimczuk, W. See Wycisk, R., 585P
Truss, R. W. See Liu, Y., 2037P
Tsai, H.-B. See Chung, L.-Z., 1149P
Tsai, W.-M.
—; Chien, J. C. W.: Silolene-Bridged Zirconocenium Polymerization Catalysts, 149C
Tsubokawa, N.
—; Shirai, Y.; Tsuchida, H.; Handa, S.: Photografting of Vinyl Polymers onto Ultrafine Inorganic Particles: Photopolymerization of Vinyl Monomers Initiated by Azo Groups Introduced onto these Surfaces, 2327C
Tsuchida, H. See Tsubokawa, N., 2327C
Tsuda, K. See Yamashita, K., 1711C
Tsuge, S. See Ito, Y., 383C
Tsuji, M. See Kawaguchi, A., 421P; Kojima, Y., 1371C
Tsuji, T. See Ishihara, K., 859C
Tsukada, M.
—; Freddi, G.; Crighton, J. S.: Structure and Compatibility of Poly(vinyl Alcohol)-Silk Fibroin (PVA/SF) Blend Films, 243P
—; Freddi, G.; Gotoh, Y.; Kasai, N.: Physical and Chemical Properties of Tussah Silk Fibroin Films, 1407P
—; Freddi, G.; Kasai, N.: Physical Properties and Phase Separation Structure of *Antheraea pernyi/Bombyx mori* Silk Fibroin Blend Films, 1175P
—; Gotoh, Y.; Nagura, M.; Minoura, N.; Kasai, N.; Freddi, G.: Structural Changes of Silk Fibroin Membranes Induced by Immersion in Methanol Aqueous Solutions, 961P
Tsunogae, Y.
—; Kennedy, J. P.: Polyisobutylene-Containing Block Polymers by Sequential Monomer Addition. X. Synthesis of Poly(α-methylstyrene-b-isobutylene-b-α-methylstyrene) Thermoplastic Elastomers, 403C
Tsunooka, M. See Ito, K.-I., 1793C, 2177C
Tsurusaki, Y. See Maeda, S., 1729C
Tsutsumi, N.
—; Ishida, S.; Kiyotsukuri, T.: Thermal Diffusivity and Electrical Conductivity of Electropolymerized Polypyrrole Films, 1899P
Tsvetkova, S. See Berlinova, I. V., 1523C
Twomey, C. J.
—; Chen, S. H.; Blanton, T. N.; Schmid, A.; Marshall, K. L.: Poly[(Methylene Oxide)Oligo(Ethylene Oxide)] Vs. Poly(Ethylene Oxide) as Hosts for Neodymium Compounds, 1687P
—; Chen, S. H.; Blanton, T. N.; Schmid, A.; Marshall, K. L.: Solid Polymers Doped with Rare Earth Metal Compounds. III. Formation and Stability of Macromolecular Complexes Comprising Neodymium Nitrate and Dipivaloylmethane in Poly(Ethylene Oxide), 551P
—; Chen, S. H.; Blanton, T. N.; Schmid, A.; Marshall, K. L.: Stoichiometry and Morphology in Terbium Nitrate-Poly(Ethylene Oxide) Macromolecular Complex, 1573P
Tzou, D. L.
—; Spiess, H. W.; Curran, S.: Solid-State ^{13}C NMR Characterization of Molecular Orientation of Hot Drawn Nylon 6, 1521P

Ueda, A. See Agari, Y., 59P; Haneda, Y., 2641C
Ueda, K. See Itaya, T., 171P
Ueda, M.
—; Seino, Y.; Haneda, Y.; Yoneda, M.; Sugiyama, J.-I.: Synthesis of *tert*-Butyl-Substituted Poly(ether ketone) by Nickel-Catalyzed Coupling Polymerization of Aromatic Dichloride, 675C
—; Yokoo, T.: Synthesis of Poly(ether-ketone-amide)s by Palladium-Catalyzed Polycondensation of Aromatic Dibromides Containing Ether Ketone Structure, Aromatic Diamines, and Carbon Monoxide, 2065C
—; Yokoo, T.; Nakamura, T.: Synthesis of Poly(ether-sulfone-amide)s by Palladium-Catalyzed Polycondensation of Aromatic Dibromides Containing Ether Sulfone Structure, Aromatic Diamines, and Carbon Monoxide, 2989C
Ueda, M. See Yonetake, K., 1415C
Ueda, S. See Ito, Y., 383C
Unzué, M. J. See Urretabizkaia, A., 1779C
Uphade, B. S.
—; Patil, P. S.; Pandit, S. B.; Rajan, C. R.; Nadkarni, V. M.: Kinetics of Polyesterification: Effect of Diol Chain Length, 2003C
Urretabizkaia, A.
—; Arzamendi, G.; Unzué, M. J.; Asua, J. M.: High Solids Content Emulsion Terpolymerization of Vinyl Acetate, Methyl Methacrylate and Butyl Acrylate. II. Open Loop Composition Control, 1779C
—; Asua, J. M.: High Solids Content Emulsion Terpolymerization of Vinyl Acetate, Methyl Methacrylate, and Butyl Acrylate. I. Kinetics, 1761C
Uryu, T. See Kosaka, Y., 711C
Usuki, A. See Kojima, Y., 625P
Uyama, Y. See Mori, M., 1683C
Uzov, C. V. See Bogdanov, B. G., 387P

Valentino, M. See Bellucci, F., 2519P
Van Altveer, J. L. See Noël, L. F. J., 2223C
Van Den Boom, M. A. T. See Schoonbrood, H. A. S., 2311C
Van Hook, W. A. See Imre, A., 2283P
Van Well, W. J. M. See Noël, L. F. J., 2161C
van Zanten, J. H. See Wu, W.-L., 2475P
Van Zon, J. M. A. M. See Noël, L. F. J., 1009C
Vandenberg, E. J. See Parris, J. M., 749P
Vanhee, S.
—; Koningsveld, R.; Berghmans, H.; Sölc, K.: Miscibility Windows in Polymer Solutions, 2307P

Vanherzeele, H. See Chen, W.-C., 195P
Vankan, J. M. J. See Maas, W. E. J. R., 785P
Vanlencia, C. L. See Kim, K. J., 2435P
Vannucci, R. D. See Chuang, K. C., 1341C
Varichon, L. See Rusig, I., 1907P
Vasic, Z. R. See Gengenbach, T. R., 1399C
Veeman, W. S. See Maas, W. E. J. R., 785P
Venerus, D. C.
—; Kahvand, H.: Doi-Edwards Theory Evaluation in Double-Step Strain Flows, 1531P
Venkatachalam, S.
—; Rao, K. V. C.; Manoharan, P. T.: ESR and Magnetic Properties of Electrically Conducting Metallophthalocyanine Polymers, 37P
Veytsman, B. See Painter, P. C., 1189C
Viel, P. See Léonard-Stibbe, E., 1551C
Viney, C. See Sellinger, A., 3069C
Vioux, A. See Corriu, R., 187C
Viswanathan, T.
—; Gomez, F.; Wagener, K. B.: Acyclic Diene Metathesis (ADMET) Depolymerization of Functionalized Furan-Based Polymers, 2469C
Vizzini, J. C.
—; Chien, J. C. W.; Babu, G. N.; Newmark, R. A.: Effect of Polarity of the Medium on the Stereospecific Polymerization of Propylene by *ansa*-Zirconocene Catalyst, 2049C
Vo, L. P. See Lau, A. N. K., 1507C
Vogel, J. See Schellenberg, J., 1969P
Volkova, N. N. See Sandakov, G. I., 1585P
Volpe, M. G. See Calandrelli, L., 1249P; Di Pace, E., 1643P
Von Meerwall, E. See Pacanovsky, J., 1339P
Vrentas, C. M. See Vrentas, J. S., 187P
Vrentas, J. S.
—; Vrentas, C. M.: Drying of Solvent-Coated Polymer Films, 187P
Vuković, R.
—; Bogdanić, G.; Kurešević, V.; Tomašković, M.; Karasz, F. E.; MacKnight, W. J.: Phase Behavior in Copolymer Blends of Poly(*p*-chlorostyrene-co-*o*-chlorostyrene) and Phenylsulfonylated Poly(2,6-dimethyl-1,4-phenylene oxide), 1079P
Vyavahare, N.
—; Kohn, J.: Photocrosslinked Hydrogels Based on Copolymers of Poly(ethylene glycol) and Lysine, 1271C

Wagener, K. B. See Viswanathan, T., 2469C
Wahlen, L. See Kricheldorf, H. R., 1601C
Wang, C.
—; Nakamura, S.: Synthesis of Polyester and Copolyesters Having Amino Acid Moieties in the Main Chain, 413C
—; Nakamura, S.: Synthesis of Polyesters Having Quaternary Ammonium Groups in the Side Chains and Preparation of Their Blends with Poly(vinyl Alcohol), 1255C
Wang, C. H. See Guan, H. W., 2615P; Zhang, X. Q., 569P, 1951P
Wang, C. S. See Dotrong, M., 2953C
Wang, C.-S.
—; Sun, Y.-M.: Studies on the Formation of PEN. I. Kinetic Aspects of Catalyzed Reaction in Transesterification of Dimethylnaphthalate with Ethylene Glycol, 1295C
—; Sun, Y.-M.: Studies on the Formation of PEN. II. Polymerization of Bis(hydroxyethyl)naphthalate by Various Metallic Catalysts, 1305C
Wang, D. W. See Fyfe, C. A., 2203C
Wang, F.
—; Roovers, J.: Functionalization of Poly(aryl ether ether ketone): Synthesis of Bromomethylated PEEK and Its Functionalization, 2413C
Wang, F. C.
—; Feve, M.; Lam, T. M.; Pascault, J.-P.: FTIR Analysis of Hydrogen Bonding in Amorphous Linear Aromatic Polyurethanes. I. Influence of Temperature, 1305P
—; Feve, M.; Lam, T. M.; Pascault, J.-P.: FTIR Analysis of Hydrogen Bonding in Amorphous Linear Aromatic Polyurethanes. II. Influence of Styrene Solvent, 1315P
Wang, H.-J. See Li, F.-X., 1939C
Wang, J. See Musfeldt, J. L., 2395P
Wang, J. Z. See Davé, V., 1105P
Wang, L. See Cooney, T. F., 1163P
Wang, P.-P.
—; Lee, S.; Harmon, J. P.: Ethanol-Induced Crack Healing in Poly(methyl Methacrylate), 1217P
Wang, Q.
—; Annis, B.; Wunderlich, B.: Surface Studies of Tetraalkylammonium Bromides and Iodides Using Atomic Force Microscopy, 2653P
Wang, Q. C.
—; Švec, F.; Fréchet, J. M. J.: Fine Control of the Porous Structure and Chromatographic Properties of Monodisperse Macroporous Poly(styrene-co-divinylbenzene) Beads Prepared Using Polymer Porogens, 2577C
Wang, W.
—; Hashimoto, T.; Lieser, G.; Wegner, G.: Elastic Constant Anisotropy, Core Structure of Wedge Disclinations and Optical Texture of Main-Chain P-4-BCMU Liquid Crystals, 2171P
Ward, I. M. See Jones, R. A., 469P; Rasburn, J., 1329P
Warner, S. B.
—; Lee, J.: Towards Understanding the Increase in Strength of Thermotropic Polyesters With Heat Treatment, 1759P
Warner, S. B. See Zhang, Q., 2207P
Watabe, S.-I. See Ishii, S., 575C
Watanabe, H.
—; Matsumoto, A.; Otsu, T.: Polymerization of *N*-alkyl-substituted Itaconimides and *N*-(alkyl-substituted phenyl)itaconimides and Characterization of the Resulting Polymers, 2073C
—; Matsumoto, A.; Otsu, T.: Radical Polymerization of *N*-Substituted Itaconamic Esters and Itaconamides, 2085C

Watanabe, S.
—; Kobayashi, A.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of New Aromatic Polyesters and Polyethers Derived from 1,2-Bis(4-Hydroxyphenyl)-1,2-Diphenylethylene, 909C
—; Tanabe, M.; Kakimoto, M.-A.; Imai, Y.: Synthesis of New Ethynylene-Containing Aromatic Polyamides by Palladium-Catalyzed Polycondensation of Aromatic Amide Monomers Having Terminal Ethynyl and Halogen Groups, 987C
Weaver, D. G. See Masterman, T. C., 2263P
Wegner, G. See Wang, W., 2171P
Wen, W.-Y. See Bandis, A., 1707P
Werumeus Buning, G. H. See Maas, W. E. J. R., 785P
Wessling, R. A. See Roitman, D. B., 1157P
Westmoreland, D. G. See Kim, S. S., 3031C
White, M. L. See Matyjaszewski, K., 465C
Whitney, R. A. See Shing, J. B. W., 1691C
Wieczorek, W. See Chung, S. H., 2733P; Such, K., 2221P
Wiff, D. R.
—; Lenke, G. M.; Fleming, P. D., III: In Situ Thermoset Molecular Composites, 2555P
Wiggins, J. S. See Storey, R. F., 2345C
Wilkes, G. L. See Rogers, M. E., 2663C
Wimberger-Friedl, R.
Molecular Orientation Induced by Cooling Stresses. Birefringence in Polycarbonate: III. Constrained Quench and Injection Molding, 595P
Winnik, M. A. See Farinha, J. P. S., 1635P; Lee, K.-C., 2333C; Sosnowski, S., 1497C, 2499P
Wintersgill, M. C. See Fontanella, J. J., 501P
Winther, G.
—; Parsons, D. M.; Schrag, J. L.: A High-Speed, High-Precision Data Acquisition and Processing System for Experiments Producing Steady-State Periodic Signals, 659P
Wittmann, J.-C. See Motamedi, F., 453P
Wojaczyńska, M. See Kolarz, B. N., 1977P
Wonchoba, E. R. See Feiring, A. E., 389C
Woo, S. I. See Kim, I., 971C; Kim, J. H., 2979C
Wu, C.
Laser Light-Scattering Characterization of Gelatin in Formamide, 803P
Wu, C.
Light-Scattering Evidence of a "Critical" Concentration for Polymer Coil Shrinking in Dilute Solution, 1503P
Wu, F.-Y. See Hsiao, S.-H., 1481C
Wu, G. See Chu, B., 2605P
Wu, J. L.
—; Stupp, S. I.: Stability of Chemical Sequence in a Periodic Polymeric Nematogen, 285C
Wu, J.-D. See Chen, Y., 1867C
Wu, S.-H. See Hsieh, C.-J., 1077C
Wu, T.
—; Lee, S.: Carbon Tetrachloride-Induced Crack Healing in Polycarbonate, 2055P
Wu, W.-L.
—; Orts, W. J.; van Zanten, J. H.; Fanconi, B. M.: Density Profile of Spin Cast Polymethylmethacrylate Thin Films, 2475P
Wunder, S. L. See Huang, W. X., 2005P
Wunderlich, B. See Bu, H., 1351P; Chen, J., 2683P; Chen, W., 2661P; Cheng, J., 721P; Fu, Y., 2289P; Wang, Q., 2653P
Wycisk, R.
—; Trochimczuk, W.: Percolation in a System With Excluded Volume. Influence of Crystallinity on Transport Properties of Interpolymer Membranes, 585P
Wynd, A. J. See Clark, J. H., 1185C

Xu, G. See Tian, S. B., 2019P
Xu, H. See Farinha, J. P. S., 1635P
Xu, Q.
—; Frisch, H. L.: Structural Study of Methyl Methacrylate-α-Trifluoromethacrylic Acid Copolymer by ^{1}H-NMR, 2803C
Xu, S. See Bu, H., 1351P
Xu, W. See Bhowmik, P. K., 3205C
Xu, Z. S. See Dai, Y. K., 397C
Xue, Y.
—; Frisch, H. L.: Poly(2,6-dimethyl-1,4-phenylene oxide)/Poly(butadiene)diol Interpenetrating Polymer Networks: Phase Morphological Characteristics and Glass Transition Temperature Behavior, 257C
Xue, Y. See Chen, Z. J., 2395C

Yahsi, U. See Yu, Z., 2637P
Yakoh, N. See Matsuo, S., 1071C
Yamada, B.
—; Tagashira, S.; Aoki, S.: Preparation of Polymers with Substituted Allyl End Group Using Dimer of α-Methylvinyl Monomer as Addition-Fragmentation Chain Transfer Agent at High Temperatures, 2745C
Yamada, Y. See Iizawa, T., 2057C
Yamagishi, K. See Matsumoto, A., 917C
Yamaguchi, A. See Asanuma, T., 2111C
Yamashita, K.
—; Osaki, T.; Sasaki, K.; Yokota, H.; Oshima, N.; Nango, M.; Tsuda, K.: Acyloin Condensation in Aqueous System by Durable Polymer-Supported Thiazolium Salt Catalysts, 1711C
Yamashita, K. See Chiba, K., 2619C
Yamashita, T. See Jin, Q., 503C; Ohtani, N., 2677C
Yamasita, W. See Asanuma, T., 2111C
Yang, C. Z. See Grady, B. P., 2357P
Yang, C.-P.
—; Chen, W.-T.: New Poly(amide-imide) Syntheses. IX. Preparation and Properties of Poly(amide-imide)s Derived from 2,7-Bis(4-aminophenoxy)naphthalene and Various Bis(trimellitimide)s, 1101C
—; Chen, W.-T.: New Poly(amide-Imide)s Syntheses. VIII. Preparation and Properties of Poly(amide-Imide)s Derived from 2,3-Bis(4-aminophenoxy)naphthalene, Trimellitic Anhydride, and Various Aromatic Diamines, 435C
—; Lin, J.-H.: New Poly(amide-imide) Syntheses. XII. Preparation and Properties of Poly(amide-imide)s Based on the Diimide-diacid Condensed

from 9,9-Bis[4-(4-aminophenoxy)phenyl]fluorene and Trimellitic Anhydride, 2653C
—; Lin, J.-H.: Preparation and Properties of Aromatic Polyamides and Polyimides Derived from 3,3-Bis[4-(4-aminophenoxy)phenyl]-phthalide, 423C
—; Lin, J.-H.: Syntheses and Properties of Aromatic Polyamides and Polyimides Based on *N*-Phenyl-3,3-Bis[4-(*p*-aminophenoxy)phenyl]-phthalimidine, 369C
Yang, C.-P. See Hsiao, S.-H., 1481C
Yang, M.
—; Zheng, M.; Furlani, A.; Russo, M. V.: A Novel Palladium Catalyst for the Polymerization of Propargyl Alcohol, 2709C
Yang, W. See Tabata, M., 1113C
Yang, X. See Coleman, M. M., 1817C
Yano, J. See Ogura, K., 33C
Yao, K. D.
—; Peng, T.; Feng, H. B.; He, Y. Y.: Swelling Kinetics and Release Characteristic of Crosslinked Chitosan: Polyether Polymer Network (Semi-IPN) Hydrogels, 1213C
Yao, K. D. See Peng, T., 591C
Yarwood, J. See Pereira, M. R., 1881P
Yashima, E. See Okamoto, Y., 309C
Yasuda, H. See Krentsel, E., 1839C; Ohta, Y., 261P, 2241P; Yasuda, T., 1829C
Yasuda, T.
—; Okuno, T.; Miyama, M.; Yasuda, H.: Penetration of Plasma Surface Modification. I. CF_4 and C_2F_4 Glow Discharge Plasmas, 1829C
Yasuda, T. See Krentsel, E., 1839C
Yeh, P.-Y.
—; Kopečková, P.; Kopeček, J.: Biodegradable and pH-Sensitive Hydrogels: Synthesis by Crosslinking of *N,N*-dimethylacrylamide Copolymer Precursors, 1627C
Yi, M.-H. See Choi, K.-Y., 175C
Yilmaz, M. See Deligöz, H., 2961C
Yin, R.
—; Hogen-Esch, T. E.: Synthesis and Characterization of Poly(2-vinylpyridine)-b-poly(*t*-butyl Methacrylate), 363C
Yokoo, T. See Ueda, M., 2065C, 2989C
Yokota, H. See Yamashita, K., 1711C
Yokota, K. See Tabata, M., 1113C
Yokota, R. See Hasegawa, M., 1299P; Takeichi, T., 167C
Yoneda, M. See Ueda, M., 675C
Yonetake, K.
—; Maruyama, K.; Sugiyama, J.-I.; Masuko, T.; Ueda, M.: Synthesis and Characterization of Poly[4-(4-hydroxyphenoxy)benzoic Acid], 1415C
Yoon, H.
—; Feng, Y.; Qiu, Y.; Han, C. C.: Structural Stabilization of Phase Separating PC/Polyester Blends through Interfacial Modification by Transesterification Reaction, 1485P
Yoshida, H. See Ichikawa, T., 2487C
Yoshida, M. See Haneda, Y., 2641C
Yoshikawa, M. See Darkow, R., 1657C
Yoshimitsu, Y. See Sugiyama, K., 2119C
Yu, G.-E.
—; Heatley, F.; Booth, C.; Blease, T. G.: Anionic Polymerization of Propylene Oxide: Isomerization of Allyl Ether to Propenyl Ether End Groups, 1131C
Yu, G.-Q.
—; Thakur, M.: Electrical Conduction in a Nonconjugated Polymer Doped With $SnCl_4$ and $SbCl_5$, 2099P
Yu, W.-C.
—; Shaw, M. T.; Huang, X.-Y.; Harris, F. W.: Design of Anhydrous Electrorheological (ER) Suspensions Based on I_2-Doped Poly(pyridinium Salt), 481P
Yu, X. See Liu, F., 1043C
Yu, Z.
—; Yahsi, U.; McGervey, J. D.; Jamieson, A. M.; Simha, R.: Molecular Weight-Dependence of Free Volume in Polystyrene Studied by Positron Annihilation Measurements, 2637P
Yu, Z. See Fierro, R., 661C
Yuan, C. See Peng, T., 591C

Zambre, M. See Kuruvilla, B. A., 2275C
Zhang, Q.
—; Liang, Y.; Warner, S. B.: Partial Carbonization of Aramid Fibers, 2207P
Zhang, T.
—; Litt, M. H.; Rogers, C. E.: Dipole-Dipole Interaction Directed Liquid Crystalline Polymers. I. Aliphatic Poly(carbonate-sulfone)s Based on 1,3-Bis(3-hydroxypropylsulfonyl)propane, 2291C
—; Litt, M. H.; Rogers, C. E.: Sulfone-Containing Polymers as High Barrier Materials, 1671P
—; Litt, M. H.; Rogers, C. E.: Synthesis and Characterization of Poly(ester-sulfone)s, 1351C
—; Litt, M. H.; Rogers, C. E.: Synthesis and Characterization of Poly(ethylene oxide-co-ethylene sulfone)s and Their Precursors: Poly(ethylene oxide-co-ethylene sulfide)s, 1323C
—; Litt, M. H.; Rogers, C. E.: Synthesis and Characterization of Poly(urethane-sulfone)s, 1531C
—; Litt, M. H.; Rogers, C. E.: Synthesis and Dielectric Analysis of Aliphatic Poly(carbonate-sulfone)s Based on 1,4-Bis(3-hydroxypropylsulfonyl)butane, 2809C
Zhang, W. X.
—; Higashi, F.: Thermotropic Copolyamides from Triethyleneglycol Bis(4-carboxyphenyl)ether, Aromatic Diamines, and *p*-Aminobenzoic Acid Modified by the Monomer Sequences in the Copolyamides, 1923C
Zhang, W. X. See Higashi, F., 89C, 747C
Zhang, X.
—; MacDonald, D. A.; Goosen, M. F. A.; Mcauley, K. B.: Mechanism of Lactide Polymerization in the Presence of Stannous Octoate: The Effect of Hydroxy and Carboxylic Acid Substances, 2965C
—; Shimoda, M.; Toyoda, A.: Investigation of Molecular Motions of Crosslinked Polyepichlorohydrin by Nuclear Magnetic Resonance Spectroscopy, 1399P

Zhang, X. Q.
—; Wang, C. H.: Physical Aging and Dye Diffusion in Polysulfone Below the Glass Transition Temperature, 569P
—; Wang, C. H.: Solution Characterization of Poly(isobornyl Methacrylate) in Tetrahydrofuran, 1951P
Zhang, Y.
—; Sun, H.; Shen, J.: Study of PVB Aggregation Process by Electron Microscopy, 1657P
Zhang, Y. See Shen, Z., 597C
Zheng, M. See Yang, M., 2709C
Zhenyi, M.
—; Scheinbeim, J. I.; Lee, J. W.; Newman, B. A.: High Field Electrostrictive Response of Polymers, 2721P
Zhou, P. See Privalko, V. P., 2625C
Zhou, Z.
—; Chu, B.; Peiffer, D. G.: Chain Architecture and Self-Assembly of Block Copolymers in Solution, 2135P
Zhu, S.
—; Hamielec, A. E.: Gel Formation in Free Radical Polymerization via Chain Transfer and Terminal Branching, 929P
Zhu, W.
—; Gisser, D. J.; Ediger, M. D.: Carbon-13 NMR Measurements of Polybutadiene Local Dynamics in Dilute Solution: Further Evidence for Non-Kramers' Behavior, 2251P
Zhu, X. See Lyu, S., 2151P
Zhu, Y. See Bandis, A., 1707P
Zimmerman, R. L. See Sakamoto, W. K., 333P
Zimmermann, H. See Holländer, A., 699C
Zipper, M. D.
—; Simon, G. P.; Cherry, P.; Hill, A. J.: The Effect of Crystallinity on Chain Mobility and Free Volume in the Amorphous Regions of a Miscible Polycarbonate/Polyester Blend, 1237P
Zoia, G.
—; Stern, S. A.; St. Clair, A. K.; Pratt, J. R.: Permeability Relationships of Polyimide Copolymers, 53P
Zoller, P. See Fakhreddine, Y. A., 2445P
Zoller, P. See He, J., 1049P
Zoppi, R. A.
—; Felisberti, M. I.; De Paoli, M.-A.: Chemical Preparation of Conductive Elastomeric Blends: Polypyrrole/EPDM. I. Oxidant Particle-Size Effect, 1001C
Zysman, V.
—; Nguyen, T. Q.; Kausch, H.-H.: Degradation on Freezing Dilute Polystyrene Solutions in *p*-Xylene, 1257P

JOURNAL OF
Polymer Science

Combined Subject Index to Volume 32

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 32, 1994. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

ab initio MO calculations, 993C
ABPBO, 2575P
ABS, 2127P
Absorbable, 2345C
Absorption, 2329P
Absorption dichroism, 1299P
a.c. spectroscopy, 359P
Acceleration stage, 971C
Acceptor and donor numbers, 1653P
Acceptor-donor copolymerization, 729C
Acetone/polystyrene, 2307P
4-(4-acetoxyphenoxy)benzoic acid, 1415C
(Acetyl)(ethyl)cellulose, 2529P
Acetylation, 1027C, 2529P
Acetylene, 469P
Acetylene-terminated polyimide, 2005P
Acetylene-terminated polyisoimide, 2005P
Acetylenic monomers, 2405P
Acetylhexachloro-antimonate, 1939C
Acid-base interactions, 1653P
Acid catalysts, 451C
Acid catalyzed alkylation, 2727C
Acrylamide, 1201C
Acrylate monomers, 2565C
Acrylic copolymer, 1169C
Acrylic esters, 47C
Acrylonitrile, 1813P, 1847P, 2491P
Acrylonitrile-butadiene, 2505C
Acrylonitrile-butadiene rubber (NBR), 2551C
Acrylonitrile terpolymers, 937C
7-acryloyloxy-4-methyl coumarin, 1867C
Activated difluoride, 249C
Activated esters, 1523C
Activation, 1033C
Activation energy, 1295C, 2143P, 2251P
Activation energy for diffusion, 701P
Activation energy for permeation, 701P
Acyclic diene metathesis, 2469C
Acyclic ether additives with oxyethylene units, 1719C
Acyloin condensation, 1711C
Acyloxyimino group, 1793C, 2177C
Added Lewis base, 879C
Addition polyimides, 1341C
Addition reaction, 3201C
Addition-fragmentation, 2745C
Addition-substitution-fragmentation mechanism, 2687C
Additive-free polymers, 1893C
Additives, 1459C, 1471C
Adhesion, 753C, 1543P, 1731P, 1777P
ADMET, 2469C
Adsorption, 1371P
Affinity, 241C
Affinity polymerization, 1331C
Affinity precipitation, 803C
Aggregate model, 1521P
Aggregation, 1657P
Alcohol, 2965C
Alginate-cobalt complex, 2329P
Alginic acid, 2329P
Alicyclic diamine, 503C
Aliphatic, 1183P
Aliphatic polybenzoxazoles, 2947C
Aliphatic-aromatic poly(amide-imide), 1481C
Alkoxide formation, 1543C
Alkoxy-substituted polysilane, 1949C
Alkyl acrylate terpolymers, 937C
Alkyl crotonate, 1957C
Alkyl substituents, 2775C
7-alkylnorborenes, 993C
Alkynylation, 1361C
Allenyl ethers, 1991C
Allylic peroxyketal, 2687C
Allyloxyaromatic, 3069C
Allyl, propenyl, 1131C
Alternating copolymer, 187C
Alternating copolymers, 3161C
Alternating poly(ethylene-propylene) (hydrogenated polyisoprene) melts, 1791P
Alumina, 459P
Amide bond structure, 747C
Amine, 1793C
Amine-cured, 1149C
Amine-ended polymer, 3171C
Amine hydrochloride, 1903C
Amine-terminated poly(aryl ether ketone)s, 73C
Amino acid moiety, 413C
ω-amino acids, 1481C
4-aminoacetophenone, 1799C
Ammonia/ammonium thiocyanate solvent, 229C, 241C
Ammonia mercerization, 229C
Amorphous, 193C, 887P, 2683P
Amorphous PEO, 1687P
Amorphous phase, 2661P
Amphiphilic gel, 2099C
Amphiphilic polymers, 1523C
Amylopectin fine structures and complex formation, 2257C
Amylopectin, iodine binding capacity, 2267C
Amylopectin, iodine binding energy of, 2267C
Amylopectin-iodine chromophore composition, 2257C
Amylose-iodine and amylopectin-iodine complexes of fixed composition, 2267C
Analysis, 1885C
Anionic, 2425C
Anionic coordinative, 2841C
Anionic ligand, 1243C
Anionic polymerization, 363C, 2073C
Anisotropic, 2575P
Annealing effect, 2559C
Antibacterial activity, 1997C
Antioxidant role of α-tocophrol, 3099C

Antiplasticization, 1359P
Antiscratch coatings, 121C
Apodization, 2139P
Application of Wanxi equation to polyethylenes irradiated in the presence of acetylene and in-vacuo, 2049P
Aqueous PVME solutions, 91P
Aqueous ring-opening metathesis polymerization, 2469C
Aqueous solution, 1163P
Aqueous system, 1711C
Aramid, 2207P
Aromatic bisbiotin ligands, 1331C
Aromatic diamine, 1977C
Aromatic dibromide, 2065C, 2989C
Aromatic dichloride, 675C
Aromatic diols, 249C
Aromatic nucleophilic substitution, 389C
Aromatic nucleophilic substitution polymerization, 317C, 1969C, 2093C, 2199C
Aromatic nucleophillic substitution polymerization, 1071C
Aromatic poly(ether ketone)s, 317C
Aromatic poly(ether sulfone)s, 317C
Aromatic polyamides, 423C
Aromatic polyester, 851P
Aromatic polyether containing benzoxazole, 2199C
Aromatic polyether ketone containing imide, 1969C
Aromatic polyethers containing triazine, 2093C
Aromatic polyformals, 57C
Aromatic polyketone, 2493C
Aromatic ring, 1305P, 1315P
Ar plasma treatment, 1683C
Aspartic acid, 789C
Association of hydrophobic counterions in aqueous poly(allylammonium) chloride, 171P
Asymmetric anionic polymerization, 309C
Atomic force microscopy, 2653P
Attenuated total reflection infrared spectroscopy (ATR), 2421P
Avidin, 1331C
Axial, 2575P
Azo groups, 2327C
Azoaromatic crosslinks, 1627C
Azobenzene-containing polymers, 2849C
1,1′-azobis(1-acetoxy-1-phenylethane), 1609C
2,2′-azobisisobutyronitrile, 1609C
Azomethine ether, 2445P
33BAPB, 737P
Basic functionalization, 1691C
Battery, 2505C
2BDAF synthesis, 53P
Bending beam technique, 2143P
1,4-benzenediselenol, 1609C
Benzidine, 1341C
Benzobisthiazole, 2953C
Benzocyclobutene, 1017P
Benzoxazine, 1121C, 921P
Benzoyl peroxide, 2867C
Benzyloxyamine, 393C, 575C
Biaxial deformation, 535P
Biaxial orientation, 1475P
4,4′-bibenzoic acid, 343C
Bicyclic amide acetal, 2283C
Bicyclic lactam, 1619C
Bicyclo[2.2.2]octane, 2953C
Bilaminate, 2065P
Bilayer, 1437C
Bimodal diffusion, 2375P
1,1′-binaphthyl-4,4′-diol, 651C
Binary liquid mixture, 7P
Binodal, 1183P
Biocompatible, 2099C, 2443C
Biodegradable polymers, 949C, 1063C
Biodegradable thermotropic liquid crystalline copolyester, 3115C
Biodegradation, 2119C
Biomaterial, 2187C
Biomedical, 2345C
Biopolymers, 1331C
Biorenewable monomers, 2919C
Biphenols, 97C
Biphenyl, 2039C
Biphenyldiamine, 1341C
Birefringence, 351P, 595P, 1271P
1,4-bis(2,2-dicyanovinyl)benzene, 1915C
1,3-bis(3 hydroxy propyl sulfonyl)propane, 1531C
1,4-bis(3-hydroxypropyl sulfonyl)butane, 1531C
1,3-bis(3-hydroxypropyl sulfonyl) propane, 2291C
1,3-bis(3-hydroxypropylsulfonyl)-propane, 1351C
1,4-bis(3-hydroxypropylsulfonyl)-butane, 2809C
1,4-bis(3-hydroxysulfonyl)butane, 1351C
1,2-bis(*p*-vinylphenyl)ethane, 2023C, 2029C
2,3-bis(4-aminophenoxy)naphthalene, 435C
2,7-bis(4-aminophenoxy)naphthalene, 1101C
2,3-bis(4-fluorophenyl)quinoxaline, 193C
2,2-bis(4-hydroxyphenyl)-1,1,1,3,3,3-hexafluoropropane, 57C
2,2-bis(4-hydroxyphenyl)propane, 57C
2,3-bis(4-trimellitimidophenoxy)-naphthalene, 435C
9,9-bis(4-hydroxyphenyl)fluorene, 2653C
9,9-bis[4-(4-aminophenoxy)phenyl]fluorene, 2653C
Bis(hydroxyethyl)naphthalate, 1305C
Bis(2-hydroxyethyl) naphthalate, 2873C
Bis(pyrazole), 753C
Bis(trimellitimide)s, 1101C
Bis(triphenylphosphine)bis(2-propinyl-l-ol) palladium catalyst, 2709C
Bisaryloxyencephthalic Acids, 355C
Bismaleimide, 1665C, 2403C
Bismaleimidodiphenylmethane, 2501C
Bisnadimide, 2403C
Bisphenol A, 1885C
Bisphenol-A type resin, 1359P
Bisphenol-I-polycarbonate, 1625P
Bisphthalonitrile, 1C
Bituminous coal, 2197P
Biuret, 575C
3,3-bix[4-(4-aminophenoxy)-phenyl]phthalide, 423C
Blend, 15C, 179P, 1991P
Blend membranes, 243P
Blend system, 3009C
Blending, 2357P
Blends, 341P, 383P, 607P, 1149P, 1437P, 1719P, 1813P, 1847P, 2025P, 2127P, 2221P
Block copolyetheramides, 1149P
Block copolymer, 869C, 2155C, 2619C, 21P
Block copolymerization, 2641C
Block copolymers, 1423C, 341P, 1731P, 2135P
Blocking agent, 753C
Blocking group, 753C
Bond strength, 1543P
Boron tri-*n*-butoxide, 1049C
Borosilicates, 1049C
Boundary conditions, 187P
BPDA, 825P
Branched polymers, 1745P
Branching, 811P, 1329P
Branching density distribution, 901P, 911P
Broken conjugation, 2395P
Bromination, 1361C, 2413C, 2739C
Brunauer-Emmett-Teller absorption technique, 99P
Brush properties, 2743P
BTDA, 825P
Bulk, 2223C
1,4-butane dithiol, 1531C

1,4-butanediol, 2517C
Butyl acrylate, 3031C
Butyl rubber, 491P

^{13}C-, ^{15}N-, and ^{1}H-NMR, 2203C
^{13}C high-resolution solid state NMR, 1399P
^{13}C linewidth, 1399P
^{13}C NMR, 721P, 2661P, 2683P
^{13}C-NMR spectroscopy, 815C, 2301C
^{13}C solid state NMR, 249P
Cage effect, 2177C
Calcium hypochlorite, 557C
Calibration between molecular weight and the translational diffusion coefficient, 803P
Calixarene, 2961C
Camphorquinone, 569P
ϵ-caprolactone, 597C
Carbamate, 2203C
Carbazol, 2789C
Carbazole, 2727C, 2739C
Carbazolyl group, 711C
Carbenium ions, 1129P
Carbenoid polycondensation, 897C
Carbonate macrocyclization, 741C
Carbon dioxide, 301C, 149P
Carbon films, 1377P
Carbonization, 1977P, 2207P
Carbon monoxide, 2065C, 2989C
Carbon tetrachloride, 2055P
Carboxylic acid, 2965C
Cascade arc, 1839C
Case I, 1217P
Case II, 1217P
Catalysis, 2457C, 3183C
Catalyst, 1539C
Catalysts characterization, 1137C
Catalytic activity, 2057C
Catalytic reversion of QC, 2765C
Catalyzed formation, 2873C
Cation radical, 1703C, 3141C
Cationic catalyst, 1991C
Cationic copolymerization, 1393C
Cationic ionomers, 2589C, 2677C
Cationic photopolymerization, 683C, 1639C, 2895C, 2919C
Cationic polymerization, 199C, 301C, 983C, 1447C, 1551C, 1703C, 2155C, 2531C, 2543C, 2699C, 2755C, 3141C, 1129P
Cationomers, 1557P
Cavitation, 2127P
Cellophane, 333P
Cellulose, 229C, 241C, 1229P, 1437P
Cellulose acetate, 1413P, 2347P
Cellulose derivatives, 1229P
Cellulose-acetate, 2251C
Chain architecture, 2135P
Chain conformation, 881P
Chain dynamics, 1707P
Chain flexibility, 715P
Chain rigidity, 2143P
Chain transfer, 1423C, 1939C, 2745C, 929P
Chain transfer to polymer, 901P, 911P
Characteristic ratio, 881P
Characterization, 73C, 333C, 343C, 2301C, 3115C, 3153C, 3205C, 811P
Charge defect, 2395P
Charge mobility, 2339P
Charge transfer photocrosslinking, 503C
Charge transport, 1677P
Charge-transfer stacking, 1371P
Chemical curing, 1457P
Chemical derivatization, 699C
Chemically bound antioxidant, 961C
Chemical modification, 829C, 1361C, 1619C
Chemical preparation, 1001C
Chiral-nematic phases, handedness of, 889C
Chiroptical properties, 2529P
β-chitin, 1027C
Chitosan, 591C, 1213C
Chlorinated polymers, 615P
Cholesterol, 2039C
Chromatographic evaluation, 2169C
Chromatographic packing, 2577C
Chromatography, 113C
Circular dichroism, 1159C
1,4-Cis-polybutadiene, 1237C
1,4-*cis*-polyisoprene, 2099P
Cis-polybutadiene, 2251P
cis polymerization of butadiene, 1195C
Clay, 625P
Cloud point, 91P
Clustering, 2367P
Co(III) complex, 2745C
Co-aminopolyester, 2443C
Coefficient of linear thermal expansion, 1271P
Coefficient of thermal expansion (CTE), 825P
Cold crystallization, 513C, 527C
Colon-specific polymer, 1627C
Colorless, 2953C
Comb stabilizer, 2333C
Comonomer sequence distribution, 2481P
Compatibility, 1581C, 21P, 243P, 1175P
Compatibilization, 205P, 1991P
Compatibilizer, 1321P
Compatible, 1285P
Complex, 1201C
Complex catalytic action, 413C
Complexation, 1573P
Complex-participation, 2971C
Composite, 625P, 969P
Composite film, 33C
Composites, 459P
Composition control, 1779C
Composition drift, 1009C, 2161C
Compositional variation of glass transition, 1191P
Comppen model, 2971C
Compressive strength, 2567P
Computerized data acquisition and processing, 659P
Concentration fluctuations, 985P, 2461P
Concurrent crystallization, 1427P
Condensation, 1049C
Condensation polymers, 2859C
Condensed polycyclic aromatic compound, 1371C
Condis crystal, 721P
Conducting islands model, 1957P
Conducting polymer, 2395C
Conducting polymers, 65C, 105C, 1317C
Conductive polymers, 1915C, 2431C
Conductive rubber, 1001C
Conductivity, 9C, 105C, 2437C, 1617P
Conductivity relaxation, 2339P
Conformation, 229C, 241C, 1511P, 2661P, 2683P
Conformation change and precipitation of, 171P
Conformational change, 215P
Conformational disorder, 721P
Conformational transitions, 1033P
Conjugated polymer, 2789C
Conjugated polymers, 1961P, 2405P
Consecutive annealing in the ferroelectric state, 2435P
Constitutive equations, 1531P
Constrained quench, 595P
Contact angle goniometry, 699C
Controlled molecular weight, 73C
Controlled release, 1213C
Conversion, 99P
Cooperative formation and collapse of water-polymer complexes, 91P
Coordination catalysts, 265C
Copolycarbonate, 1885C
Copolycondensation, 57C, 3115C
Copolyesters, 159C
Copolymer, 15C, 265C, 1175C, 3153C, 1927P, 2585P
Copolymer composition, 2971C, 641P
Copolymer composition distribution, 571C
Copolymer electrolytes, 2019P
Copolymer sequence, 2803C
Copolymer sequence distribution, 2971C, 2979C
Copolymerization, 539C, 917C, 961C, 1263C, 1867C, 2135C, 2223C, 2457C, 2745C, 3193C

Copolymerization of butadiene and styrene, 1195C
Copolymers, 1847C, 63P, 749P, 1079P, 1719P, 1771P
Co-polyoxetanes, 749P
Copolysilane, 1949C
Copper saccharinate, 1459C
Core-shell, 767C, 779C
Core structure, 2171P
Corona discharge, 1569C
Correlated dipolar orientation, 2615P
Counterions, 1697P
Coupling model, 871P
Coupling polymerization, 675C
CPMAS, 2263P
CR, 2395C
Crack healing, 1217P, 2055P
Crazing, 2037P
Creep, 1329P, 2241P
Cristallinity behavior, 1643P
Critical exponent, 985P
Cross correlation, 659P
Cross reaction, 2203C
Cross-coupling condensation, 2493C
Cross-depolarization, 785P
Crosslinkable poly(arylene ether), 1507C
Cross-link density, 2155P
Crosslinked, 1431C
Crosslinked block copolymer, 1739C
Crosslinked domains, 85P
Crosslinked polymer, 1399P
Cross-linked polymers, 1799C
Crosslinked polystyrene, 1593P
Crosslinker, 2023C, 2029C
Crosslinking, 139C, 167C, 579C, 1991C, 2841C, 3197C, 271P, 811P
Cross-linking effect, 2005P
Crosslinking of polymeric precursors, 1627C
Crosslinking reaction, 1665C
Cross-linking reaction, 2005P
Crystal, 2661P
Crystal-amorphous interphase, 179P
Crystal-crystal transitions, 1771P
Crystal growth, 1601C
Crystal structure, 851P, 2289P, 2653P
Crystal transitions, 365P
Crystal unit cell, 2705P
Crystalline, 2683P
Crystalline coupling, 887P
Crystalline phases, 859P
Crystalline polybenzoxazoles, 2947C
Crystalline polyimide, 1457P
Crystalline structure, 1175P, 1407P
Crystallinity, 1057C, 1523C, 1175P
Crystallite, 625P
Crystallization, 789C, 201P, 573P, 737P, 961P, 1183P, 1991P, 1999P, 2585P
Crystallization from solution, 859P
Crystallization kinetics, 1049P
Crystallization of poly(vinylidene fluoride), 313P
Crystallization process, 2271P
Crystallization-induced degradation, 1257P
CSTR, 911P
Cure, 2519P
Cure catalysis, 1C
Curie temperature, 1449P
Curie transition, 2435P
Curing, 2203C, 2115P
Curing kinetics, 1465P
Cyanate, 2203C
Cyano-substituted polymer precursors, 1799C
Cyano-substituted polymers, 1915C
Cyclic carbonate, 1393C
Cyclic esteramide, 2867C
Cyclic ether additives, 1719C
Cyclic formal additives, 1719C
Cyclic siloxane, 2039C
Cyclic voltammetry, 2457C
Cyclization, 393C, 1635P
Cyclodehydration reaction, 1643P
Cyclophane polymer, 457C
Cyclophanes, 979C
Cyclopolymer, 2263P
Cyclopolymerization, 457C, 1639C, 2263P

2D polymerization, 1437C
2-D solid-state NMR, 1521P
Deacetylation, 1027C
Deblocking reaction, 753C
Debromination, 1043C
Defect-diffusion model, 2339P
Deformation, 993P, 2085P
Deformation effects, 333P
Degradable hydrogels, 1627C
Degradation, 2487C, 231P, 2207P
Degradation mechanism, 231P
Degree of crystallinity, 1023P
Dehydrochlorination, 1225C
Demixing, 2307P
Density, 2517C, 1791P
Density profiles, 2475P
Depolymerization, 2469C
Depression of transition temperatures, 747C
Depth profiling, 1881P
Derivatives, 2147C
Derivatization reaction, 485C
Desorption, 1371P, 2329P
De-*tert*-butylation, 675C
Deuteration, 365P
Dextran, 1619C
DGEBA-EDA, 2197P
Di(ethyl-2 hexyl) phthalate, 615P
Diacetal, 2493C
Diamide, 1799C
Diamine segment length, 89C
1,3-diamino-4,6-dihydroxybenzene, 1899C
α,ω-diaminosiloxane, 131C
Diaryliodonium salt, 1639C, 2755C
Diblock copolymer, 1661P
Diblock copolymers, 1943P
Dichloromethane, 57C
Dielectric, 2519P
Dielectric constant, 1507C, 2809C
Dielectric measurements, 111P
Dielectric properties, 359P, 1749P
Dielectric relaxation, 501P, 1001P, 1069P, 1449P, 1617P, 2115P
Dielectric relaxation of PEEK, 759P
Dielectric relaxations, 2197P
Dielectric spectrum, 119P
Dielectric α relaxation, 871P
Diels-Alder polymerization, 2501C
Diethylene glycol bis(allyl carbonate), 1749P
Differential Scanning Calorimetry, 141P
Differential scanning calorimetry, 683P, 791P, 1437P, 1771P, 1999P
Diffuse reflectance IR spectroscopy, 541P
Diffusion, 2193C, 131P, 585P, 785P, 993P, 1413P, 1889P, 1927P, 2143P
Diffusion coefficient, 2329P
Diffusion constant, 491P
Diffusion of oxygen, 2375P
Difurufuryladipate, 2501C
Digital image analysis, 2139P
Diglycidyl ether of bisphenol-A, 1465P
2,2′-dihydroxy-1,1′-binaphthyl, 587C
3,4′-dihydroxybenzophenone, 343C
Dihydroxy*bis*imide, 219C
4,4″-dihydroxy*meta*-terphenyl, 721C
Dihydroxytetraphenylethylene, 909C
Diimide, 1799C
Diisocyanate, 575C
1,4-diisopropenylbenzene, 475C
Dilation of poly(ethylene-co-vinyl acetate) due to gas sorption, 281P
Dilute solutions, 659P
Dilvent, 523P
3-dimensional, 2953C
Dimethanonaphthalene-2,3-dimethanol, 2517C
Dimethyl 2,2′-azobisisobutyrate, 1609C
Dimethylaminoethyl methacrylate, 445C
4-dimethylaminopyridine, 1027C

Dimethyltitanocene, 949C, 3183C
Dinitrile monomers, 2947C
1,3-dioxan-2-one, 265C
Diphenyl bromomethane (Ph_2CHBr), 1043C
Diphenylbutadiynes, 3147C
Diphenyldiacetylene, 1371C
Dipolar transitions, 119P
Dipole-dipole interaction, 2291C
Dipole–dipole interaction, 2809C
Dipole moment, 1069P
Dipole relaxation time, 2115P
Direct polycondensation, 435C, 1481C
Direct pyrolysis-mass spectrometry, 1807C
Discrete emitter center, 2395P
Disorder, 2661P, 2683P
Disorder-controlled hopping, 1677P
Disordered molecular solids, 1677P
Disperse dye systems, 2347P
Dispersibility, 2327C
Dispersion polymerization; particle formation, 1087C
Dissolution mechanism, 229C, 241C
Distribution of chain lengths, 1585P
Distributions of relaxation times, 1137P
1,2-disubstituted ethylene, 1957C
1,1-disubstituted ethylene itaconamate, 2085C
Disulfide, 1285P
Dithiocarbamate, 2241C, 2911C
1,4-divinylbenzene, 475C, 1609C
Divinylbenzene, 2029C
Divinylbenzene content effect, 2169C
Dodecane, 1593P
Doi-Edwards theory, 1531P
Domain size of acrylic and polycarbonate blends, 141P
Domain structure, 859C
Doped systems, 1687P
Doping, 2147C, 2099P
Double ring-opening polymerization, 323C
Double-step strain flow, 1531P
Draw ratio, 2695P
Drug release, 1271C
Dry-spinning, 3133C
DSC, 475C, 829C, 2841C, 509P, 721P, 1427P, 2435P, 2683P
DSC/near-infrared/viscometric measurements, 91P
DSC transitions, 2509P
Dual mode transport theory, 1889P
Dual-mode sorption, 149P
Dual-phase, 2505C, 2551C
Durable catalyst, 1711C
Dyad structures, 1033P
Dye diffusion, 2347P
Dyeing, 2347P
Dynamic fracture energy, 779P
Dynamic light scattering, 1503P
Dynamic mechanical analysis, 647P, 921P
Dynamic mechanical properties, 1149C
Dynamic mechanical spectroscopy, 249P
Dynamic mechanical thermal analysis, 2105P
Dynamic mechanical thermal analysis of PEEK, 759P
Dynamic scattering, 1745P
Dynamic viscoelasticity, 839P
Dynamical relaxations, 985P

EDTA, 1729C
EDX, 2551C
EELS, 2551C
Effect of an electric field on crystallization, 313P
Effect of diol chain length, 2003C
Effect of electrode configuration on crystallization in an electric field, 313P
Effect of pK_a of ligand, 1195C
Effect of side-chain length, 1997C
Effect of water content, 2375P
Effective medium theory, 2221P
Effects of structure on optical properties, 195P
Elastic constant anisotropy, 2171P
Elastic moduli, 631P
Elastomer, 271P
Elastomers, 1543P
Electric anisotropy, 447P
Electric conductivity, 447P
Electric modulus, 2339P
Electrical conduction, 2099P
Electrical conductivity, 33C, 1001C, 37P, 501P, 1899P, 2019P, 2715P
Electrical modulus, 501P
Electrical relaxation, 501P
Electrical resistivity, 1915C
Electrochemical, 2789C
Electrochemical oxidation, 1703C, 3141C
Electrochromic, 2789C
Electrochromism, 231P
Electron beam, 811P
Electron beam polymerization, 711C
Electron beam resist, 2275C
1 : 1 electron donor-acceptor complex, 2971C
Electron microscopy, 3047C, 421P, 1657P
Electron Paramagnetic Resonance, 3031C
Electron spin resonance, 1071C, 37P
Electron spin resonance (ESR), 1787P
Electron transfer, 1703C, 3141C
Electronic conductivity, 457C
Electron-transfer catalysis (ETC), 1043C
Electrons, 1493P
Electro-optic properties, 561P
Electropolymerization, 1551C, 1899P
Electrorheological fluids, 481P
Electrostatic effect, 1243C
Electrostriction, 2721P
Electrostrictive strain, 2721P
Elimination, 1543C
Empirical gel fraction analysis, 2049P
Emulsifying properties, 1523C
Emulsion copolymerization, 1009C, 2161C, 2311C, 2491P
Emulsion polymerization, 539C, 605C, 631C, 767C, 1497C, 2505C, 3031C, 2499P
Emulsion redox copolymerization, 2229C, 2235C
Emulsion terpolymerization, 1761C, 1779C
End-functionalized polymer, 2531C, 2699C
End group, 1885C
End groups, 383C
End-group functionalisation, 2687C
Energetic, 2155C
Energy dissipation, 1543P
Energy of activation, 2003C
Entanglements, 271P
Enthalpy, 241C
Enthalpy relaxation, 509P, 683P
Entropy, 241C, 721P
Environmental effects, 1105P
Enzyme model, 1711C
EPDM, 567C
EPIC-systems, 753C
Epoxide, 1393C, 1447C, 2283C
Epoxies, 2115P
Epoxy, 2203C, 647P, 1607P, 2555P
Epoxy adhesive, 2421P
Epoxy functional oligomers, 683C
Epoxy group, 1793C
Epoxy monomers, 683C
Epoxy resin, 1793C, 395P, 409P
Epoxy resins, 509P
Epoxyacrylate resin, 3211C
Equation of state, 2445P
Equations of state, 1791P
Equilibrium constants, 1817C
Equilibrium dialysis, 2457C
ESCA, 1569C
ESR, 2193C
ESR method, 2405P
ESR spectra, 3147C
ESR spectroscopy, 2457C
$Et_{1.5}AlCl_{1.5}$, 879C
$EtAlCl_2$, 879C, 1719C
1,2-ethane dithiol synthesis, 1323C
Ethanol, 1217P

Ethanol permselective membrane, 849C
Ethene-propene copolymer, 2321P
Ethylcellulose, liquid crystalline esters of, 889C
Ethylene, 961C, 1323C, 1539C, 2127C, 2135C
Ethylene/1-butene copolymerization, 2979C
Ethylene oxide-propylene oxide copolymer, 2221P
Ethylene polymerization, 929C, 1033C
Ethylene–carbon monoxide copolymer, 841C
Ethylenediaminetetraacetic acid-ethylenediamine polyamide, 1729C
Ethylene-propylene copolymer, 2241P
Ethynyl-containing amide monomers, 987C
EV, CV, peroxide cure, 287P
EVAg-styrene, 1377C
Evaporation-condensation mechanism, 2187P
EXAFS, 2357P
Excess volume of mixing, 15P
Exchange reactions, 15C
Excimer, 1511P
Excimer laser, 1893C
Exciton-phonon coupling, 797C
Exit, 605C, 631C
Exomethylene group, 323C
Experiment, 631C
Extraction, 541P
Eyring processes, 2037P

^{19}F-NMR, 2543C
Factorial experiments, 539C
Failure, 969P
Far-infrared spectroscopy, 2435P
Fatigue behavior, 839P
Fatigue fracture criterion, 839P
Fcc and bcc ordering, 2499P
FEP, 1931C
Fermi resonances, 365P
Ferroelectric copolymers, 1449P
Ferroelectrics, 953P
Fiber, 2289P, 2575P
Fiber diffraction, 749P
Fiber-matrix interface, 839P
Fibroin blend film, 1175P
Film ordering, 2143P
Films, 2147C, 3061C
First cumulant, 981P, 985P
Flame resistance, 475C
Flame retardance, 131C
Flame retardancy, 219C, 1847C
Flexibility, 2457C
Flexibility effect, 2005P
Flory-Huggins-Staverman treatment, 2307P
Flory-Huggins theory, 1719P
Flory-Orwoll-Vrij (FOV), 1791P
Fluorene, 2625P
Fluorenone/triethylamine (TEA) system, 1649C
Fluorescence, 859C, 1511P, 1635P, 2625P
Fluorescent labels, 1497C
Fluorescent polymers, 1071C
Fluorinated acrylates, 47C
Fluorinated poly(ether sulfone), 389C
Fluorinated polyacrylates, 47C
Fluorinated polymers, 39C, 47C
Fluorinated polysiloxanes, 1673C
Fluorination, 1829C, 1839C
Fluorine-containing polymer, 3211C
Fluoroelastomers, 2229C, 2235C
Fluoropolymer, 1185C, 2187C
Fluorosiloxanes, 121C
Fourier-transform infrared spectroscopy, 231P
Fourier transform infrared spectroscopy (FTIR), 2271P
Fractal, 2151P
Fractionated crystallization, 1991P
Fracture, 779P, 1543P, 2127P
Fracture surface, 2151P
Fracture surface temperature, 779P
Fracture toughness, 159P, 409P, 2151P
Free radical, 605C, 631C
Free radical copolymerization, 1191P
Free-radical copolymerization, 2971C
Free radical polymerization, 1423C, 1691C, 2687C
Free-radical polymerization, 929P, 1557C, 1909C, 2625P
Free radicals, 2755C
Free volume, 993P, 1237P, 1671P
Free volume in amorphous polymers, 2637P
Free volume theory, 491P
Friction-transfer layers, 453P
Friedel-Crafts alkylation, 2739C
Frustrated chain packing, 2509P
FT-IR, 2597C
FTIR, 29P, 223P, 469P, 1399C, 1493P
FTIR, solid-state CP/MAS ^{13}C-NMR, 1229P
FTIR spectroscopy, 395P, 541P, 1305P, 1315P, 2005P
FT-IR spectroscopy, 485C, 2539P
FTIR-ATR, 1569C
FTIR-ATR spectroscopy, 2065P
FT-raman spectroscopy, 541P
Fullerenes, 2727C, 2739C
Fully aromatic, 1023P
Fully cured system, 1749P
Functional aromatic polyethers, 1071C
Functional group gradients, 1569C
Functionalization, 2413C
Functional monomer, 997C
Functional polyesters, 413C
Functional polymer, 2413C
Functional polymers, 1877C

Gadolinium tricarboxylate, 1195C
Gamma irradiations, 1787P
Gas diffusion, 1707P
Gas permeability, 2523C, 53P, 131P
Gas separation, 1361C
Gas separations, 701P
Gas sorption, 131P, 1625P
Gas transport, 131P
Gas transport in rolltruded isotactic poly(propylene), 305P
γ-gauche effect, 721P
Gel, 2147C
Gelatin characterization, 803P
Gelatinization, 1579P
Gelation, 111P, 119P, 1697P
Gelation diagram, 929P
Gelation time, 753C
Gel bending, 1085P
Gel content, 1507C
Gel permeation chromatography, 1497C, 811P
Gel point, 929P
Gel spinning, 297P
Glass transition, 1351C, 523P, 683P, 791P, 961P, 1001P, 1137P, 2549P
Glass transition temperature, 1531C, 2597C, 715P, 1191P
Glass transition temperature of poly(styrene-*co*-*n*-butyl methacrylate), 1969P
Glass transition temperatures of polymer blends of different molecular weight, 1969P
Glass/epoxy composite, 2555P
Glassy polymers, 1889P
Glassy syndiotactic polystyrene, 881P
Glutathione, 2797C
Glycerol, 815C
Glycidyl methacrylate, 1683C
Glycidyl vinyl ether, 301C
Glycine, 1063C
Glycolic acid, 1063C
Glycolide, 1063C
GPC, 113C
Graft, 567C
Graft copolymer, 859C, 1619C
Graft copolymerization, 1569C
Graft copolymers, 1523C, 1747C, 2099C
Grafting, 1377C, 1691C, 2251C
Graphite-like crystal, 2437C
Group transfer polymerization, 803C, 3019C

^{1}H NMR, 1131C
^{1}H solid-state NMR, 1399P
^{1}H $T_{1\rho}$ (proton NMR relaxation time), 141P
Hairpins, 1511P
Halocarbons, 1033C
Halostyrenes, 1079P
Hard domain, 2085P
Hard segment, 2999C
H-bonding of silanol groups, 2607C
Heat capacity, 59P
Heat of mixing, 1285P
Heat of sorption, 701P
Heat-resistant polymers, 2403C
Heat-resistant resins, 1799C
Heat transfer, 187P
Heat treatment, 1759P
Heavy metal ion recovery, 1877C
Helix, 309C
Helix in amylopectin-iodine complex, 2257C
Heterocyclic polyimide, 181C
Hexafluoroisopropanol groups, 1817C
Hexagonal and orthorhombic polymorphs, 1115P
Hexamethylenediammonium adipate, 451C
Hexamethylene diisocyanate (HMDI), 1531C
Hexatriacontane, 2653P
HFPC, 1719P
High barrier materials, 1671P
High chemical and spectral purity, 1893C
High density polyethylene, 2025P
High-density polyethylene, 2187P
High modulus, 167C
High-modulus, 297P
High-performance aromatic polyethers, 1969C, 2093C
High performance aromatic polyethers, 2199C
High-performance liquid chromatography, 2169C
High-performance polymers, 3061C
High-pressure differential thermal analysis (HP-DTA), 2445P
High-pressure dilatometry, 2445P
High solids content, 1761C, 1779C
High speed data acquisition, 659P
High-strength, 297P
High temperature, 1033C
High-temperature poly(ether sulphone), 3171C
High temperature polyarylates, 721C, 1057C
High-temperature polyarylates, 587C, 909C
High temperature polymers, 2199C
High-temperature polymers, 181C, 1969C, 2093C
High temperature tolerant polymers, 1377P
High thermooxidative stability, 193C
High-wave vector, 1745P
Hindered amine light stabilizer, 997C
Hindered phenol, 917C
Hindered piperidine, 961C
HIPS, 607P
Hole theory, 2645P
Homogeneous and heterogeneous reaction mechanism, 797C
Homopolymer, 1243C
Hopping conduction, 2413P
Hot drawing, 1521P
Hot stage microscopy, 579P
HPC esters, 1907P
HPLC, 571C
Hybrid, 625P
Hydration, 2695P
Hydridosilane, 3069C
Hydridosiloxane, 3069C
Hydrodynamic fluctuations, 671P
Hydrodynamic interactions, 1745P
Hydrodynamic screening, 981P, 985P
Hydrogel, 281C, 591C
Hydrogel degree of swelling, 281C
Hydrogel(s), 1271C
Hydrogels, 1001P
Hydrogenated oligo(cyclopentadiene), 2025P
Hydrogenated polybutadiene, 2187P
Hydrogen bond, 131P, 1229P, 1315P, 2085P
Hydrogen bonding, 229C, 241C, 1189C, 1817C, 2597C, 1371P, 1635P
Hydrogen bonds, 1305P
Hydrolytic stability, 131C
Hydrophilic, 1903C
Hydrophobicity, 2457C
Hydrophobicity and steric effect of alkyl groups on association of *p-n*-propylbenzenesulfonate and *p*-iso-propylbenzenesulfonate ions, 171P
Hydroquinone oxidation, 2457C
Hydroquinones, 97C
Hydrosilation, 683C, 2039C
Hydrosilylation, 997C, 1673C, 3069C
4-hydroxybenzoic acid, 159C
Hydroxylation of polyisoprene, 869C
Hydroxyl-ended, chlorine-ended, olefin-ended, phenyl-ended polyisobutylenes, 2011C
Hydroxyl groups, 223P
Hydroxyl terminated polybutadiene, 647P
α-hydroxymethylacrylates, 2937C
Hygroscopic stress, 2143P
Hysteresis energy loss, 839P
I_4 unit in amylopectin-iodine complex, 2257C
Imaging analysis, 141P
Imide siloxane copolymers, 2663C
Immersion, 1413P
Impact strength, 1149P
Impedance, 2519P
Impregnation, 541P
Improvement of creep properties of ultra-high strength polyethylene fibers by blending propylene copolymer, 261P
Induced piezoelectricity, 333P
Infrared, 383P
Infrared-ATR, 1881P
Infrared dichroism, 2085P
Infrared spectroscopy, 149P, 387P
Inhibition, 2755C
Inhibitors, 789C
Iniferter, 2241C, 2911C
Initiation mechanism, 265C, 1703C, 3141C
Injection molding, 595P
In situ molecular composites, 2555P
In situ monitoring, 2625P
Insoluble chelating polymers, 1877C
Insolubilization, 1793C
Interaction energies, 1719P, 1813P, 1847P
Interaction parameters, 985P
Interactions, 383P
Interface, 1943P
Interfaces, 1731P
Interfacial bonding, 1543P
Interfacial reaction, 205P
Interfacial structure, 1485P
Interferometry, 1687P
Interfibrillar spaces, 2695P
Interlameliar regions, 2695P
Intermediate phase, 2661P, 2683P
Intermicellar interactions, 2605P
Intermolecular chain packing, 2271P
Intermolecular correlations, 2667P
Intermolecular linking, 1697P
Internal acetylene, 167C, 579C
Interpenetrating, 271P
Interpolymer, 585P
Interpolymer complex, 281C
Intramolecular bridging, 1697P
Intramolecular hydrogen bond, 1229P
Intramolecular hydrogen transfer, 917C
Intramolecular interactions in copolymer, 141P
Intramolecular rotation, 2271P
Intrinsic viscosity, 1305C, 1899C
Iodine binding and amylopectin fine structures, 2267C
Ion-dipole interaction, 29P
Ion exchange, 215P

Ion-free, 767C
Ionic conductivity, 779C, 1255C, 359P, 2221P, 2733P
Ionic dissociation, 1P
Ionic hydrogel, 1093P
Ionic interactions, 1105P
Ionic polymer-network, 7P
Ionic transport, 333P
Ion irradiation, 2715P
Ionizing radiation, 1493P
Ionomer, 29P
Ionomers, 459P
Ion transport, 1093P
IPDI, 1983C
IPNs, 257C
iPP, 2037P
IR, 1249P
γ-irradiation, 3197C
Iron saccharinate, 1471C
Irradiation, 1329P
Isobutyl vinyl ether, 879C, 1719C
Isoimide, 393C
Isoimide-imide isomerization, 2005P
Isomeric effects, 1079P
Isomerization, 393C, 983C, 1131C
Isomers, 1915P
Isomorphism, 749P
Isotactic polypropylene, 535P
Isothermal compressibility, 2445P
Isotropic, 2575P
Itaconamide, 2085C
Itaconic derivatives, 2073C

Kapton, 825P
Ketene-*O,N*-acetal, 2867C
Kevlar®, 2207P
Kevlar® fibers, 2575P
Kinetic constant, 2873C
Kinetics, 539C, 971C, 1377C, 1447C, 1459C, 1471C, 1755C, 1761C, 2347P
Kinetics of polyesterification, 2003C
Kinetics of polymerization, 1909C
Kramer's equation, 2251P

Labeled-chain dynamics, 2595P
Lactams, 1129P
Lactide, 2965C
Ladder polymer, 295C
Lamellar thickness, 579P, 737P
Laminate processing, 167C
Laser flash method, 59P
Laser light scattering, 803P
Laser radiometry, 1899P
Latency, 753C
Latex, 767C, 1431C, 2505C, 2551C
Latex aggregates, 2333C
Latex film, 779C
Latex particles via nucleation in droplets, 2365C
LCST, 3019C
$LiCF_3SO_3$, 2221P
Ligand substitution reaction, 1243C
Light scattering, 63P, 671P, 1137P, 1927P, 1951P
Linear relationship, 215P
Lipid, 1437C
Li poly(phenylene terephthalamide sulfonate salts) ion conductivity, 3009C
Liquid crystal, 2039C, 2291C, 721P
Liquid crystalline, 1351C, 2809C, 2509P, 2567P
Liquid crystalline poly(imide-carbonate)s, 3039C
Liquid crystalline polymer, 333C, 651C, 2119C
Liquid-crystalline polymer, 711C, 2629C
Liquid crystalline polymers, 1157P, 1759P, 1907P, 2445P
Liquid crystal polyimide, 2111C
Liquid crystal polymer, 1077C
Liquid crystal polymers, 285C
Liquid-crystal polymers, 77P
Liquid crystals, 1673C, 2775C, 2529P
Liquid electrolyte, 779C
Liquid-liquid demixing, 2283P
Liquid-liquid phase separation, 573P, 945P
Lithium doping, 2019P
Lithium salts, 2797C
Living, 2425C
Living carbocationic polymerization, 403C, 2011C
Living cationic polymerization, 879C, 1719C
Living polymerization, 1755C, 2531C, 2699C
Living radical polymerization, 2241C
L,L-lactide/ε-caprolactone copolymer (P(LLA-*co*-εCL)), 2481P
L-lysine, 1271C
L-Lysine diisocyanate, 2345C
Local molecular order, 2271P
Local polymer dynamics, 2251P
Low and high conversion, 1191P
Luminescence, 2395P
Lyotropic, 2567P
Lyotropic liquid crystalline polymer, 2171P
Lyotropic polyamide, 2629C

Macroazoinitiator, 3123C
Macro-azo-initiators, 2641C
Macroinitiator, 1739C
Macromerinitiator (macroinimer), 1739C
Macromolecular complexes, 551P
Macromonomer, 859C, 2099C, 2531C
Macromonomers, 1581C
Macroporous polymer, 2169C, 2577C
Macrostructure, 99P
Magnetic susceptibility, 37P
Main-chain liquid crystalline polymers, 2559C
MALDI-MS, 803C
Maleic anhydride grafted polypropylene, 1427P
Maleimide, 1799C
Maleimide monomers, 3161C
Maleimide-ended polymer, 3171C
Malononitrile, 1799C
Manganese (III) complex, 1243C
Mathematical model, 901P, 911P
Maxwell-Wagner-Sillars polarization, 119P
Mechanical anisotropy, 631P
Mechanical dispersion, 2241P
Mechanical properties, 1001C, 1601C, 2663C, 325P, 409P, 1661P
Mechanical property, 1665C
Mechanical relaxation, 1069P
Mechanism, 1459C, 1471C, 2965C
Mechanism and kinetics, 1557C
Mechanism of adhesion, 817P
Mechanosorptive creep, 1105P
Melt mixing, 15C
Melt polycondensation, 2947C, 3039C
Melt stabilization of LDPE, 3099C
Melt temperature, 1531C
Melting, 201P, 737P, 1771P, 1999P, 2585P
6-membered cyclic intermediate, 2177C
Membrane, 149P, 1413P, 1915P
Membranes, 585P
(−)-menthyl acrylate, 1159C
(−)-menthyl vinyl ether, 2849C
Mercerization, 241C
Mesophase, 2999C
Mess spectrometry, 15C
Metal acetates, 2357P
Metal nitrates, 1201C
Metallocene, 149C
Metallocenes, 2049C, 2817C
Metathesis, 993C, 2437C
Metathesis polymerization, 2523C
Methacrylate, 1691C
Methacrylates, 2937C
Methane dianiline (MDA), 1593C
Methanesulfonic acid, 1157P
Method of moments, 901P, 911P
Methyl acrylate, 2223C, 2911C
Methyl α-(trifluoromethyl)acrylate, 1389C
Methyl branch, 2241P
Methyl methacrylate, 1459C, 1471C, 2425C, 2803C, 1813P, 1847P
Methyl methacrylate-methyl acrylate copolymers, 1191P

Methylcellulose, liquid crystalline esters of, 889C
Methylene chloride, 325P
Methylene diphenyl diisocyanate (MDI), 1531C
10-methylene-9,10-dihydroanthryl-9-spirocyclopropane derivatives, 1789C
4,4′-methylenedi(phenyl isocyanate), 2619C
4-methylene-1,3-dioxolane, 199C
4-methylene-1,3-dioxolane, 983C, 3193C
Methylmethacrylate (MMA), 1649C
10-methylphenothiazine, 1703C
α-methyl styrene, 1813P, 1847P
Methyl-substituted bisphenols, 317C
$MgCl_2$-supported catalyst, 3047C
$MgCl_2$-supported $TiCl_4$ catalysts, 1283C
Mg/Ti bimetallic catalyst, 2979C
Microphase separation, 341P, 437P
Microstructure, 2301C, 3115C, 99P, 691P
Miniemulsion polymerization, kinetics, 2365C
Miscibility, 1817C, 15P, 201P, 223P, 615P, 1079P, 1719P, 2025P, 2667P
Miscibility of polycarbonate blends, 141P
Miscibility windows, 2307P
Miscible, 1285P
Miscible blends, 2607C, 1237P
Mixed resins, 2203C
Mobility secondary retardation modes, 1359P
Model, 605C, 969P
Model addition reaction, 1609C
Model network, 591P
Modeling, 2161C, 1191P, 2667P
Modeling strength, 1759P
Modelling, 1009C, 929P
Modification of chloromethyl styrene, 729C
Modification reactions, 1027C
Modified Cell Model (MCM), 1791P
Modified ethylene carbonate, 3009C
Modified poly(vinyl chloride), 871P
Modulus, 2289P
Molar mass, 99P
Molecular blends, 355C
Molecular complex, 387P
Molecular composite, 2629C
Molecular composites, 397C, 2555P
Molecular conformation, 961P, 1407P
Molecular dimensions of, 771P
Molecular mass distribution, 1351P
Molecular modeling, 1033P, 2555P
Molecular motion, 1399P
Molecular motions, 1069P, 1617P
Molecular orientation, 595P, 691P, 1521P
Molecular recognition, 1331C
Molecular relaxations, 1787P
Molecular weight, 1305C, 2775C, 1759P
Molecular weight distribution, 803P, 901P, 911P
Monitoring, 2519P
Monodisperse beads, 2169C, 2577C
Monofilament, 2567P
Monomer partitioning, 1009C, 2491P
Monomer reactivity ratio, 1867C
Monomer reactivity ratios, 2301C
Monomer sequence, 1923C
Monomer sequence dyads, 2301C
Monomer synthesis, 2895C
Monte Carlo method, 901P, 911P
Montmorillonite, 625P
Morpholine-2,5-dione, 1063C
Morphological changes, 2413P
Morphology, 105C, 2193C, 737P, 859P, 1149P, 1249P, 1321P, 1557P, 1661P, 2155P, 2321P, 2705P
Motion, 2661P, 2683P
Multiacrylate, 295C
Multiarmed polymer, 2699C
Multiblock copolymer, 791P
Multifunctional coupling agent, 2699C
Multifunctional monomers, 139C
Multifunctional polymer, 2057C
Multimonomer partitioning, 2311C
Multiple melting endotherms, 791P
Multiple quantum NMR, 2235P
Mutual diffusion, 1799P

N-(4-azobenzene)maleamic acid, 2849C
N-(4-azobenzene)maleimide, 2849C
N-(4-azobenzene)succinimide, 2849C
N-(1-phenylethyl)acrylamide, 1867C
Na, 3009C
Nadimide, 829C
NAD particles, 2333C
Nafion, 501P
N-antipyryl acrylamide terpolymers, 937C
Native and regenerated silk fibroin, 1407P
Near-IR, 383P
Negative pressure, 2283P
Neighboring group, 1169C
Nematic, 333C, 343C, 651C, 2509P
Nematic phase, 711C, 3039C
Neodymium compounds, 1687P
Network, 3153C, 811P
Network heterogeneity, 287P
Network microstructure, 815C
Networks, 271P
Network structure, 2023C, 2029C
Neutralization, 459P
Neutron reflectivity, 2475P
New photoresponsive polymer, 2765C
New-TPI, 737P
Nickel, 675C
Nitrogen-14, 2263P
Nitrogen-15, 2263P
N-methyl morpholine N-oxide, 1437P
NMR, 15C, 2803C, 1129P, 1339P, 1585P, 1961P, 2077P, 2321P
NMR alkanes, 3197C
NMR-analyses, 203C
NMR T_1, 2251P
N,N′-dimethyldiamines, 2883C
N,N-dimethylacrylamide copolymer, 1627C
Nonaqueous dispersion polymerization, 571C, 2333C
Nonconjugated conducting polymer, 457C
Nonconjugated polymer, 2099P
Nonionic hydrogel, 1991C
Nonlinear free radical polymerization, 901P, 911P
Nonlinear optical, 3201C
Nonradiative energy transfer, 2667P
Nontraditional initiators, 1557C
Norbornene (NE), 1593C
Novel rolltruded polymeric thin films, 305P
N-phenyl-3,3-bis(4-hydroxyphenyl)phthalimidine, 369C
N-phenyl-3,3-bis[4-(*p*-aminophenoxy)phenyl]phthalimidine, 369C
NR, 1317C
Nucleation, 573P, 1607P
Nucleophilic compound, 199C
Nucleophilic substitution polymerization, 249C
Nucleophilicity, 2677C
N-vinyl carbazole, 2251C
Nylon, 383P
Nylon 6, 15C, 1521P
Nylon-6, 625P, 1149P, 1427P, 2367P, 2375P
Nylon-6 composites, 1601C
Nylon-11, 365P, 2065P
Nylon-66, 1049P
Nylon fibers, 2695P

O-acyloxime, 1793C, 2177C
1-octene, 1283C

Oil-absorbing, 2421P
Oiled metal, 2421P
Olefin polymerization, 2817C
Olefin polymerizations, 2049C
Oligo(oxyethylene)s, 1991C
Oligodihexanoylchitin, 2619C
Oligomer, 1371C
Oligomers, 815C, 3061C
Oligosaccharide, 1619C
One-way drawing and poling, 2065P
Optical absorbance, 2715P
Optical modelling, 2139P
Optical properties, 1907P
Optical texture, 2171P
Optical textures, 2509P
Optically active copolymers, 1159C
Optically active polymer, 309C
Order-disorder transition, 437P
Organic/organic two-phase interfacial polycondensation, 413C
Organic phase/organic phase interfacial polycondensation, 1255C
Organoaluminium compound, 1237C
Organometallic complexes, 541P
Organometallic polymers, 2859C
Organonickel complexes, 2859C
Organosilicon compounds, 1893C, 2531C
Organonickel-organosilicon copolymers, 2859C
Organosilicon polymers, 2859C
Orientation, 625P, 825P, 2085P, 2143P, 2539P
Orientation function, 2085P
Oriented amorphous phase, 2661P
Oriented film, 851P
Oriented polyethylene, 1329P
Orienting substrates, 453P
Oscillatory experiments, 659P
Oseen tensor, 985P
Ostwald ripening, 1205P, 2187P
Oxazolidinone, 2203C
2-oxazoline, 2283C
Oxepan-2-one, 265C
Oxetane, 2155C, 2543C, 3201C
Oxidation, 9C, 1323C, 1399C
Oxidation profile, 485C
Oxide, 1323C
(2-oxo-1,3-dioxolan-4-yl)methyl vinyl ether, 301C
Oxy-functionalization of silane, 2597C
Oxygen permselective membrane, 849C
Oxysilylation, 3069C
Ozonization, 1377C

^{31}P-NMR, 219C
P2VP, 223P
P4VP, 223P
Packing density of copolyimides, 1009P
Palladium, 1361C
Palladium catalysis, 2493C
Palladium-catalyzed polycondensation, 987C, 2065C, 2989C
p-aminobenzoic acid, 747C, 1923C
Partially miscible blend, 647P
Partial molar volume of dissolved gases, 281P
Particle growth mechanism, 3047C
P-4-BCMU, 2171P
p-benzoquinone, 1977C
PBO, 2575P
PCU, 1317C, 2395C
PDAMC, 2263P
p-diethynylbenzene, 2405P
PDLC, 561P
Peak shifts in amylose-iodine spectrum and different iodine species, 2267C
PEEK, 2413C, 325P
PEG, 2715C
PEKK, 2585P
Pendant hydroxyl, 1903C
Pendant NBD moiety, 2765C
Penultimate effect, 2971C
Peptides, 2797C
Percent char, 131C, 721C
Percolation, 2551C, 585P
Perfectly alternating segmented imide siloxane copolymers, 2663C
Perfluoroalkyl esters, 1673C
Permeability coefficient, 2329P
Permeation, 1915P, 2329P
Permselectivity, 1657C
Pervaporation, 1657C, 1P
Perylenebisimide dye, 1299P
Phase behavior, 1817C, 2039C
Phase coarsening, 1205P
Phase diagram, 1183P
Phase equilibrium, 1799P
Phase mixing, 2105P
Phase segregation, 1847C
Phase separation, 2715C, 159P, 641P, 1205P, 1485P, 2667P
Phase separation structure, 1175P
Phase structure, 2025P
Phase transfer, 2937C
Phase-transfer catalysis, 1543C, 2589C
Phase transfer catalyst, 219C, 1909C, 3091C
Phase-transfer catalysts, 2677C
Phase transition, 1415C
Phase transitions, 2775C, 953P
pH-dependent swelling, 1627C
Phenolic resin, 1121C
Phenolics, 921P
Phenol sorption, 1977P
Phenols, 1371P
Phenothiazine derivatives, 3141C
Phenoxy, 383P, 1321P
Phenylacetylene, 1113C
2-Phenylbenzoquinone, 557C
Phenylene oxide polymers, 1079P
1,4-phenylenebis(phenylmaleic anhydride), 2377C
2,2′-(1,4-phenylenedivinylene)bisaminoquinoline, 2403C
Phenylethynyl termination, 3061C
Phenylglycidylether, 2841C
Phenylphosphine, 475C
Phosphite, 465C
Phospholipid polymer, 859C
Phosphoranimine, 465C
Phosphorus-containing polymer, 475C
Photoacoustic spectroscopy, 541P
Photochemical reaction of NBD, 2765C
Photochemical valence isomerization, 3091C
Photochromic chiral polymers, 2849C
Photochromic polymers, 1159C
Photocleavage, 1867C
Photocrosslinked, 1271C
Photo-crosslinking, 317C
Photocrosslinking, 1657C, 1867C
Photocurable adhesive, 3211C
Photodegradable polymer, 3193C
Photo-dehydrochlorination, 33C
Photofunctionalization, 1657C
Photografting, 2327C
Photo-initiated base-formation, 2177C
Photoinitiation efficiency, 1649C
Photolysis, 1793C, 2177C
Photooxidation, 485C
Photopolymerization, 139C, 2241C, 2755C, 2911C
Photoresponsive polymers, 2849C
Photosensitization, 2765C
pH-sensitivity, 591C, 1213C
Phthalocyanine polymers, 37P
Physical aging, 509P, 569P, 683P, 1617P
Plasma, 1829C, 1839C, 2479C
Plasma enhanced deposition, 1377P
Plasma polymerization, 121C, 2275C
Plasma polymers, 1399C
Plasma treatment, 699C
Plasticity, 1805P
Plasticization, 523P, 2549P
Plasticized polystyrene, 1593P
Plasticizers, 615P, 1339P
PMDA, 737P, 825P
PMDA-ODA, 1457P
PMMA, 2487C, 785P, 1217P, 1719P, 1787P, 2715P
PMR-15, 203C, 203C, 1593C
Polarizability, 737P
Polarized fluorescence, 691P
Polarized-light scattering, 2139P
Polarizing light microscopy, 2171P

Polaron hopping, 1677P
Poly sulfone, 1531C
Poly((2,5)-thienylene ethylene), 979C
Poly(2,6-dimethyl-1,4-phenylene ether), 1661P
Poly(2,6-dimethyl-1,4-phenylene oxide), 1361C
Poly(2,6-dimethyl phenylene oxide), 2549P
Poly(2,6-dimethyl-*p*-phenylene oxide), 3091C
Poly(3,3-bis-oxetane), 749P
Poly(4,4'-diphenylimine methines), 195P
Poly(12-hydroxystearic acid), 2333C
Poly(D,L-lactide), 2345C
Poly(acrylic acid), 1033P
Poly(aliphatic carbonate)-b-polystyrene, 2641C
Poly(alkyl methacrylates), 1747C
Poly(3-alkylthiophene)s, 2339P
Poly(allylammonium) cation, 171P
Poly(allylguanidino-*co*-allylamine), 3189C
Poly(allyl-*N*-carbamoylguanidino-*co*-allylamine), 3189C
Poly(amic acid), 393C
Poly(amide-imide)s, 435C, 2653C
Poly(amide-imide)s direct polycondensation, 1101C
Poly(aryl methacrylates), 715P
Poly(arylamino-quinone)s, 1977C
Poly(arylene ether), 1507C
Poly(arylene ethylene)s, 979C
Poly(arylene sulfide), 1285P
Poly(arylene sulfide)s, 1175C
Poly(arylene vinylene)s, 65C
Poly(azomethine), 2555P
Poly(bisphenol-A-carbonate), 15C
Poly(bisthiazole-imide), 181C
Poly(butadiene)diol, 257C
Poly(butylene terephthalate), 1607P
Poly(carbonate-urethane), 2625C
Poly(chloroprene-*co*-maleic anhydride), 2301C
Poly(cis-benzoxazole), 2567P
Poly(diallyldimethylammonium chloride), 2263P
Poly(dimethylsiloxane), 591P
Poly(diphenylacetylene), 2523C
Poly(epichlorohydrin), 829C
Poly(ester-sulfone), 1351C
Poly(ester-urethane), 2345C
Poly(ether-carbonate), 1393C
Poly(ether-ester), 791P
Poly(ether ether ketone), 691P, 1389P
Poly(ether ether ketone) [PEEK], 759P
Poly(ether-ketone-amide), 2065C
Poly(ether-sulfone-amide), 2989C
Poly(ether urethane), 1271C
Poly(ethyl methacrylate), 179P
Poly(ethylene 2,6-naphthalate), 2873C
Poly(ethylene glycol), 1271C, 2221P
Poly(ethylene glycol) (PEG), 1385C
Poly(ethylene glycols) chains, 1877C
Poly(ethylene naphthalate), 1295C
Poly(ethylene oxide), 387P, 551P, 1573P
Poly(ethylene terephthalate), 1049P, 2289P
Poly(ethylene-co-vinyl acetate), gas sorption in, 281P
Poly(ethylone oxide), 29P
Poly(glycidyl methacrylate), 1793C
Poly(glycolic acid), 949C
Poly(4-hydroxybenzoate), 1601C
Poly(isobornyl methacrylate), 1951P
Poly(methacrylic acid), 1033P
Poly(methyl methacrylate), 1747C, 2625C, 2221P
Poly(4-methyl-1-pentene), 535P
Poly(methylphenylsilane), 1677P
Poly(*N*-acetyliminoethylene), 3123C
Poly(*n*-butyl acrylate), 3031C
Poly(*N*-methylamides), 2883C
Poly(oxazoline), 2187C
Poly(oxy-1,4-phenyleneoxyxylyleneoxy-1,4-phenyleneoxyundecamethylene), 721P
Poly(oxyethylene), 1523C
Poly(phenylene sulfide), 1285P
Poly(phenylenesulfide), 1807C
Poly(phenylene sulfide ketone), 1175C
Poly(phenylene sulfide sulfone), 1175C
Poly(phosphate ester)s, 2119C
Poly(*p*-methylstyrene-co-methacrylonitrile), 1263C
Poly(*p*-phenylenebenzobisoxazole), 1899C, 2575P
Poly(*p*-phenylene-*cis*-benzobisoxazole), 1157P
Poly(*p*-phenylene terephthalamide), 1017P
Poly(*p*-phenyleneterephthalamide), 2575P
Poly(propylene glycol), 2619C
Poly(propylene oxide), 1131C
Poly(pyridinium salt), 481P
Poly(styrene-*co*-divinylbenzene) beads, 2169C, 2577C
Poly(styrene-co-4-vinylphenyldimethylsilanol, 2607C
Poly(styrylpyridine) polyamide and polyimides, 2403C
Poly(substituted phenylacetylene)s, 849C
Poly(sulfone)-dimethylsulfoxide system, 1799P
Poly(terephthalic acid anhydride), 1899C
Poly-(tetrafluoroethylene), 453P
Poly(tetramethylene isophthalate), 791P
Poly(thiocarbonates), 1617P
Poly(trans-benzothiazole), 2567P
Poly(urethane), 1531C
Poly(vinyl acetate), 901P, 911P
Poly(vinyl alcohol), 231P, 243P, 297P, 1163P
Poly(vinyl butyral) (PVB), 1657P
Poly(vinyl chloride), 33C, 2797C, 99P, 111P
Poly(vinyl pyrrolidone), 767C, 779C, 1551C
Poly(vinyl-chloride), 119P
Poly(vinylcyclopropanone acetal)s, 2517C
Poly(vinylidene fluoride), 179P, 201P, 2065P
Poly(vinylmethyl ether), 811P
Poly(4-vinylphenylmethylphenylsilanol), 2597C
Poly(2-vinylthiophene), 457C
Poly(ε-caprolactone), 2345C, 1321P
Poly(α-methylstyrene-b-isobutylene-b-α-methylstyrene), 403C
Poly-1,2,4-triazoles, 513C, 527C
Poly-1,3,4-oxadiazoles, 513C, 527C
Poly-2,5-benzoxazole, 2575P
Polyacene, 1371C
Polyacetylene, 3183C, 447P
Polyacrylate, 711C
Polyacrylates, 47C
Polyacrylic (PAA), 1385C
Polyacrylonitrile, 1115P
Polyacrylonitrile/propylene carbonate, 945P
Polyaddition, 475C, 575C
Polyalcohol, 841C
Polyalkylviologen-polyanion complex, 1043C
Polyamide, 1183P, 1619C, 2127P
Polyamide 66, 1437P
Polyamide-acids, 1581C
Polyamides, 369C, 2883C
Polyaniline, 105C, 2147C, 231P, 1957P
Polyaniline composite film, 231P
Polyaniline derivatives, 195P
Polyaniline salts, 2431C
Polyaramides, 355C
Polyarylate, 21P
Polyarylsiloxanes, 131C
Polybenzoxazoles, 2825C
Polybiuret, 575C

Polybutadiene, 767C, 779C, 15P
Polycaprolactone, 2443C, 383P
Polycaprolactone-b-polystyrene, 2641C
Polycarbonate, 741C, 2291C, 395P, 409P, 595P, 993P, 1237P, 1671P, 1719P, 2055P, 2197P, 2235P
Polycarbonate poly(carbonate-sulfone), 2809C
Polycarbonates, 701P, 1813P
Polycationic biocides, 1997C
Polycationic polymer, 3189C
Polycondensation, 57C, 159C, 789C, 1415C
Polycondensation kinetics, 1305C
Polydimethylsiloxane, 1423C, 1747C
Polydimethylsiloxanes, 1581C
Polyelectrolyte, 281C
Polyelectrolytes, 65C, 215P, 1157P, 1697P
Polyepichlorohydrin, 1399P
Polyester, 1511P, 1671P
Polyester network, 815C
Polyester-b-poly(methylmethacrylate), 2641C
Polyester-b-polystyrene, 2641C
Polyester/PVA blend film, 1255C
Polyesters, 97C, 1351C, 2775C, 2825C, 2509P
Polyether, 591C, 2841C
Polyether urethane polymer electrolytes, 2077P
Polyethers, 249C, 829C, 2825C
Polyethersulfone, 567C
Polyethersulphone, 1185C
Polyethylene, 39C, 699C, 1539C, 2479C, 3197C, 421P, 453P, 469P, 641P, 2661P, 2683P
Polyethylene blends, 159P
Polyethylene fiber, 1683C
Polyethylene film, 1475P
Polyethylene ionomer, 1661P
Polyethyleneglycol bis(4-carboxyphenyl)ethers, 89C
Polyethylenenaphthalate, 1305C
Polyfuran, 841C
Polyhydrazide, 513C, 527C
Polyimide, 393C, 2073C, 2629C, 825P, 1915P, 2143P, 2705P
Polyimide copolymers, 53P
Polyimide molecular composite, 167C
Polyimide prepolymer PMR-15, 1593C
Polyimide, stress in coatings, 1271P
Polyimide synthesis, 2663C
Polyimide, thermoplastic, semicrystalline, 2271P
Polyimides, 203C, 369C, 503C, 1581C, 1903C, 2663C, 2825C, 2931C, 3061C, 1299P
Polyimidophosphonate, 219C
Polyisobutylene, 2011C, 2479C, 3153C, 1707P
Polyisocyanate, 309C
Polyisoimide, 393C
Polyisoprene, 2479C, 15P
Polylactide, 2099C, 2443C
Polymer-bearing norbornadiene moiety, 3091C
Polymer blend, 205P, 395P, 409P, 1485P, 2105P
Polymer blend solutions, 2461P
Polymer blends, 1817C, 77P, 131P, 223P, 615P, 1285P, 2667P
Polymer brushes, 2743P
Polymer/catalyst morphology, 3047C
Polymer-chelate, 1729C
Polymer coil conformation in extremely dilute concentration, 1503P
Polymer coil shrinking, 1503P
Polymer composites, 495C
Polymer crystallinity, 1185C
Polymer, diamine, 557C
Polymer dynamics, 2235P
Polymer electrolyte, 767C, 779C, 2505C, 2551C
Polymer electrolytes, 2733P
Polymer fluorescence, 1497C
Polymer host, 1687P
Polymeric calix[4]arene, 2961C
Polymeric gel, 1085P
Polymeric micelles, 2605P
Polymeric phase transfer catalyst, 2057C
Polymeric porogen, 2577C
Polymerisation, 99P
Polymerization catalysts, 2481P
Polymerization kinetics, 139C, 741C, 1283C, 2565C
Polymerization mechanism, 1C, 741C, 879C, 1195C, 2235C, 1129P
Polymerization of methyl methacrylate, 3147C
Polymerization parameters; dispersion polymerization, 1087C
Polymerization temperature, 99P
Polymer laminates, 1881P
Polymer/LC composite, 561P
Polymer matrix, 2177C
Polymer melting, 887P
Polymer membranes, 701P
Polymer mixtures, 1189C
Polymer modification, 869C, 2797C
Polymer molecular weight dependence, 1257P
Polymer monolayer, 869C
Polymer networks, 1585P
Polymer permeability, 1671P
Polymer-polymer interactions, 1927P
Polymer properties, 1C
Polymer reaction of P (OVE), 301C
Polymer solution, 1951P
Polymer solutions, 2283P, 2307P
Polymer substrate, 817P
Polymer support, 2127C, 2135C
Polymer-supported hydroxyl-containing monoazacrown ethers, 1543C
Polymers with pendant phosphonium salts, 1997C
Polymethacrylate, 1077C, 817P
Polymethacrylic (PMAA), 1385C
Polymethyl methacrylate; micron-size particles, 1087C
Polymethylhydrosiloxanes, 1673C
Polymethylmethacrylate, 2475P
Polymorphs, 365P
Poly-*N*,*N*-diethylacrylamide, 803C, 3019C
Polynorbornene, 1755C
Polyorganosiloxane, 2457C
Polyoxadiazoles, 1249P, 1643P
Polyphenyl(quinoxaline)s, 193C
Polyphenylenes, 2395P
Polyphosphazene, 465C
Polyphosphoric acid, 1899C
Polypropylene, 2193C, 2479C, 1049P, 1427P
Polypropylene (PP), 1991P
Polypropylene copolymer, 1205P
Polypyrrole, 9C, 495C, 1899P
Polypyrrole/EPDM blend, 1001C
Polysaccharide, 1619C
Polysilane, 3183C
Polysilanes, 1949C, 771P
Polysiloxane, 187C, 3183C
Polysilylenes, 1949C
Polystyrene, 383C, 485C, 1431C, 2479C, 21P, 779P, 1351P, 1635P
Polystyrene-based ionomers, 2589C, 2677C
Polystyrene solutions in *p*-xylene, 1257P
Polysulfone, 2291C, 569P
Polysulfones, 1847P
Polytetrafluoroethylene, 1771P
Polytetrahydrofuran, 1939C
Polythiophene, 841C
Polytitanosiloxane, 3133C
Polytridecanolactone, 1999P
Polyurea/urethane foams and films, 2155P
Polyurethane, 113C, 1665C, 2187C, 817P, 1305P, 1315P, 1671P, 2085P, 2721P
Polyurethane cationomer, 1983C
Polyurethanes, 1847C, 437P, 1557P, 2357P
Polyvinyl chloride, 615P, 631P
Polyvinylchloride, 1225C
Poly[(2-oxo-1,3-dioxolan-4-yl)methyl vinyl ether], 301C
Poly[styrene-*b*-(ethylene-co-butylene)-*b*-styrene], 201P

Porosity, 1977P
Porous properties, 2169C, 2577C
Positron annihilation measurements, 2637P
Positron lifetimes, 1237P
Potentiometric titration, 3189C
p-phenylenediamine, 1923C
PPO, 257C, 607P
PPO-CO_2, 2549P
PPS, 1285P
PPTA, 2207P, 2575P
Precipitation, 1413P, 1697P
Preferential adsorption, 2421P
Pressure, 1371C
Pressure crystallization, 1049P
Pressure dependence of melting points, 1049P
Pressure-volume-temperature (PVT), 825P, 2445P
Pressure-volume-temperature (P-V-T) properties, 1791P
Primer, 753C
Probe rotation, 2595P
Probe translation, 2595P
Processing, 2147C
Process optimization, 539C
Propagation rate constant, 1389C, 1957C
1,3-propane dithiol, 1531C
Propargyl alcohol, 2709C
Propenyl ether analogues, 2895C
Propenyl ethers, 2755C, 2919C
1-propenyl glycidyl ether, 1639C
Properties, 1885C
Properties of polymer, 1609C
Propylene, 2229C, 2235C
Propylene polymerization, 149C, 971C, 1137C
Propylene–carbon monoxide copolymer, 841C
Proton NMR analysis, 2011C
PS, 1719P
Pseudo IPNs, 1317C, 2395C
PTAd, 1983C
Pulsed NMR, 85P
"Pure" polypropylene, 2413P
PVA-PAA gel, 85P
PVC/PCL blends, 59P
PVDF, 859P, 1493P
PVF_2, 785P
PVP stabilizer; adsorption versus grafting, 1087C
PVT properties of diluent/polymer systems, 1593P
Pyrazole blocked isocyanate, 753C
Pyrazole masked isocyanate, 753C
Pyrazolic cycles, 729C, 3161C
Pyridine-Cu(II) complex, 2457C
Pyridine units, 2357P
Pyrolysis, 2437C, 2207P
Pyrolysis GC/MS, 2301C
Pyrolysis-gas chromatography, 383C
Pyrrolidinone, 1371P
Quasi-living polymerization, 1619C
Quaternary ammonium group, 1255C
Quaternary salt, 445C
Quaternary salts, 2589C, 2677C
Quenching, 2625P

rac-2,2-dimethylpropylidene(1-η^5-cyclopentadienyl) (1-η^5-fluorenyl)dichlorozirconium, 661C
Radiation, 811P
Radiation grafting, 1931C
Radical, 2193C
Radical addition polymerization, 1609C
Radical copolymerization of OVE, 301C
Radical crosslinking, 2517C
Radical polymerization, 323C, 445C, 917C, 1243C, 1377C, 1437C, 1957C, 2073C, 2085C, 2641C, 2745C
Radical recombination, 929P
Radical ring-opening polymerization, 2867C, 3193C
Radical stabilization, 3147C
Radiolysis, 2487C
Radius of gyration, 881P
Raman spectroscopy, 1163P, 2435P
Random copolymers, 2999C
Rare earth coordination catalyst, 597C
Rare earth metal compounds, 551P
Rate constant, 2005P
Rate constants for the transfer reactions, 1423C
Rate of reaction, 2003C
Reaction, 1371C
Reaction conditions, 2229C
Reaction kinetics, 205P
Reaction order, 1295C
Reactive blending, 205P
Reactive thermoplastic oligomers, 73C
Reactivity, 753C
Reactivity ratio, 1263C, 3161C
Reactivity ratios, 2223C
Reactor calorimeter, miniemulsion polymerization, 2365C
Recombination, 2177C
Redox polymerization, 1459C, 1471C
Reduced titanium dioxide, 929C
Reflectometry, 2475P
Refractive index, 3211C
Refractive index dispersion, 195P
Refractive indices, 1271P
Regioselective hydrosilation, 683C
Regioselective polymerization, 993C
Regioselectivity, 983C
Reinforced poly(butylene terephthalate), 839P
Relation between glass transition temperatures, chemical composition, and molecular weight of polymers, 1969P
Relaxation, 2085P, 2539P
β relaxation, 179P
α-relaxation process as a creep mechanism of ultra-high strength polyethylene fibers, 261P
α, β, and γ-relaxation processes, 2241P
Relaxation time, 683P
Replication, 3047C
Residual stresses, 595P
Retro-Diels-Alder degradation, 2501C
Retrograde vitrification, 523P
Reversed-phase chromatography, 2577C
RF glow discharge, 1829C
Rh complex catalyst, 1113C
Rheology, 77P
Rigid polymers, 397C
Rigid-rod, 2953C
Rigid rod polymer, 851P, 2555P
Rigid rod polymers, 1157P
Rigid-rod polymers, 355C
Ring copolymer, 981P
Ring opening, 2155C, 2543C
Ring-opening, 983C
1,5-ring-opening, 2517C
Ring-opening metathesis, 1755C
Ring-opening polymerization, 199C, 597C, 979C, 1063C, 1121C, 1393C, 1789C, 2099C, 2283C, 2443C, 2793C, 921P
Rod-like, 2575P
Role of liberated HCl, 1225C
Roll-casting, 341P
Roller-drawing, 691P
ROMP, 2469C
Rotating sector method, 1389C
Rubber crystallinity, 1339P

(*S*)-2-methylbutyl vinyl ether, 2849C
SALS, 351P
SAN, 1321P
Sanchez-Lacombe (SL), 1791P
Saturated polymer, 475C
SAXS, 737P, 1579P, 2357P
SBS, 607P
Scanning electron microscopy, 1437P
Scattering, 1745P
Scattering behavior, 2605P
Scattering by spheruolites, 351P
Scattering matrix, 351P
Schlieren texture, 1415C
Scission probability distribution function, 1257P
SDS-PAGE, 1407P
SEC/LS, 771P

Secondary relaxations, 249P, 1805P
Second harmonic generation, 2615P
Seeded dispersion polymerization, 1087C
Segmental dynamics, 2251P, 2595P
Segmented copoly(ether-ester)s, 2999C
Segmented polymer, 897C
Segmented polyurethanes, 1847C
Segregation, 1943P
Selective acid hydrolysis, 2619C
Selective dissolution, 1P, 7P
Selenium-containing polymer, 1609C
Self-solvated alkoxides, 1543C
SEM, 257C, 1399C
Semi-batch emulsion, 539C
Semicrystalline polyester, 1237P
Semicrystalline polymer, 389C
Semi-interpenetrating polymer network, 2629C
Semi-IPN, 591C, 2715C
Semi-IPN hydrogel, 1213C
Sensitivity analysis, 2161C
Separation membrane, 1P
Sequence distribution, 1263C, 1191P
Serine, 789C
Shear history, 371P
Short-fiber composites, 1389P
Short glass fiber, 839P
Shrinkage, 2289P
Side chain, 1581C
Side group interactions, 73C
Side reaction, 1609C
Signal averaging, 659P
Silane, 997C
Silanol-containing polymers, 2597C
Silent discharge, 2479C
Silk fibroin, 243P, 961P
Siloxane polymers, 2859C
Siloxanes, 1847C
Silsesquioxane, 3069C
Silyl enol ether, 2699C
Simple shear flow, 2461P
Simultaneous interpenetrating network, 817P
Single molecule crystal, 1351P
Single-crystal texture, 341P
SiO_2-B_2O_3 gel fibers, 1049C
SiO_2-TiO_2 fibers, 3133C
Size exclusion chromatography resins, 2029C
Size exclusion chromatography with light scattering, 771P
Skin-core, 2207P
Small- and wide-angle x-ray scattering, 791P
Small-angle light scattering study, 2461P
Small-angle neutron scattering, 99P, 881P
Small-angle x-ray scattering, 2105P
Smectic, 2291C, 3205C
Smectic phase, 711C, 2119C
Sodium alginate, 2329P
Sodium styrenesulfonate, 1431C
Sodium triflate, 2077P
Soft domain, 2085P
Soft segment, 2999C
Sol-gel method, 1049C
Sol-gel transition, 945P
Solid-melt transition, 451C
Solid NMR, 607P
Solid state CP/MAS ^{13}C-NMR, 229C
Solid state NMR, 749P
Solid-state NMR, 785P
Solid state photopolymerization, 797C
Solid-state polycondensation (polyamidation), 451C
Solid state proton NMR, 15P
Soliton defects, 37P
Solubility, 181C, 587C, 721C, 1057C, 2523C, 1573P
Solubility behavior, 909C
Solubility parameter, 591P
Soluble aromatic polyimides, 423C
Soluble ethynylene-containing polyamides, 987C
Soluble hemoglobin-dextran complexes, 63P
Soluble polyimide, 579C
Soluble polymeric catalyst, 2057C
Soluble precursor polymers, 65C
Solution polymerization, 3123C
Solutions under tension, 2283P
Solution viscosity, 2589C
Solvent and electrolyte effects on redox mechanism, 231P
Solvent co-crystallization, 1115P
Solvent dynamics, 2251P
Solvent extraction, 2961C
Solvent fractionation, 2979C
Solvent-induced crystallization in, 759P
Solvent-induced swelling, 2143P
Solvent loss, 187P
Solvent self-diffusion coefficient, 491P
Sorption, 325P
Sorption equilibria, 2347P
Sorption isotherm, 491P
Space-charge effect, 119P
Space charge polarization, 1001P
Spark discharge, 39C
Specific heat capacity, 1999P
Specific volume, 1791P
Spectra of amylopectin-iodine complex, 2257C
Spectroscopy, 2251C
Spherulites, 573P, 859P, 1607P
Spherulitic or extended chain crystals, 579P
Spin casting, 2475P
Spin diffusion, 2321P
Spinning condition, 297P
Spinning dope, 297P
Spinodal curve, 7P
Spinodal decomposition, 671P
Spin trapping, 2241C, 3031C
Spin-spin relaxation time, 85P
Spiro orthocarbonate, 323C, 1393C
Spiroorthoester, 2793C
Spontaneous molecular orientation, 1299P
Squid pens, 1027C
Stability, 753C
Stability constant, 1169C
Stability constant (log β_1), 2873C
Stable phenoxyl radical, 917C
Star polymer, 2911C
Statistical Associating Fluid Theory (SAFT), 1791P
Staudinger reaction, 465C
Steady shear flow, 371P
Stereochemistry, 445C
Stereoregular polymerization, 1113C
Stereoselective catalyst, 149C
Stereospecific olefin polymerization, 2387C
Stereostructure, 2565C
Stimuli sensitive gel, 1085P
Stoichiometry, 113C
Stopped-flow spectroscopy, 741C
Stored thermal energy, 2765C
Strain-enhanced diffusion, 993P
Stratified material, 631P
Strength, 1543P, 1759P
Streptavidin, 1331C
Stress-strain behavior, 535P
Stress-whitening, 2037P
Stretched exponential law, 871P
Strongly stretched, 2743P
Structural analysis, 1643P
Structural heterogeneity, 85P
Structural studies, 1961P
β structure, 961P
Structure, 1249P, 2585P, 2705P
Structure effect on miscibility, 15P
Styrene, 1931C, 2531C, 2803C, 1315P, 1813P, 1847P, 2491P
Styrene-acrylic acid random copolymers, 571C
Styrene-butadiene, 2505C
Styrene-butadiene rubber (SBR), 2551C
Styrene-methyl methacrylate copolymers, 2539P
Styrene/polystyrene, miniemulsion polymerization, 2365C
Styrene-sodium methacrylate copolymer, 29P
Styrene terpolymers, 937C

Styrenic monomers, 729C
Substituted acrylates, 2937C
α-(substituted methyl)acrylate, 2745C
α-(substituted methyl)styrene, 2745C
Substituted PEEK, 2413C
Substituted polyacetylene, 2523C
Substituted polymethylene, 1957C
Sub-T_m exotherm, 1427P
Succinic acid, 815C
Sulfide, 1323C
2-sulfoethyl methacrylate, 3153C
Sulfonated poly(*p*-phenylene terephthalamide), 397C
Sulfonated polystyrene, 459P
Sulfonated styrene/divinylbenzene copolymers, 1977P
Sulfone, 1323C
Sulfone-containing polymers, 1671P
Sulfur-cured, 1149C
Sulfur hexafluoride, 39C
Superactive catalyst, 971C
Supercritical fluids, 541P
Supported catalysts, 1137C
Supported titanium tetrachloride, 929C
Supramolecular assembly, 1437C
Surface-active monomer, 445C
Surface degradation, 949C
Surface energy, 1653P
Surface free energy, 421P
Surface grafting of polymers, 2327C
Surface graft polymerization, 1683C
Surface modification, 1551C, 1829C, 1839C
Surface properties, 1657C
Surface structure, 2653P
Surface tension, 859C
Surface treatment, 2479C
Swelling, 241C, 779C, 3153C, 591P, 1093P
Swelling, crosslink density, 1017P
Swelling kinetics, 1213C
Swelling of polymer particles, 2491P
Swift heavy ions, 1493P
Swollen rings, 985P
Syndioselective propylene polymerization, 661C
Syneresis, 1339P
Synthesis, 333C, 343C, 753C, 1931C, 3153C, 3205C
Synthetic membranes, 1657C

T_g, 2517C
Tacticity, 99P
Tantalum catalyst, 2523C
t-butyl methacrylate, 363C
Teflon, 1777P
Telechelic polymer, 897C
TEM, 2551C, 2171P
Temperature, 701P
Temperature effect, 2431C, 2487C
TEM pictures, 1957P
Template polymerization, 295C, 495C
Tenecity, 2289P
Tensile properties, 1149C, 2065C, 2989C, 159P, 1321P, 1557P
Tensile strength, 3133C, 287P
Terbium nitrate, 1573P
Terephthalate/isophthalate, 2585P
Terminal branching, 929P
Terminal double-bond polymerization, 901P, 911P
Termination, 917C
Termination rate constant, 1389C, 1957C
Ternary, 1183P, 1413P
Ternary azeotropy, 937C
Ternary blends, 1321P
Ternary systems, 671P
Terpolymerization reactions, 937C
tert-butyl-substituted poly(ether ketone), 675C
Tetraacetoxysilane, 1049C
Tetraalkylammonium halide, 2653P
Tetrabromobisphenol A, 1885C
Tetraethoxysilane, 3133C
Tetrafluoroethylene, 2229C, 2235C
Tetrahydrofuran, 1977C, 2155C, 2797C
Tetraphenylporphyrin-containing polymer, 1243C
Tetraphenylpyrrolediol, 1057C
Tetrazole, 1657C
TG, 475C
Thermal analysis, 1225C, 2517C, 111P, 551P, 1573P, 1687P, 1759P, 2585P
Thermal and mechanical properties, 2155P
Thermal behavior, 317C, 587C, 909C, 987C, 1057C, 1071C, 1969C, 2065C, 2093C, 2947C, 2989C
Thermal conductivity, 1389P
Thermal crosslinking, 1793C, 2177C
Thermal curing process, 2005P
Thermal degradation, 15C, 187C, 1225C, 1807C
Thermal diffusivity, 59P, 1899P
Thermal expansion, 825P, 851P
Thermal expansivity, 2445P
Thermal expansivity of dissolved gas, 281P
Thermal isomerization, 187C
Thermally curable, 579C
Thermally stable polymers, 1915C, 3061C
Thermally stimulated depolarization currents (TSDC), 1001P
Thermal-oxidation, high-impact, 485C
Thermal properties, 181C, 457C, 729C, 1175C, 1523C, 2663C, 2999C, 3161C, 1557P, 2645P
Thermal property, 1665C, 1957C, 2085C
Thermal reversion, 3091C
Thermal stability, 131C, 475C, 2073C, 2119C, 2523C
Thermodynamic analysis, 887P
Thermodynamic parameters, 1169C
Thermodynamics, 641P
Thermogravimetric analysis, 3189C
Thermogravimetric analysis (TGA), 1747C
Thermomechanical analysis, 945P
Thermophysical, 2445P
Thermoplastic elastomer, 2721P
Thermoplastic elastomers, 403C
Thermoplastic polyimide, 737P
Thermoprecipitation, 3019C
Thermoreversible gels, 1607P
Thermoreversible polymer, 2501C
Thermosensitive water-solubility, 803C
Thermosets, 509P, 1465P, 2115P
Thermosetting imides, 2377C
Thermosetting resins, 1915C
Thermostimulated creep, 1359P
Thermotropic, 2111C, 3205C, 851P, 2509P
Thermotropic cholesteric phases, 1907P
Thermotropic copolyamide, 89C
Thermotropic copolyamides, 747C, 1923C
Thermotropic copolyester, 1023P
Thermotropic copolyesters, 1759P
Thermotropic elastomers, 2999C
Thermotropic homopolyester, 333C, 1023P
Thermotropic LCP, 371P
Thermotropic liquid crystalline poly(ester-imide)s, 2931C
Thermotropic liquid-crystalline polymer, 1415C
Thermotropic liquid crystalline polymers, 2999C
Thermotropic polyester, 343C, 651C
Thermotropic polyurethane, 2559C
ThermX, 1237P
THF, 1939C
1,3,4-thiadiazole, 249C
Thiazolium salt, 1711C
Thin films, 121C, 1551C
Thiocyanate, 1243C

Thiol ligand, 1877C
[2,2]thiophenophane, 979C
6-thioxantone-2-carboxylic acid, 159C
Third harmonic generation spectroscopy, 195P
Third-order nonlinear optical susceptibility, 195P
Thiuram disulfide, 1423C
Three-component polyimides, gas permeation in, 1009P
Three-phase model, 2289P
Time-resolved optical spectroscopy, 2595P
Titanium chelate, 3133C
Titanium oxide, 2327C
TMPC, 1719P
TMPTA, 2715C
Tolane, 1077C
Toluene diisocyanate (TDI), 1531C
Tosylation, 1027C
Total curve fitting method, 1787P
Toughness, 395P, 2127P
Tracer diffusion coefficient, 569P
trans-4-(1-naphthylazo)-phenyl acrylate, 1159C
trans-4-(phenylazo)-1-naphthyl acrylate, 1159C
Transesterification, 285C
Transesterification, 1485P, 2481P
Transesterification kinetics, 1295C
Transfer reaction, 2687C
Transfiguration, 421P
Transformation products of α-tocophrol, 3099C
Transimidization route, 2663C
Transition enthalpy, 1999P
Transition metal ions, 2961C
Transition temperatures, 1907P
Transmission Electron Microscopy, 141P
Transport equations, 187P
Transport properties, 333P, 1625P
Transverse, 2575P
Trapped charges, 2615P
Triarylsulfonium salt, 2755C
Triazene, 1507C
Triblock copolymer, 403C
Triethyleneglycol bis(4-carboxyphenyl)ether, 1923C
Triflic, 2543C, 3201C
Trifluoroacetylation of polyisoprene, 869C
Trifluoroethylene copolymers, 953P
α-trifluoromethacrylic acid, 2803C
Trimellitic anhydride, 1481C
Trimethylsilyl ether, 389C
Trimethylsilyl group, 849C
Triphase catalysis, 2677C
Triphenyl phosphite, 1481C, 2653C
1,2,3-tris(1-propenoxy)propane, 2755C
Tritylation, 1027C
TSDC, 2197P
Tussah silk, 1407P
Two-component polymer network, 897C
Two-dimensional polymerization, theory of diffusion-controlled kinetics, 2311P
Two-phase polycondensation, 721C

Ultrafine silica, 2327C
Ultra-high strength polyethylene fibers, 2241P
Ultrasonic, 631P
Ultrasonics, 1465P
Ultrasound-assisted two-phase polycondensation, 587C
Uniaxial drawing, 1299P
Unit cells, 1115P
Unpaired electron localization in conjugated systems, 2405P
Unsaturated polyester networks, 249P
Unsaturated polyesters, 2003C, 1805P
Urea, 575C, 387P
UV stabilizer, 961C
UV-visible, 1175C

Vanadium, 1033C
van der Waals free volume, 2645P
VDF/TrFE copolymer, 2435P
Viable cell counting method, 1997C
Vinyl esters, 2223C
Vinyl ether, 199C, 983C, 3141C
Vinyl ethers, 1703C, 2919C, 3161C
Vinylidene fluoride, 953P
Vinyl monomers, 3123C
Vinyl polymer, 2327C
Vinyl polymerization, 323C
2-vinylpyridine, 363C
Viologen polymer, 3205C
Viscometric method, 281C
Viscometry, 715P
Viscosity, 2251P, 2595P
Vogel-Tammann-Fulcher equation, 2733P
Volume transition, 7P
Vulcanizates, 1149C

Water contact angles, 1569C
Water diffusion, 2367P
Water in poly(hydroxyethyl acrylate), 1001P
Water-soluble polymer, 1243C
Water sorption, 2367P
Water transport, 1093P
Water vapor, 2329P
WAXD, 2683P
WAXS, 1579P
WAXS, DSC, synchrotron, 111P
Wedge disclinations, 2171P
Wheat starch, 1579P
Whiskers, 159C, 1601C
Wide angle x-ray diffraction, 691P
Wide angle x-ray scattering, 99P, 1437P

XPS, 1399C
X-ray, 229C, 2291C, 1115P
X-ray analysis, 551P, 1573P, 1687P
X-ray analysis of branch effect on the crystalline structure of ultra-high strength polyethylene fibers, 261P
X-ray diffraction, 333C, 343C, 1023P, 2289P, 2585P
X-ray photoelectron spectroscopy, 2275C
X-ray pole figure analysis, 1475P
X-ray scattering, 2567P, 2575P

YBC superconductors, 1729C
Yielding, 2037P
Yield of amine, 2177C

Zeolites, 1539C
Ziegler-Natta, 1033C
Ziegler-Natta catalysis, 2817C
Ziegler-Natta catalyst, 2127C, 2135C
Ziegler-Natta catalysts, 1137C, 2049C, 2387C
Zinc reagent, 2493C
Zirconocene, 2387C
Zwitterionic polymers, 359P
Zwitterion polymerization, 2283C